Scout Report cent out	· · · · · · · · · · · · · · · · · · ·			
Noted in the IIID File	TO COMPANY OF			
Location map pirned	WAR DO			
Approval or Disapproval Letter	THE DE			
Date Completed, P. & A. or operations suspended	3-17-59			
Pin changed on location map	. 0			Š
Affidavit and lacord of A & P	, <b>* * D</b>	en e		1 No.
Water Shut-O f "est	1 · · · · · · · · · · · · · · · · · · ·			
Gas-Oil Ratio Test	~ <b>D</b> /			
Well Log Filed	* 12			
<b>1</b>				
	FILE NOTATIONS  Entered in NID File Entered On S R Sheet Location Map Pinned Card Indexed I W R for State or Fee Land		Checked by Chief Copy NID to Field Office Approval Letter Disapproval Letter	
	COMPLETION DATA  Bate Well Completed  OW WW	3-11-59 TA		
	Blectric Logs (No.	3	R GR-N Mic	tuity 2

### GEOLOGIC TOPS:

		<del></del>	
QUATERNARY	Star Point	Sinbad	Brazer
Recent	Wahweap	PERMIAN	Pilot shale
Alluvium	Masuk .	Kaibab	Madison
Lake beds	Colorado	Coconino	Leadville
Pleistocene	Mancos	Cutler	Redwall
Lake beds	Upper	Hoskinnini 2500'	DEVONIAN
TERTIARY	Middle	DeChelly 2628'	Upper
Pliocene	Lower	White Rim 2800'	Middle
Humboldt	Emery	Organ Rock	Lower
Salt Lake	Blue Gate	Cedar Mesa	Ouray
Miocene	Ferron	Halgaite tongue	Elbert
Bishop conglomerate	Frontier	Phosphoris	Guilmette
Oligocene	Dakota	Park City	Simonson do orite
Norwood	Burro Canyon	Rico (Goodridge)	Sevy dolomite
Eocene	Cedar Mountain	Supai	North Point
Duchesne River	Buckhorn	Bird Springs	SILURIAN
Uinta	JURASSIC	CARBONIFEROUS	Laketown do orite
Bridger	Morrison	Pennsylvanian	ORDOVICIAN
Green River	Salt Wash	Oquirrh	Eureka guartzite
Upper	San Rafeal Gr.	Weber	Pogonip limestone
Middle	Summerville	Morgan	CAMBRIAN
Lower	Bluff sandstone	Hermosa	Lynch
Wasatch	Curtis	Upper	Bowman
Colton	Entrade	Lower	Tapeats
Flagstaff	Moab tongue	Molas	Ophir
Almy	Carmel	Paradox	Tintic
Paleocene	Glen Canyon Gr.	A	PRE-CAMBRIAN
Current Creek	Navajo	В	Honatex Trail 4540'
North Horn	Kayento	С	Deser ( vick 5698' to 1)
CRETACEOUS	Wingate	Manning Canyon	Decey VICK SE / 1 (0.1)
Montana	TRIASSIC	Mississippian	
Mesaverde	Chinle	Chainman shale	<del></del>
Price River	Shinarump ^^20'	Humbug	
Blackhawk	Moenkapi 5"	Joana limestone	<del>+</del>

Form (A)	<b>n 9-</b> 8 pril 19	331 b 52)	

### (SUBMIT IN TRIPLICATE)

# UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Indian Ag	ency Havajo
Allottee	Tribal
	14-20-603-353

,				2027 100 2227222	
SUNDRY	NOTICES	ANI	REPORT	S ON WELLS	
NOTICE OF INTENTION TO DRILL		X	SURSEQUENT REPORT	OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE			•	OF SHOOTING OR ACIDIZING	i i
NOTICE OF INTENTION TO TEST WAT			· ·	OF ALTERING CASING	i I
NOTICE OF INTENTION TO REDRILL				OF REDRILLING OR REPAIR.	1 1
NOTICE OF INTENTION TO SHOOT OF		_      i		OF ABANDONMENT	i i
NOTICE OF INTENTION TO PULL OR		1 1		L HISTORY	1 1
NOTICE OF INTENTION TO ABANDON	-				
(INDICA:	TE ABOVE BY CHECK MA		-	February 10.	, 19. <b>59</b>
Desert "A"		_			
Well No25 is loc	catedft.	from {	$\begin{cases} \text{line and } 188 \end{cases}$	Oft. from E line of sec	:. 17
SW_SE Sec. 17 (14 Sec. and Sec. No.)	41.3 (Twp.)	21 (Ra	E SL	(Meridian)	
Ratherford	San Juan			Utah	<b>_</b>
(Field)	(Con		odivision)	(State or Territory)	
The elevation of the decid	ded Groudd zhaor above sea	level i	s <b>4723.5</b> ft.		
			OF WORK		
(State names of and expected depths t	o objective sands; show ing points, and a	r sizes, we all other i	sights, and lengths of p important proposed w	roposed casings; indicate mudding j ork)	obs, cement≂
Drill 17-1/2" hole to cement to surface. D cement to surface. D run 5-1/2" casing and Desert Creek Formation	rill 11" hold rill 7-7/6" b cement with	to a	approximately to total dept	1600°, set 8-5/8° o	eating and
-					
I understand that this plan of wor	k must receive approva	il in writi	ng by the Geological S	Survey before operations may be con	nmenced.
Company Phillips	Petroleum Con	npany			
Address Box 54	<u> </u>			- 1 h	
Cortez	Colorado		Ву	Chr. Ba	دع
			• • • • • • • • • • • • • • • • • • • •	C. M. Boles	<b>*</b> ** *
•			Title	Dist. Sunt.	


Company PHILLIPS PETROLEUM COMPANY

Lease Well No. 25

Sec. 17 , T 41 SOUTH , R 24 EAST, SIM

Location 560' FROM THE SOUTH LINE AND 1880' FROM THE EAST LINE

Elevation 4723.5 UNGRADED GROUND



Scale-4 inches equal 1 mile.

Seal:

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Registered Land Surveyor.

James P. Leese Utah Reg. No. 1472

### **February 13, 1959**

Phillips Petroleum Company P. O. Box 548 Cortes, Colorado

Attention: C. M. Boles, Dist. Supt.

### Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. Desert A-25, which is to be located 560 feet from the south line and 1880 feet from the east line of Section 17, Township 41 South, Range 24 East, SLBM, San Juan County, Utah.

Please be advised that insofar as this office is concerned, approval to drill said well is hereby granted.

This approval terminates within 90 days if the above mentioned well is not spudded in within said period.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT EXECUTIVE SECRETARY

CBF:co

cc: Phil McGrath, Dist. Eng. USGS, Farmington, New Mexico

### (SUBMIT IN TRIPLICATE)

### **UNITED STATES** DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY**

Incian A	rency
	174bol 14-20-403-353
Lease No.	7/1/2

### SUNDRY NOTICES AND REPORTS ON WELLS

	ļ
 X	
i 1	

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
<b>1</b>	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

		Cortes,	Colorado	April 30	, 19. <b>57</b>
Well No. 25 is located	560	ft. from S line	and 1600 ft. fr	om $\left\{ \begin{array}{l} E \\ W \end{array} \right\}$ line of s	17 sec
SW, SE See. 17	418	24.5	SLM	(1177	
(14 Sec. and Sec. No.) Ratherford	(Twp.)	(Range)	(Meridian)	np .	
(Field) ungraded	ground	(County or Subdivision)		(State or Territory)	<del></del>

### DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comenting points, and all other important proposed work)

Spudded 11:30 P.M. 2/15/59. Drilled 17-1/4" hele to 174'. Set and commuted 4 jts. 13-3/8" OD 27.1# Armso SW SJ casing with Larkin Guide Shoe at 174' with 175 cacks regular coment, 2% calcium chloride. Pumped plug to 145° at 8:30 P.M. 2/16/59. Cement circulated. W.O.C. 24 hours.

Drilled 11" hole to 1529". Set and comented 50 jts. 8-5/8" OD 24# J-55 8rd thd 876C casing at 1529,92' with 330 masks coment,126 seeks Diacol "D", 620/ calcium chloride, 165# Flocale, 660# Tuff Plug, followed with 125 sacks coment on bottom, Pumped plug to 1496'. Coment did not eirquiste. Filled sonwhus with 150 seeks coment. Job completed 9:15 P.M. 2/18/59. W.O.C. 24 hours. Tested casing with 750# 30 minutes. Tested ckay.

### (Continued on back side)

1 dilderstand	that this plan of work indec receive approval in witchig by c	is deprogress partery perore operations may be commenced.
Company	Phillips Petroleum Company	
	2 A Common 3160	
	Cortes, Colorado	By Con Spiles
		C. M. Belge

Form 9-389

	ļ	1				Į
			ļ.—-			
		1				
<del></del>						
		1				
			<del> </del>			
		İ				
<del> </del> -		-+	+			
		į.				
		+-	<del> </del>			
<b>i</b> -		+-			-	
I		+-				<del> </del>
				1		

E. dget Bureau No. 42-R355.4. Approval expires 12-31-60. U. S. LAND OFFICE 14-20-603-353 SERIAL NUMBER \_\_\_\_\_T1581 LEASE OR PERMIT TO PROSPECT .....

### **UNITED STATES** DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY**

Sec or Tract  Sec 17					DETICE	AND ADAP	TEDS			
Second Tract Scale 17	5/8 L/2	1530 5747	800 ou	·	1		lled annulus 1	r/150 s	x. reg	cem. 2% CC
Secret Tract    Secretary   Se	casing	Where set		er sacks of cer			Mud gravity	A	mount of m	ud used
Sec of Tract 13. Sec 17. 13. R 18. County Sec 18. County				MUDD	ING AND	) CEMENTI	NG RECORD			
Sec of Tract 13. Sec 17. 13. R 18. County Sec 18. County	======							5623	5635	
Sec. 17 Line and tt. W. of Dime of Dim				HI2.	TORT OF	OIL OR G	AS WELL	5594	5600-	LIFE ONLIGE
Elevation Sec. 17 115 R. 18 115 R. 1	/ <b>\$</b> 13	ons to	k importance e nork and	i 3 11222 a c.	Marche histo	es gr <b>ant-due</b> n Ku	made in the casing,	MED O	2574 an	ing, together yeasing was
Field II. State San Jan County Sec. B. Meridian Section 560 ft. Of Line and ft. W. of Line of Sec. Sec. Sec. Sec. Sec. Sec. Sec. Sec.	2/9	17.13 or 12	Marine p	uent to test	for Water, et	Ke mage of ma	been dynamited, giv erial used, position,	sha result	e <b>Aprili</b> on 5 of pulnipii	printed
Field II. Sec. 17 Line and ft. W of 2 Line of County  The information given herewith is a complete and correct record of the well and all work done thereon far at can be determined from all available records.  Signed  Title  The summary on this page is for the condition of the well at above date.  The summary on this page is for the condition of the well at above date.  The summary on this page is for the condition of the well at above date.  The summary on this page is for the condition of the well at above date.  The summary on this page is for the condition of the well at above date.  The summary on this page is for the condition of the well at above date.  The summary on this page is for the condition of the well at above date.  The summary on this page is for the condition of the well at above date.  The summary on this page is for the condition of the well at above date.  The summary on this page is for the condition of the well at above date.  The summary on this page is for the condition of the well at above date.  The summary on this page is for the condition of the well at above date.  The summary on this page is for the condition of the well at above date.  The summary on this page is for the condition of the well at above date.  The summary on this page is for the condition of the well at above date.  The summary on this page is for the condition of the well at above date.  The summary on this page is for the condition of the well at above date.  The summary on this page is for the condition of the well at above date.  The summary on this page is for the condition of the well at above date.  The summary on this page is for the condition of the well at above date.  The summary of this page is for the condition of the well at above date.  The summary of this page is for the condition of the well at above date.  The summary of this page is for the condition of the well at above date.  The summary of this page is for the condition of the well at above date.  The summary of this page is for the condition	Size asing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	į		Purpose
Field II. Sec. 17 Line and ft. W of Eine of County  The information given herewith is a complete and correct record of the well and all work done thereon far at can be determined from all available records.  Signed  Title  The summary on this page is for the condition of the well at above date.  The summary on this page is for the condition of the well at above date.  The summary on this page is for the condition of the well at above date.  The summary on this page is for the condition of the well at above date.  The summary on this page is for the condition of the well at above date.  The summary on this page is for the condition of the well at above date.  The summary on this page is for the condition of the well at above date.  The summary on this page is for the condition of the well at above date.  The summary on this page is for the condition of the well at above date.  The summary on this page is for the condition of the well at above date.  The summary on this page is for the condition of the well at above date.  The summary on this page is for the condition of the well at above date.  The summary on this page is for the condition of the well at above date.  The summary on this page is for the condition of the well at above date.  The summary on this page is for the condition of the well at above date.  The summary on this page is for the condition of the well at above date.  The summary on this page is for the condition of the well at above date.  The summary on this page is for the condition of the well at above date.  The summary on this page is for the condition of the well at above date.  The summary on this page is for the condition of the well at above date.  The summary on this page is for the condition of the well at above date.  The summary on this page is for the condition of the well at above date.  The summary on this page is for the condition of the well at above date.  The summary of this page is for the condition of the well at above date.  The summary of this page is for the condition o	13 14 2 1 	<del></del>	. • †	·	CASI	NG RECOR	RD (2007)			NA PAGAR Francisco
Sec 17 B. Meridian County  coation 560 ft of Line and ft w of Line of Elevation Elevat	3 P. F.					No. 4,	from	t	0	والمراجع والم والمراجع والمراجع والمراجع والمراجع والمراجع والمراجع والمراج
esor or Tract    County   County	o. 1. 1	all san	de <b>Com</b> a	. to	30 Fug	No. 3,	from	t	0	·····································
Field I. Sec.  R. Sec.  R. Sec.  County  Count	o. I, f	rom		to 381	14 <b>(</b> 왕 동안	No. 6,			5 ( 033)	34. 77、如此是
ell Nc. Sec. T. R. Meridian County  cation 560 ft. N of Line and ft. W of Line of Elevation (Derick floor relative to sea level)  The information given herewith is a complete and correct record of the well and all work done thereon far at can be determined from all available records.  Signed  Title  The rummary on this page is for the condition of the well at above date.  Onl. OR GAS SANDS OR ZONES  Onl. OR GAS SANDS OR ZONES	o. 2, 1	rom, *		to reare	والمعاشد المستقد	; No. 5,	from	t	042_211C.1	نْمُلْد
ell Nc. Sec. R. Meridian County cation 560 ft. of Line and ft. w of Line of County  The information given herewith is a complete and correct record of the well and all work done thereon far a can be determined from all available records  Signed  Title  The summary on this page is for the condition of the well at above date.  Finished drilling  Finished drilling	o. 1, fr	rom		to	<u></u>		from Town	<del>, , , , , , , , , , , , , , , , , , , </del>	o <u>(7757)</u>	
ell Nc. Sec T R Meridian County  cation 560 ft. of Line and ft. w of Line of County  The information given herewith is a complete and correct record of the well and all work done thereon far as can be determined from all available records  Signed  Title  The summary on this page is for the condition of the well at above date.  Finished drilling  Finished drilling	147	er e		OII	OR GAS	note gas by G	K ZUNES	, 194 ) <del>4</del> 1 (2)	es et et	andther s
ell Nc.  Sec.  R. Meridian  County  County  County  The information given herewith is a complete and correct record of the well and all work done thereon far at can be determined from all available records.  Signed  Title		aced drillin						<del>May y y y -</del> - Samo (Sa)	६ - ५७२३-५ १ - १७२३-५	⊧∮s∫∳9 <del>88</del> ≥js∽č,
ell Nc. Sec. T. R. Meridian County  cation 560 ft. Sec. Line and ft. W. of Line of Elevation (Describe floor relative to sea level)  The information given herewith is a complete and correct record of the well and all work done thereon far at can be determined from all available records.  Signed  Title	<b>C</b> (3) (3)	eunimary	on this pag	è is for th	e conditio	n of the well	at above date.	reh 7	n .v., j€	11 mg <b>59</b>
ell Nc. Sec. R. Meridian County  cation 560 ft. of Line and ft. work of Line of the well and all work done thereon far as can be determined from all available records.  Signed	ate			<u></u>			Title	Cacling	ENAMED A	
ell Nc. Sec. Line and ft. W of Line of Line of the West of the Line of the County of t	far a	***	2 1 1				done of	STOL	B4100	- 3540+25*
escrier Tractic walker best for a larger a specific or reserved State In the secretary and the secreta	- Tho	informati	on given he	rewith is	a complete	e and correct	record of the we	and al	l work d	one thereon
escrier Tractic walker best for a larger a specific or reserved State In the secretary and the secreta	cation	560 ft	of i	Line an	1640 d ft.	of a	Line of	. <b>17</b>	Eleva	4.794 tion 12324
Desert with the property with the property of	All Ma		5 Sec. 19 19 19	Als R	ALEGOST.	zer entre er <b>et l</b>	് അ 1 <i>98</i> 0 °	<b>6</b> 5-19 19 80	San Am	<b>M</b> -10-55
impany Address	10 mar. 2	r iract								

Σ	)= <u>1/2</u>	574	<b>57</b> - 550	Ottvf		{}	J			
Le Co			i		E .			APTER		
FOL		0.								pth set
	Adapte	ers—M	aterial		ì					
	<b>EX</b>		<del></del>			<del></del>		ECORD		Parth slave of out
	Size		Shell used		plosive uscă		antity	Date	Depth shot	Depth cleaned out
					1		i		!	
							<u>+</u>			
	D . /	1		79.4	1		LS US		and from	fact to fact
	Kotary	toois	were used I	······(	foo	6 tO .	5747	foot	and from	feet to feet
	Cable t	oois we	ere used from	II	100		ATES	reeu,	, and from	1660 /0 1660
	*		<u> </u>	<b></b> ,	19					, 19
	Th	May 2 ne proc	uction for	the first	24 hours was	3	t	arrels of	f fluid of which	March 17 was oil; 59%
	emulsio	on;	% water;	and	-% sediment.	106	7 <b>7</b>		Gravity, °Bé.	100
	If	gas we	ll, cu. ft. p	er 24 ho	urs		Gall	ons gasc	oline per 1,000	cu. ft. of gas
	$\mathbf{R}\mathbf{c}$	ock pre	ssure, lbs.	per sq. i	n	ı në	+			
			1		Driller		PLOYE			, Driller
	Mor	an Br	os., Inc		Drille					, Driller
							TION F	ECORE		,
	FKC	DM-	то	_	TOTAL FE	ET			FORMA	ATION
							i			
2	320		2395		75		3	hin <b>ar</b> u	<b>P</b>	
2	395		2500		105		il is	o <b>en</b> kop:	1	
2	500		<b>26</b> 20		120		c	utler -	- Hoskinini	Equivalent
2	620		2800		180		C	utler .	- De Chelly	Member
2	800		45 <b>4</b> 0		1740		C	utler ·	- Organ Fock	Kember
4	540		5698		1158		H	onaker	Trail	
5	698		5747		48		D	esert (	Creek	
5	747		5723		24		P	BTD		
					1		And address of the first state o			
							And a page of the case of the			
	1. 174	¥	(.a)		71.771, \$4%				150 miles	

AND THE STATE OF THE CONTROL OF THE STATE OF

16-43094-4

TOPAL CO.

U. S. LAND OFFICE A Company of Line 3 19 3

LEASE OR PERMIT TO PROSEECT ...... SERIAL NUMBER .....TIOAL

UNITED STATES

DEPARTMENT OF THE INTERIOR

Tweefersions w/9500 gallons regular 15% asidin & stages using Dewell jel x 830.

Ashtemporary blocking agest as follows: 2000 galling wild, 250 gallons [6] x 830,

2500 gallons acid, 250 gallons jel x 830, 2500 gallons jels, Maximum pressure 2000 Maine prosesse Of .. LOG OF OIL OR GAS WELL GEOLOGICAL SURVEY

Ran Weller Commonweller Locator Log to 5712' and Mariant and Manhanger and Mariant and Mar The information given herewith is a complete and correct record of the well and all work do a thereon has man that the same and all works do a thereon Through in Signal well Services Unit, it is well displayed 60 30 is annulus Fund (sandlus went on Vacuum 60 Spot Sed acid as Committee, set Raker St.) Sector (booksell, at 1992).

Pilled sanulus with 15 py and proposured annulus to 1800%. Acidized Recent Greek

Drilled 7-7/8" hole to 5747' at 10:90"F.H. 3-7-59. Ran Schlumberger ES Incustion & Micro Logs to 5745'. Set & Year Hter 178 1993. OK 1724 TO 144 J-55 8rd the 5180 cultured drille. Lot respond to the well at above date.

Course of drille. Lot respond to the well at above date.

Course of drille. Lot respond to the well at above date.

Course of drille. Lot respond to the well at above date.

Course of drille. Lot respond to the well at above date.

Course of drille. Lot respond to the well at above date.

Course of drille. Lot respond to the well at above date.

Course of drille. Lot respond to the well at above date.

Course of drille. Lot respond to the well at above date.

Drilled 11, " hole to 1529 . The Electron 1 200-5/8" OD 24, J-55 8rd the ST&C casing at 1529.92' with 330 sx. cement, 126 sx. Discel "D", 620# calcium chloride, 165# Flocale, 660# Tuff Plug, followed with 125 sx. cement on bottom. Pum ed plug Neoslago. Coment did not circulate. Fillind annulus with 150 ex. coment. Job Nonploted 9:15 P.M. 2-18-59. W.O.C. 24 hours, Tested coming with 750# 30 minutes.O.K.

Sandges 11:30 5 W 5-12-23 Dailled 14-1/7 pole to 147 Set Perform Size Weight Pineads per Make Amount Kind of shoe Cut and pulled from 13-3/8" OD 27.1# Araco SW SJ casing swith ExchanGuide Shoe at 174' with 17% sacks wregular sement, 2% enleium chloride. Pumped pluguto 1451 at 8:30 g. x. 2-11-59. No. 3, from ..... to .....

It is of the greatest importance to have a complete history of the well. Please state in detail the dates of redrilling, together swith the regions for the work and its regions. If the well has been dynamited, give date, size, mailton, and region, and number of sales are put in to test for water, state find of material used, position, and results of pumping or balling.

Honving place filaterial -Troping sof PLUGS AND ADAPTERS James 1 5747 - offer (ridled smulus w/150 ex. reg ma. 22 72) 800-00F\* 3-5/8 **7230**-13-3/6 5tt CHRIDE Where sec Method used Amount (Imag used AUDDING AND CEMENTING RECORD HISTORY OF OIL OR GAS WELL

Adapters-Ma

Form 9-330

Form	9-331
(Mav	1963)

	SUBMIT	r in	TRIL	بالاست	'ATI	g,
· _	(Other	instr	uction	18 (	ו מ	re
)K	verse si	le)				

		Form	approv	ed.	L	
		Budge	t Bure	au No	). 42–R	142
5.	LEASE	DESIG	NATION	AND	SERIAL	NO.

(May 1963)	UNITED STATES	Other instructions on re-
	DEPARTMENT OF THE INTERIOR	verse side) 5. LEASE DESIGNATION AND SERIAL NO
	GEOLOGICAL SURVEY	14-20-603-353
CLINI	NOV NOTICES AND DEPONTS ON	6. IF INDIAN, ALLOTTEE OR TEIBE NAM
	ORY NOTICES AND REPORTS ON Orm for proposals to drill or to deepen or plug back Use "APPLICATION FOR PERMIT—" for such propo	
1.		7. UNIT AGREEMENT NAME
OIL GAS WELL	OTHER	CD [1_1_100
2. NAME OF OPERATOR		8. FARM OR LEASE NAME
Phillip	s Petroleum Company	Retherford Unit
3. ADDRESS OF OPERATOR		9. WELL NO.
Drawer	1150, Cortes, Colorado 81321	17-34
	port location clearly and in accordance with any Sta	
At surface	•.)	Greater Anet: Field
	560' FSL, 1880' FEL, SW SB Se	11. SEC., T., B., M., OR BLK. AND SURVEY OR ARMA
		17-418-24B SIX
14. PERMIT NO.	15. ELEVATIONS (Show whether DF, RT,	
	4723.51	San Juan State
16.	Check Appropriate Box To Indicate Natu	us of Notice Report or Other Data
N	OTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
TEST WATER SHUT-OF	PULL OR ALTER CASING	WATER SHUT-OFF REPAIRING WELL
FRACTURE TREAT	MULTIPLE COMPLETE	FRACTURE TREATMENT ALTERING CASING
SHOOT OR ACIDIZE	ABANDON*	SHOOTING OR ACIDIZING ABANDONMENT*
REPAIR WELL	CHANGE PLANS	(Other)
(Other) <b>Squeeze</b>	Zone II, acidize ZoneI X	(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)
5512-56001 OA	(4 intervals) with 8000 gallons TION: 18 BO, 14 MCF Gas, 16 BW packer. Production test before se	nd 5646-58, acidise Zene I perforations 15% in 4 stages, return to production.  from Zene I with Zene II isolated by tting packer was 22 BO, 15 MCF Gas, 773 B
	from Zone I and II commin	gled.
18. I hereby certify that	the foregoing is true and correct	
SICMED	M - Male Mint in Distr	iet Superintendent DATE 11-15-68
SIGNED	N. Boles	
(This space for Feder	al or State office use)	

CAMPBRATED BY APPROVAL, PRINTED, N.M. TITLE COMDITIONS OF APPROVAL, PRINTED, N.M. TITLE 2 co: Utah CASCG, Salt Lake City, Utah 1 co: Bville

\*See Instructions on Reverse Side

0 991		1	
orm 9-331	U ED STATES	SUBMIT IN TRI ATE*	Form approved.
May 1963) DF	PARTMENT OF THE INTER	IOR (Other instruction, on re-	Budget Bureau No. 42-R142 5. LEASE DESIGNATION AND SERIAL NO
	GEOLOGICAL SURVEY		14-20-603-353
			6. IF INDIAN, ALLOTTEE OR TRIBE NAM
SUNDRY	NOTICES AND REPORTS	ON WELLS	Nava io
(Do not use this form	for proposals to drill or to deepen or plug "APPLICATION FOR PERMIT—" for such p	back to a different reservoir.	······································
	APPLICATION FOR PERMIT— for such	proposals.)	
OIL GAS			7. UNIT AGREEMENT NAME
WELL WELL	OTHER		2M-1-1135
NAME OF OPERATOR			8. FARM OR LEASE NAME
Phili	Lips Petroleum Company		Ratherford Unit
ADDRESS OF OPERATOR			9. WELL NO.
Drewer	· 1150, Cortez, Colorado 8	1321	17-34
	location clearly and in accordance with any	State requirements.*	10. FIELD AND POOL, OR WILDCAT
See also space 17 below.) At surface			Greater Aneth Field
56	0' FSL, 1880' FEL, SW, SE	Sec. 17	11. SEC., T., B., M., OR BLK. AND
			SURVEY OR AREA
			17-419-24E BIM
PERMIT NO.	15. ELEVATIONS (Show whether D	F RT CR etc)	12. COUNTY OF THE 13. STATE
	· · · · · · · · · · · · · · · · · · ·	, III, dis, coo;	San Juan Stah
	4723.51	]	Seri seem com
	heck Appropriate Box To Indicate I	Nature of Notice, Report, or Of	ther Data
	• • •	, , ,	
NOTICE	OF INTENTION TO:	SUBSEQUE	NT REPORT OF:
TEST WATER SHUT-OFF	PULL OR ALTER CASING	WATER SHUT-OFF	REPAIRING WELL
FRACTURE TREAT	MULTIPLE COMPLETE	FRACTURE TREATMENT	ALTERING CASING
SHOOT OR ACIDIZE	ABANDON*	SHOOTING OR ACIDIZING	ABANDONMENT*
REPAIR WELL	CHANGE PLANS	(Other) Scueeze Zone	II. acidizeZone I X
(Other)			of multiple completion on Well tion Report and Log form.)
	PLETED OPERATIONS (Clearly state all pertine	<del></del>	
set at 5615', squaretrievable packe 5538-50, 5554-74	068 moved in well service messed Zone II perforation or, set at 5485°, acidized and 5594-5600° with 8000 by 500 cellens emyde cellens	s 5623-35 and 5646-58* Desert Creek Zone I p gallons 15% acid in 4	te 3500#. Ran erforetions 5512-22, equal 2000 gallon
set at 5615, squ retrievable packe 5538-50, 5551-74 stages separated	mesed Zone II perforation or, set at 5485°, acidized	s 5623-35 and 5646-58* Desert Creek Zone I p gallons 15% acid in 4 with 1000# mothball bl	to 3500#. Ran erforations 5512-22, equal 2000 gallon ock. Symbhed well,
set at 5615, squ retrievable packe 5538-50, 5554-74 stages separated	neezed Zone II perforation or, set at 5485°, acidized and 5594-5600° with 8000 by 500 gallons crude oil	s 5623-35 and 5646-58* Desert Creek Zone I p gallons 15% acid in 4 with 1000# mothball bl	to 3500#. Ran erforations 5512-22, equal 2000 gallon ock. Sumbbed well,
set at 5615, squ retrievable packe 5538-50, 5554-74 stages separated	neezed Zone II perforation or, set at 5485°, acidized and 5594-5600° with 8000 by 500 gallons crude oil	s 5623-35 and 5646-58* Desert Creek Zone I p gallons 15% acid in 4 with 1000# mothball bl	to 3500#. Ran erforations 5512-22, equal 2000 gallon ock. Symbbed well,
set at 5615, squ retrievable packe 5538-50, 5551-74 stages separated pulled packer, re	neezed Zone II perforation or, set at 5485°, acidized and 5594-5600° with 8000 by 500 gallons crude oil eran pumping equipment, re	s 5623-35 and 5646-58* Desert Creek Zone I p gallons 15% acid in 4 with 1000% mothball bl sumed pumping 12-15-68	to 3500#. Ran erforations 5512-22, equal 2600 gallon ock. Sumbbed well,
set at 5615, squ retrievable packe 5538-50, 5551-74 stages separated pulled packer, re Previous Producti	neezed Zone II perforation or, set at 5485°, acidized and 5594-5600° with 8000 by 500 gallons crude oil eran pumping equipment, re- ton: 26 BOPD, 15 MCFGPD.	s 5623-35 and 5646-58* Desert Creek Zone I p gallons 15% acid in 4 with 1000% mothball bl sumed pumping 12-15-68  786 EWPD - Note: Produ olation tests was 18 B	to 3500#. Ran erforations 5512-22, equal 2600 gallon ock. Sumbbed well,
set at 5615, squ retrievable packe 5538-50, 5554-74 stages separated pulled packer, re	neezed Zone II perforation or, set at 5485, acidized and 5594-5600 with 8000 by 500 gallons crude oil eran pumping equipment, re- ton: 26 BOPD, 15 MCFGPD, by packer is	s 5623-35 and 5646-58* Desert Creek Zone I p gallons 15% acid in 4 with 1000% mothball bl sumed pumping 12-15-68  786 EWPD - Note: Produ olation tests was 18 B	to 3500#. Ran erforations 5512-22, equal 2600 gallen ock. Sumbbed well,
set at 5615, squ retrievable packe 5538-50, 555k-74 stages separated pulled packer, re Previous Production Present Production	neezed Zone II perforation or, set at 5485, acidized and 5594-5600 with 8000 by 500 gallons crude cil- eran pumping equipment, re- ton: 26 BOPD, 15 MCFGPD, by packer is on: 42 BOPD, 34 MCFGPD an	s 5623-35 and 5646-58* Desert Creek Zone I p gallons 15% acid in 4 with 1000% mothball bl sumed pumping 12-15-68  786 EWPD - Note: Produ olation tests was 18 B	to 3500#. Ran erforations 5512-22, equal 2600 gallen ock. Sumbbed well,
set at 5615, squaretrievable packer 5538-50, 5551-74, stages separated pulled packer, represent Production Present Present Production Present Present Production Present Pres	neezed Zone II perforation or, set at 5485, acidized and 5594-5600 with 8000 by 500 gallons crude oil eran pumping equipment, re- ton: 26 BOPD, 15 MCFGPD, by packer is on: 42 BOPD, 34 MCFGPD an	s 5623-35 and 5646-58* Desert Creek Zone I p gallons 15% acid in 4 with 1000% mothball bl sumed pumping 12-15-68  786 EWPD - Note: Produ olation tests was 18 B	to 3500#. Ran erforations 5512-22, equal 2600 gallon ock. Smabbed well,
set at 5615, squaretrievable packer 5538-50, 5551-74, stages separated pulled packer, represent Production Present Production I hereby certify that the formal control of the Boundary Co. H.	present Zone II perforation or, set at 5485, acidized and 5594-5600 with 8000 by 500 gallons crude oil eran pumping equipment, research packer is the 42 BOPD, 34 MCFGPD and oregoing true and correct TITLE Displays the Acidized	s 5623-35 and 5646-58* Desert Creek Zone I p gallens 15% acid in 4 with 1000% mothball bl sumed pumping 12-15-68  786 BWPD - Note: Produ colation tests was 18 B d 2 BWPD.	to 3500#. Ran erforations 5512-22, equal 2600 gallon ock. Sumbbed well, etion from Zone I only 0, 14 MCF Gas and 0 Bid
set at 5615, squaretrievable packer 5538-50, 5551-74, stages separated pulled packer, represent Production Present Present Production Present P	present Zone II perforation or, set at 5485, acidized and 5594-5600 with 8000 by 500 gallons crude oil eran pumping equipment, research packer is the 42 BOPD, 34 MCFGPD and oregoing true and correct TITLE Displays the Acidized	s 5623-35 and 5646-58* Desert Creek Zone I p gallens 15% acid in 4 with 1000% mothball bl sumed pumping 12-15-68  786 BWPD - Note: Produ colation tests was 18 B d 2 BWPD.	to 3500#. Ran erforations 5512-22, equal 2600 gallon ock. Sumbbed well, etion from Zone I only 0, 14 MCF Gas and 0 BM
set at 5615, squaretrievable packer 5538-50, 5551-74 stages separated pulled packer, re  Previous Production  Present Production  I hereby certify that the form  SIGNED C. M. Hereby  (This space for Federal or APPROVED BY	present Zone II perforation or, set at 5485, acidized and 5594-5600 with 8000 by 500 gallons crude oil eran pumping equipment, research packer is on: 42 BOPD, 34 MCFGPD and oregoing is true and correct title.  State office use)	s 5623-35 and 5646-58* Desert Creek Zone I p gallens 15% acid in 4 with 1000% mothball bl sumed pumping 12-15-68  786 BWPD - Note: Produ colation tests was 18 B d 2 BWPD.	to 3500#. Ran erforations 5512-22, equal 2600 gallon ock. Sumbbed well, etion from Zone I only 0, 14 MCF Gas and 0 Bid
retrievable packer 5538-50, 5551-74 stages separated pulled packer, re  Previous Production  Present Production  I hereby certify that the form  SIGNED C. M. Become the production of the packer of t	present Zone II perforation or, set at 5485, acidized and 5594-5600 with 8000 by 500 gallons crude oil eran pumping equipment, research packer is the second of the second	s 5623-35 and 5646-58* Desert Creek Zone I p gallens 15% acid in 4 with 1000% mothball bl sumed pumping 12-15-68  786 BWPD - Note: Produ colation tests was 18 B d 2 BWPD.	to 3500#. Ran erforations 5512-22, equal 2900 gallon ock. Sumbbed well,  ction from Zone I only 0, 14 MCF Gas and 0 BM
set at 5615', squaretrievable packers 5538-50, 5551-74, stages separated pulled packer, respectively present Production Present Production Signed C. M. Barrier Conditions of Approved By Conditions Of	present Zone II perforation or, set at 5485, acidized and 5594-5600 with 8000 by 500 gallons crude oil tran pumping equipment, response to the second	s 5623-35 and 5646-58* Desert Creek Zone I p gallens 15% acid in 4 with 1000% mothball bl sumed pumping 12-15-68  786 BWPD - Note: Produ colation tests was 18 B d 2 BWPD.	to 3500#. Ran erforations 5512-22, equal 2900 gallon ock. Sumbbed well, ction from Zone I only 0, 14 MCF Gas and 0 Bid
set at 5615', squaretrievable packers 5538-50, 5551-74, stages separated pulled packer, respectively present Production Present Production Signed C. M. Barrier Conditions of Approved By Conditions Of	present Zone II perforation or, set at 5485, acidized and 5594-5600 with 8000 by 500 gallons crude oil tran pumping equipment, response to the second	s 5623-35 and 5646-58* Desert Creek Zone I p gallens 15% acid in 4 with 1000% mothball bl sumed pumping 12-15-68  786 BWPD - Note: Produ colation tests was 18 B d 2 BWPD.	to 3500#. Ran erforations 5512-22, equal 2900 gallon ock. Sumbbed well, ction from Zone I only 0, 14 MCF Gas and 0 Bid
set at 5615', squaretrievable packers 5538-50, 5551-74, stages separated pulled packer, respectively present Production Present Production Signed C. M. Barrier Conditions of Approved By Conditions Of	present Zone II perforation or, set at 5485, acidized and 5594-5600 with 8000 by 500 gallons crude oil eran pumping equipment, respectively.  The set at 5485, acidized and 5594-5600 with 8000 by 500 gallons crude oil eran pumping equipment, respectively.  The set at 5485, acidized and 5594-5600 with 8000 by 500 gallons crude oil eran pumping equipment, respectively.  The set at 5485, acidized and 5594-5600 with 8000 by 500 gallons crude oil eran pumping equipment, respectively.  The set at 5485, acidized and 5594-5600 with 8000 by 500 gallons crude oil eran pumping equipment, respectively.  The set at 5485, acidized and 5594-5600 with 8000 by 500 gallons crude oil eran pumping equipment, respectively.	s 5623-35 and 5646-58* Desert Creek Zone I p gallens 15% acid in 4 with 1000% mothball bl sumed pumping 12-15-68  786 BWPD - Note: Produ colation tests was 18 B d 2 BWPD.	to 3500#. Ran erforations 5512-22, equal 2900 gallon ock. Sumbbed well,  ction from Zone I only 0, 14 MCF Gas and 0 BM
retrievable packers 5538-50, 5551-74, stages separated pulled packer, represent Production Present Production (This space for Federal or APPROVED BY CONDITIONS OF APPROVED BY	present Zone II perforation or, set at 5485, acidized and 5594-5600 with 8000 by 500 gallons crude oil eran pumping equipment, respectively.  The set at 5485, acidized and 5594-5600 with 8000 by 500 gallons crude oil eran pumping equipment, respectively.  The set at 5485, acidized and 5594-5600 with 8000 by 500 gallons crude oil eran pumping equipment, respectively.  The set at 5485, acidized and 5594-5600 with 8000 by 500 gallons crude oil eran pumping equipment, respectively.  The set at 5485, acidized and 5594-5600 with 8000 by 500 gallons crude oil eran pumping equipment, respectively.  The set at 5485, acidized and 5594-5600 with 8000 by 500 gallons crude oil eran pumping equipment, respectively.	s 5623-35 and 5646-58* Desert Creek Zone I p gallens 15% acid in 4 with 1000% mothbell bl sumed pumping 12-15-68  786 EWPD - Note: Produ colation tests was 18 B d 2 EWPD.	to 3500#. Ran erforations 5512-22, equal 2900 gallon ock. Sumbbed well,  ction from Zone I only 0, 14 MCF Gas and 0 BW
retrievable packers for the stages separated pulled packer, respectively that the form of the signed for Federal or approved by conditions of approved by conditions of approved the co	present Zone II perforation or, set at 5485, acidized and 5594-5600 with 8000 by 500 gallons crude oil tran pumping equipment, response to the second	s 5623-35 and 5646-58* Desert Creek Zone I p gallens 15% acid in 4 with 1000% mothbell bl sumed pumping 12-15-68  786 EWPD - Note: Produ colation tests was 18 B d 2 EWPD.	to 3500#. Ran erforations 5512-22, equal 2900 gallon ock. Sumbbed well,  ction from Zone I only 0, 14 MCF Gas and 0 BW
retrievable packers 5538-50, 5551-74 stages separated pulled packer, represent Production Present Production Present Production C. M. Bottom Conditions of Approved by Conditions of Approved by Conditions of Approved 2 cc: Utah OSCCC,	present Zone II perforation or, set at 5485, acidized and 5594-5600 with 8000 by 500 gallons crude oil tran pumping equipment, response to the second	s 5623-35 and 5646-58* Desert Creek Zone I p gallens 15% acid in 4 with 1000% mothbell bl sumed pumping 12-15-68  786 EWPD - Note: Produ colation tests was 18 B d 2 EWPD.	to 3500#. Ran erforations 5512-22, equal 2900 gallon ock. Sumbbed well,  ction from Zone I only 0, 14 MCF Gas and 0 BW

OIL & GAS CON	SERVA' N COM	MISSION Verse	r instructions on	5. LEASE DESIGNATION 96-004192	AND SERIAL NO.
SUNDRY NO (Do not use this form for pro	OTICES AND REPO			6. IF INDIAN, ALLOTTES	DO TRIBE NAME.
OIL OTHER COTHER	•			7. UNIT AGREEMENT NA Ratherford	
2. NAME OF OPERATOR				8. FARM OR LEASE NAM	(3
Phillips Oil Con	npany			9. WELL NO.	
P. O. Box 2920,	Casper, WY 8260		·		
4. LOCATION OF WELL (Report location See also space 17 below.)	n clearly and in accordance	with any State requir	ements.*	10. FIELD AND POOL, O	a WILDCAT .
See Attached				N/A 11. SBC., T., R., M., OR I SCRYBT OR ARBA	ILK, AND
•				See Attac	hed
14. FREMIT NO	15. ELEVATIONS (Show to	whether DF, RT, GR, etc.)		12. COUPTY OF PARISH	Utah
See Attached					1 o can
16. Check	Appropriate Box To Inc	dicate Nature of N		•	
NOTICE OF IN	Γ	<b>-</b> ,		EQUENT REPORT OF:	
TIST WATER SHUT-OFF	PULL OR ALTER CASING	<del> </del>	ER SHUT-OFF TURE TELATMENT	ALTERING C.	<del></del>
FRACTURE TREAT SHOOT OR ACIDIZE	MULTIPLE COMPLETE		TING OR ACIDIZING	ABANDONME	MT*
REPAIR WELL	CHANGE PLANS	(Oth	(er)		
(Other)  17. DESCRIBE PROPOSED OR CUMPLETED (			Completion or Reco	ilts of multiple completion mpletion Report and Log for	rm.)
effective December for list of wells		hillips Petro	company assoleum Company	See attached  See attached  - 8 1983	
Org.& 3-BLM 1-The Navajo Nat 1-Mary Wiley Bla 1-Lawrence E. Br 1-Cheveron USA 1-Ralph Faxel 1-Royal Hogan 1-W. O. Keller 1-Dee Kelly Corp	ck ock	1-Richard B. 1-Lee W. Mor 1-Mary H. Mo 1-W. A. Mond	Moncrief Moncrief orief organ crief crief crief, Jr.	1-Shell Oil Co. 1-Southland Roya 1-Superior Oil C 1-Leroy Shave 1-Texaco, Inc. 1-Wade Wiley, Jr 1-Edwin W. Word, 1-File	
18. I hereby certify that the foregoin	,				
SIGNED Com	A E Stuart TI	rız Area Manage	er	DATE 12/6/8	<u>.                                    </u>
(This space for Federal or State	office use)				
APPROVED BY		LLE		DATE	
CONDITIONS OF ALL ISO MAN I	<del>-</del>				

			نبو	
	WELL NO.	WELL LOCATION	API NO.	STATUS
		OIL WILL CO. TA TAIC DOAT	43-037-15998	Act.
	E14-12	SW NW Sec. 14-T41S-R24E		
	E14-13	NW SW Sec.14-T41S-R24E	43-037-15999	SI
	10-44	SE SE Sec.10-T41S-R24E	43-037-30451	Act.
• .	15-12	SW NW Sec.15-T41S-R24E	43-037-15715	Act.
-	15-14	SW SW Sec.15-T41S-R24E	43-037-15716	SI
	15-22	SE NW Sec. 15-T41S-R24E	43-037-30449	Act.
	15-32	SW NE Sec. 15-T41S-R24E	43-037-15717	Act.
		NW SE Sec. 15-T415-R24E	43-037-15718	SI
	15-33	NE NE Sec. 15-7415-R24E	43-037-15719	Act.
	15-41	NE NE SEC. 15-1413-724E	43-037-3-448	SI
	15-42	SE NE Sec. 15-T41S-R24E	43-037-15720	Act.
	16-12	SW NW Sec.16-T41S-R24E	43-037-15721	Act.
	16-14	SW SW Sec.16-T41S-R24E		Act.
	16-32	SW NE Sec.16-T41S-R24E	43-037-15723	
	16-34	SW SE Sec.16-T41S-R24E	43-037-15724	SI.
	16-41	NE NE Sec.16-T41S-R24E	43-037-15725	Act.
	17-12	SW NW Sec.17-T41S-R24E	43-037-15726	Act.
	17-14	SW SW Sec.17-T41S-R24E	43-037-15727	Act.
	17-23	NE SW Sec.17-T41S-R24E	43-037-15728	Act.
	17-32	SW NE Sec. 17-T41S-R24E	43-037-15729	Act.
		SW SE Sec. 17-T41S-R24E	43-037-15730	Act.
	17-34	NE NE Sec.17-T415-R24E	43-037-15731	Act.
	17-41	SE SE Sec. 17-T415-R24E	43-037-15732	Act.
	17-44	5E 5E 5eC. 17-1415-R24E	43-037-15733	SI
	18-11	NW NW Sec. 18-T41S-R24E	43-037-15734	Act.
	18-13	NW SW Sec.18-T41S-R24E	43-037-15735	Act.
	18-14	SW SW Sec.18-T41S-R24E	43-037-13733	Act.
	18-23	NE SW Sec. 18-T41S-R24E		Act.
	18-32	SW NE Sec.18-T41S-R24E	43-037-15736	Act.
	18-34	SW SE Sec.18-T41S-R24E	43-037-15737	
	19-12	SW NW Sec.19-T41S-R24E	43-037-15739	Act.
	19-14	SW SW Sec.19-T41S-R24E	43-037-15740	SI
	19-32	SW NE Sec.19-T41S-R24E	43-037-15743	Act.
	19-34	SW SE Sec.19-T41S-R24E	43-037-15744	Act.
	20-12	SW NW Sec.20-T41S-R24E	43-037-15746	Act.
	20-14	SW SW Sec.20-T41S-R24E	43-037-15747	Act.
	20-14	SW NE Sec. 20-T41S-R24E	43-037-15749	Act.
		SW SE Sec. 20-T41S-R24E	43-037-15750	Act.
	20-34	SW NW Sec.21-T41S-R24E	43-037-15752	Act.
	21-12	SW SW Sec.21-T415-R24E	43-037-15753	Act.
	21-14 .	SW SW Sec. 21-1413-1241	43-037-13754	Act.
•	21-23	NE SW Sec.21-T41S-R24E	43-037-15755	Act.
	21-32	SW NE Sec.21-T41S-R24E	43-037-137-33	SI
	21-33	NW SE Sec.21-T41S-R24E	43-037-30447	Act.
	21-34	SW SE Sec.21-T41S-R24E		SI
	22-12	SW NW Sec.22-T41S-R24E	43-037-15757	ŞÏ
	22-14	SW SW Sec.22-T41S-R24E	43-037-15758	
	24-42	SE NE Sec.24-T41S-R24E	43-037-15863	Act.
	28-11-	NW NW Sec.28-T41S-R24E	43-037-30446	Act.
	28-12	SW NW Sec.28-T41S-R24E	43-037-15336	Act.
	29-12 -	SW NW Sec.29-T41S-R24E	43-037-15337	Act.
_	29-32	SW NE Sec. 29-T41S-R24E	43-037-15339	Act.
•	-J - JL			


ANTONIA TON


.-

- --

. . . .

orm 3160—5 November 1983) Formerty 9—331) DEPAR	UNITED STATE		SUMMET IN TRIP	CATE.	Bud Exp	get Bureen No. Ires August 31, sessenassen and	1985
BUR	EAU OF LAND MA				14-2	0-603-353	
" SINDRY NO	OTICES AND RE	POPTS	ON WELLS		C P'mp	2.603.355 2., Alfortas es	TRANS HAMP
(Do not use this form for pr Use "APP				e.		Navajo	
Off. C SAS C SON	Flowline		HECEIVED-			PHAR SERVICE	
FAME OF OFFICE COMME						1-4192	
Phillips Oil Company			MAY 0 6 1985			A LEAGE HAND	
APPRIES OF OPERATOR		<del></del>				erford Unit	
P. O. Box 2920 Casp	Ar W 92602		Museum a co	4.1	F. ADET 1	/	
LOCATION OF WELL (Report lecation			DIVISION OF OIL			11.34	
See also space 17 below.) At ourface	as county and to the decount	mer with EEA	access sadding and and and		16. Pisto		<b>PCTA</b>
-						ter Aneth	
SW SW Sec. 16 & SE S	SE Sec. 17 of T4	1S-R24E	San Juan Co., Ut.	ah	17 100	t, h, h, de sta, /	100
	•			*	Sec	16 & 17 T4	16_02/1
PERMIT NO.	15. SLEVATIONS (Sh	-	F = 4.				
	•			1			GRATE
	4760' M				San Jua		tah
Check	Appropriate Box To	Indicate N	ature of Notice, Repo	rt, or Of	her Data		
Notice of th		•	1	-	## 14 <b>2</b> 000	<b>.</b>	
TEST WATER SHOP-OFF		, <u> </u>	•			Ψ,	
PRACTURE TREAT	PULL OR ALTER CARIN	• ├──	WATER SECT-OFF	$\vdash$		SEPAREIRO WELL	
	MULTIPLE COMPLETE	<del>  </del>	PRACTURE TREATMEN	·		TELEBRING CYSING	
SHOOT OR ACIDIES	ABANDON*	<del>     </del>	SECOTIFIC OR ACTOR	:>>		vevneorrens.	
	CHAMES PLANS	$\vdash$	(Other)	nomite o		completica ca W	
Other) Install fl.  DESCRIBE PROPOSED OR COMPLETED proposed work. If well is dir.  nent to this work.)	owline	. [X]	' Campietien er	E ecom blet	les Resert	and I as fam.	
Injection Plant. Water Injection P	lant to Tank Ba	ttery 1.	The proposed fl	er emul lowline	sion f	rom the parallel	
an existing water	line connecting	g the two	locations.		÷	* 4	
	•		•	4	:	•	
t .				•	<u>.</u>		
					- 1		
•	÷ .	- 7 7		,			
	18	5		•		<b>4</b>	•
5+ BLM, Farmington	n .	* * * * * * * * * * * * * * * * * * *				4 4 4	
2- Utah O&GCC, Sal	lt Lake City. U	tah				<u>.</u>	
1- P. J. Adamson						-	
1- B. Conner, 318-	-B-TRW					*	
1- J. R. Weichbroo		•		17		•	
1- C. M. Anderson	•		•	2	_		
1- P. Rooney	1 2 m			•		*	
1- File				~ ~ 5 e i		€** <b>38</b> 1 • • • •	
				* * * * * * * * * * * * * * * * * * * *			
· <b>,</b> Y					2 32		
bereby certify that the farebyle	g in true and correct						
119 15			Area Manager				
A. E. Stuart	<u>~</u> /	PITLE	Area Manager		DATE	February	4, 19
(This space for Poteral or State	•60 tas)						
APPROVED BY	- 1	MTLB		. • • •	DATE	· ــــــــــــــــــــــــــــــــــــ	
	· esti			• .		A sus	
					3 4		
	•				- To	· • • • • • • • • • • • • • • • • • • •	
•	"See	Indructions	on Revene Side	. ; =		•	







JUN 1 2 1986

DIVISION OF OIL, GAS & MINING

June 9, 1986 EXPLORATION AND PRODUCTION GROUP

State of Utah Division of Oil, Gas, and Mining 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203

Attn: Gil Hunt

RE: Ratherford Unit

San Juan County

Class II Injection Well

Conversions

Dear Mr. Hunt:

Enclosed are applications of conversions for twelve more injection wells in the Ratherford Unit. The well numbers are:

11-W44	13-W24	17-W34
12-W22	13-W42	18-W23
12-W31	17-W12	18-W32
12-W42	17-W23	18-W34

We appreciate the effort put forth in revising and streamlining the UIC program for enhanced recovery wells, the elimination of duplication makes permitting much easier.

The additional information required should not be a burden on the regulated industry. We have listed, on each well bore schematic, the logs on file for that well. We have also enclosed a copy of our letters to mineral lease operators and landowners in the area informing them of these proposed well conversions. The enclosed Attachment 6 is a supplement to the original informational package on the conversion program sent in February 1986. Please contact Renee Taylor at (307) 237-3791 with any questions.

Thank you again for your efforts to make this program more workable for all involved.

Sincerely,

PHILLIPS PETROLEUM COMPANY

D. C. Gill Area Manager

RCT/fb (23)

Attach

cc: B. J. Murphy - Casper w/o attach
 J. R. Weichbrodt - Cortez w/attach.
Casper RC

## UIC CHECKLIST FOR APPLICATION APPROVAL

OPERATOR Phillips	WELL NUMBER Ratherford	17-34
SEC. 17 T. 415 R. 24E		
API # 43-037-15730	_	
NEW WELL DISPOSAL WELL	ENHANCED RECOVERY WEL	L
- Plat showing surface ownership	Yes <u>Feb. 86* No</u> _	
- Application forms complete	Yes No	
- Schematic of well bore	Yes No _	
<ul> <li>Adequate geologic information</li> </ul>	Yes Feb. 86 No	
- Rate and Pressure information	Yes Feb. 86 No	
- Fluid source	Yes <u>Feb. 86</u> No _	
<ul> <li>Analysis of formation fluid</li> </ul>	Yes Feb. 86 No	
<ul> <li>Analysis of injection fluid</li> </ul>	Yes <u>Feb.86</u> No _	
<ul> <li>USDW information</li> </ul>	Yes <u>Feb. 86</u> No	
<ul> <li>Mechanical integrity test</li> </ul>	YesNo _	
Comments:		
* Info submitted in Feb.	1986	
_		
Reveiwed by Doubthy Sw	udel	
Ü		

JTAH Hatural Resource = Dil. Gas and Hib. J

DOGN-UIC-1 (2/80)

Tried Center, Suite 350, Sait Lake City, UT 84180-128


Ph. (801)538-534

## APPLICATION FOR INJECTION WELL

P. O. Box 2920    Casper	
ec.: 17 Twp.: 415 Rng.: 24E County: San Juan Lease no.	
ec.: 17 Twp.: 415 Rng.: 24F County: San Juan Lesse no.	
	, -
	14-20-603-35
s this application for expansion of an existing project?	YES NO
Disposal?	
s this application for a new well to be drilled?	<u>X</u> X
njection interval: from <u>5512'</u> to <u>5600'</u>	
eximum injection: rate 500 BWPD pressure 3000 psig	
njection zone contains $X$ oil, $X$ gas or fresh water with	
dditional information as required by Rule 502 should accompany this f	orm.
hereby certify that the foregoing is true and correct to the best of igned:	my knowledge:
hereby certify that the foregoing is true and correct to the best of $(a,b)$	my knowledge:
hereby certify that the foregoing is true and correct to the best of igned:	my knowledge:
hereby certify that the foregoing is true and correct to the best of igned:	my knowledge:
hereby certify that the foregoing is true and correct to the best of igned:  D.C. Gill	my knowledge:
hereby certify that the foregoing is true and correct to the best of igned:    Title: Area Manager   D.C. Gill	my knowledge:  Date: 6-9-86
hereby certify that the foregoing is true and correct to the best of igned:	my knowledge:  Date: 6-9-86
hereby certify that the foregoing is true and correct to the best of igned:	my knowledge:  Date: 6-9-86
D.C. Gill  This space for DOGH approval)	my knowledge:  Date: 6-9-86

LOCATION: SWSE SO- 17-14	15- RZ4E	and some interpretation
FIELD: GOEATER ANETH		PRESENT STATUS: CONVENSION
RESERVOIR: Desert Creek Zon	e I	
PKB 4737	1 1	SURFACE CASING: 133/2" 27.1#
GL 4723.5		ARMCO
GL 4723.5 174'		
, <u>(</u>		,
Well #: 17 W34		INTERMEDIATE CASING: 85/8"
Well . Freeze		INTER-180410 4 J-55
		PRODUCTION CASING: 5-1/2"  14# J-55
7.7		PRODUCTION 213.15.
1530' E		
PERFORATIONS:		
<u> 5512-22</u> 5538-50	(	
55 54 - 74	1 11	
5594-5600		
	1 1)	
}	(	
	1 11 _	-
ζ.		PACKER: Baker Model AB
	-	Tension Type Pkr or Similar set @ 54/2'
logs on file:	-	set @ 54/2'
logs on hile.	1 11	
Gamma Ray		grammer grammer grammer grammer grammar
3P	{	
Neutron Porosity	-	
Electrical   Resistanty 6		JUN 1 2 1986
Califor		
		DIVISION OF OIL. GAS & MANING
Microlog	1 17	Officera a manufa
<b>\</b>	1 3	
(3		•
	1	
	1 5	
· · · · · · · · · · · · · · · · · · ·	g 13	
РВТD: <u>56/5-</u>	1	
РВТD: <u>56/5-</u> ′ ОТD: <u>5747</u> ′		•
57471	<b>1</b> : [3]	
<del></del>		DUNCE TO LA COMPANIE
ľ		Phillips Petroleum Company
Į:	22.34	

### P.O. Box 2920, Casper, Wyoming 82602



June 10, 1986

DIVISION OF OIL, GAS & MINING

Mobile Oil Corp.
P.O. Box 5444
Denver, CO 80217
Attn: Joint Interest Advisor

Re: Ratherford Unit

Injection Well Conversions

Dear Sirs,

Phillips Petroleum Company has made application to the State of Utah, Division of Oil, Gas and Mining to convert twelve existing producing wells to water injection wells in the Ratherford Unit secondary recovery project. The revised rule 502(b)(12) requires that you are notified of these plans and are provided with a copy of the application for injection well (Form DOGM-UIC-1). Under Rule 503 you are provided with the opportunity to object to the proposed application.

"Applications for Injection Well" are attached for the following existing wells:

11-W44	13-424	17-W34
12-422	13-W42	18-W23
12-W31	17-W12	18-W32
12-442	17-W23	18-W34

Please contact Renee Taylor or Blair Murphy at (307) 237-3791 with any questions.

Sincerely,

D. C. Gill Area Manager

RCT/1t (17)

B. J. Murphy-Casper

J. R. Weichbrodt-Cortez

Casper-RC

\*St. of Utah OG&M/UIC

June 10, 1986

Navajo Tribe Minerals Department P.O. Box 146 Window Rock, AZ 86515

Re: Ratherford Unit
Injection Well Conversions

Dear Sirs,

Phillips Petroleum Company has made application to the State of Utah, Division of Oil, Gas and Mining to convert twelve existing producing wells to water injection wells in the Ratherford Unit secondary recovery project. The revised rule 502(b)(12) requires that you are notified of these plans and are provided with a copy of the application for injection well (Form DOGH-UIG-1). Under Rule 503 you are provided with the opportunity to object to the proposed application.

"Applications for Injection Well" are attached for the following existing wells:

11-W44	13-W24	17-434
12-W22	13-W42	19-W23
12-W31	17-W12	18-W32
12-442	17-423	18-W34

Please contact Renee Taylor or Blair Murphy at (307) 237-3791 with any questions.

Sincerely,

D. C. Gill Area Manager

RCT/1t (17)

cc: B. J. Murphy-Casper

J. R. Weichbrodt-Cortez

Casper-RC

St. of Utah OGEM/UIC

### P.O. Box 2920, Casper, Wyoming 82602

June 10, 1986

Texaco, Inc. P.O. Box 3360 Casper, WY 82602 Attn: A. J. Sanford

Re: Ratherford Unit
Injection Well Conversions

Dear Sirs.

Phillips Petroleum Company has made application to the State of Utah, Division of Oil, Gas and Mining to convert twelve existing producing wells to water injection wells in the Ratherford Unit secondary recovery project. The revised rule 502(b)(12) requires that you are notified of these plans and are provided with a copy of the application for injection well (Form DOGM-UIC-1). Under Rule 503 you are provided with the opportunity to object to the proposed application.

"Applications for Injection Well" are attached for the following existing wells:

11-W44	13-W24	17-W34
12-W22	13-442	18-W23
12-W31	17-W12	18-W32
12-W42	17-W23	18-W34

Please contact Renee Taylor or Blair Murphy at (307) 237-3791 with any questions.

Sincerely,

D. C. Gill Area Manager

RCT/1t (17)

cc: B. J. Murphy-Casper

J. R. Weichbrodt-Cortez

Casper-RC

LSt. of Utah OG&M/UIC

Casing & Cementing Program Ratherford Unit

The casing and cementing program at the Ratherford Unit has been designed so that injected fluid or formation water will not be able to enter any fresh water strata. All wells have at least two strings of casing set at approximately 1600' and 5700' (TD). The majority of wells also have a string of casing set at approximately 140'. The following is a summary of the casing and cementing program:

	Range of	Range of				
Casing Depth	Casing Sizes	Cement (sx)				
140'	<del>20" -13</del> 5/8"	<del>175 - 125</del>				
1600'	13 3/8" - 8 5/8"	800 - 200				
5700 <b>'</b>	8 5/8" - 5 1/2"	900 - 200				


## TOWNSHIP PLAT

Owner PHILLIPS PETROLEUM Date 6/13/86

Township 4/5 Range 24 E County SAN JUAN 23E | 24E O 0 O^ ő 0 0 0 0 12S Stock No. 45340 Forestry Suppliers, Inc., Jackson, Miss. The field of the field of the second of

## TOWNSHIP PLAT

		Ow	ne	r_	P	نالن	<u> </u>	P	o tr	ole	ÚΨ	<u>^</u>									D	ate	<u> </u>	<u>5/</u>	/2/	18	6			
	ŗ	Γov	vns	ship	)	7	//_	5			Ra																,	-		
	_	Τ	1		T -	T	Γ	1	<del></del>	1	_	T .	Т	T	Γ	1		i						r	1			<del></del>	<del>,</del>	,
	<del> </del>	<u> </u>	-			-	$\vdash$						-	_							<u> </u>									
	36 —			-:	;¦	┼	$\vdash$	-3	1 2 1			-	  33 —— 		-	<del> </del> 3	 			-:	  } 			3	6—		_	3	 31 <b>—</b> —	
		<del> </del>		-	-	-			-		-		-			-	_	_	-	-			<u> </u>				_			
		<del> </del> -			-	-	-				-		_	<del>                                     </del>	-	-	-		-								_		<b>-</b>	
	-				$\vdash$	<del>                                     </del>					<del> </del>	-	-		┢			-	-				-					-	-	
					6 — 		-		š —— 			-	i —			<u> </u>	i—	-	<del> -</del>	-	<u>-</u>		-		<u></u>			<del> </del>	<u>{</u>	<u> </u>
						<b>†</b>			-		$\vdash$							_	-						مرب ر	- 3/		$\vdash$		-
																		-	_						0					
	12—												<b>†</b>					-						0		0	12-4	z	-	
	<u></u>								* — 				9 — 				o 				本	1/-	14	1	2-	-1			;—— 	
	<u> </u>					<u> </u>																								
<u> </u>	 !3			<u> </u>	8			<u> </u>	 7——			L.,	  6				[_								·	63	42			
	<u> </u>					<u> </u>	_						Ľ_				Ĺ									·		ı	8	
			_			<u> </u>	<u>L</u> .								_							4		13-	24					
	╀				<u> </u>		_		_				ļ	ļ	_				Ĺ											
-	 				  9	-	-		ļ			<u> </u>	 !! —		_	2	] 2		_	2	3-			2	<u> -</u>					-
+	-		-		ļ		-						_		_				17										Ĺ	
	-			-	-		-	İ			_		$\vdash$		-				_		-									
	-					-							-	├—	<u> </u>	 			-											
	25— 			-:	ю— 	-		-2	9—— I			-2	! ! !		_	2	¦-		_	<u>_</u> 3	6			2	5			<u> </u>	30	
							_		_				-						-											· ÷
	<del>                                     </del>											!	_		-				-	-						$\dashv$				
	1					$\vdash$			-										-								-			-
	36 — 			<del>  </del> 3			<u> </u>	-3	2			-3	3 — 			3	i		<del>                                     </del>	-3	5 		_	3	٠ - ا			-3	] ]!	
											-	<del>                                     </del>							$\vdash$											-
												_							<del> </del>								_			-
																														, -
	<u> </u>				Ĭ																2 — [					$\exists$				



Norman H. Bangerter, Governor Dee C. Hansen, Executive Director Dianne R. Nielson, Ph.D., Division Director

355 W. North Temple • 3 Triad Center • Suite 350 • Salt Lake City, UT 84180-1203 • 801-538-5340

June 23, 1986

Newspaper Agency Corporation Legal Advertising 143 South Main - Mezzanine Floor Salt Lake City, Utah 84110

Gentlemen:

RE: Cause No. UIC-083

Enclosed is a Notice of Application of Administrative Approval before the Division of Oil, Gas and Mining, Department of Natural Resources, State of Utah.

It is requested that this notice be published ONCE ONLY, as soon as possible, but no later than the 2nd day of July, 1986. In the event that said notice cannot be published by this date, please notify me immediately by calling 538-5340.

Upon completion of this request, please send proof of publication and statement of cost to the Division of Oil, Gas and Mining, 355 West North Temple, 3 Triad Center, Suite 350, Salt Lake City, Utah 84180-1203.

Sincerely,

Marjorie L. Anderson Administrative Assistant

mfp

Enclosure



Norman H. Bangerter, Governor Dee C. Hansen, Executive Director Dianne R. Nielson, Ph.D., Division Director

355 W. North Temple • 3 Triad Center • Suite 350 • Salt Lake City, UT 84180-1203 • 801-538-5340

June 23, 1986

San Juan Record Legal Advertising Box 879 Monticello, Utah 84535

Gentlemen:

RE: Cause No. UIC-083

Enclosed is a Notice of Application of Administrative Approval before the Division of Oil, Gas and Mining, Department of Natural Resources, State of Utah.

It is requested that this notice be published ONCE ONLY, as soon as possible, but no later than the 2nd day of July, 1986. In the event that said notice cannot be published by this date, please notify me immediately by calling 538-5340.

Upon completion of this request, please send proof of publication and statement of cost to the Division of Oil, Gas and Mining, 355 West North Temple, 3 Triad Center, Suite 350, Salt Lake City, Utah 84180-1203.

Sincerely,

Marjorie L. Anderson Administrative Assistant

mfp

Enclosure

Publication was sent to the following:

Utah State Department of Health Water Pollutioncontrol Attn: Loren Morton 4241 State Office Building Salt Lake City, Utah 84114

U.S. Environmental Protection Agency Suite 1300 Attn: Mike Streiby 999 18th Street Denver, Colorado 80202-2413

Bureau of Land Management Fluid Minerals Caller Service #4104 Farmington, New Mexico 87499

Phillips Petroleum Company PO Box 2920 Casper Wyoming 82602

Mobil Oil Corporation PO Box 5444 Denver, Colorado 80217

Navajo Tribe Minerals Development PO Box 146 Window Rock, Arizona 86515

Texaco, Incorporated PO Box 3360 Casper, Wyoming 82602

Newspaper Agency Corporation Legal Advertising 143 South Main - Mezzanine Floor Salt LakeCity, Utah 84110

San Juan Record Legal Advertising Box 879 Monticello, Utah 84535

Marlagne Loubsen June 23, 1986

Service Land

# BEFORE THE DIVISION OF OIL, GAS AND MINING DEPARTMENT OF NATURAL RESOURCES STATE OF UTAH

### ---00000---

IN THE MATTER OF THE APPLICATION
OF PHILLIPS PETROLEUM COMPANY,
FOR ADMINISTRATIVE APPROVAL TO
INJECT FLUID INTO WELLS TO BE
CONVERTED TO ENHANCED RECOVERY
INJECTION WELLS LOCATED IN SECTIONS 11, 12 AND 13, TOWNSHIP 41:
SOUTH, RANGE 23 EAST; AND SECTIONS
17, AND 18, TOWNSHIP 41 SOUTH,
RANGE 24 EAST, S.L.M. SAN JUAN
COUNTY, UTAH

CAUSE NO. UIC-083

CAUSE NO. UIC-083

### ---00000---

THE STATE OF UTAH TO ALL INTERESTED PARTIES IN THE ABOVE ENTITLED MATTER.

Notice is hereby given that Phillips Petroleum Company, P.O. Box 2920, Casper, Wyoming 82602, has requested adminstrative approval from the Division to convert the following listed wells to enhanced recovery water injection wells:

### RATHERFORD UNIT - San Juan County, Utah

#11-44, Sec. 11, T41S, R23E	#17-12, Sec. 17, T41S, R24E
#12-22, Sec. 12, T41S, R23E	#17-23, Sec. 17, T41S, R24E
#12-31, Sec. 12, T41S, R23E	#17-34, Sec. 17, T41S, R24E
#12-42, Sec. 12, T41S, R23E	#18-23, Sec. 18, T41S, R24E
#13-24, Sec. 13, T41S, R23E	#18-32, Sec. 18, T41S, R24E
#13-42, Sec. 13, T41S, R23E	#18-34, Sec. 18, T41S, R24E

INJECTION INTERVAL: Desert Creek 5317' to 5712' MAXIMUM ESTIMATED SURFACE PRESSURE: 3000 psig MAXIMUM ESTIMATED WATER INJECTION RATE: 500 BWPD

Approval of this Application will be granted unless objections are filed with the Division of Oil, Gas and Mining within fifteen days after publication of this Notice. Objections, if any, should be mailed to the Division of Oil, Gas and Mining, Attention: UIC Program Manager, 355 West North Temple, 3 Triad Center, Suite 350, Salt Lake City, Utah 84180-1203.

DATED this 20th day of June, 1986.

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

MARJORIE L. ANDERSON Administrative Assistant

## **Affidavit of Publication**

STATE	OF	UT	AH,
-------	----	----	-----

### **County of Salt Lake**

SS.

-	Sharon Payne
DEFORE THE DIVISION OF OR, GAS AND MINING	
NATURAL RESOURCES	
STATE OF UTAH	
IN THE MATTER OF THE	Being first duly sworn, deposes and says that he/she i
PETROLEUM COMPANY, FOR ADMINISTRATIVE APPROVAL	legal advertising clerk of THE SALT LAKE TRIBUNE
TO INJECT FLUID INTO	a daily newspaper printed in the English language with
WELLS TO BE CONVERTED TO ENHANCED RECOVERY	general circulation in Utah, and published in Salt Lake
INJECTION WELLS LOCATED IN SECTIONS 11, 12 AND 12	
TOWNSHP 41 SOUTH, RANGE	City, Salt Lake County, in the State of Utah, and of the
RANGE 34 EAST, SLM SAN	DESERET NEWS, a daily newspaper printed in the
JUAN COUNTY, LITARL 49/4/54/24/4/7	English language with general circulation in Utah, and
ALL INTERESTED PARTIES IN	published in Salt Lake City, Salt Lake County, in the
THE ABOVE ENTITLED MAT-	State of Utah.
Notice is hereby given that Phillips Petroleum Company,	State of Court.
P.O. Box 2720, Cosper, Wye- ming 82682, has requested ad-	That the legal notice of which a copy is attached heret
in ministrative opproves from the 23	That the legal house of which a copy is attached heret
Division to convert the following listed wells to enhanced re-	Cause No. UIC-083
covery water injection wells; (%)	
#11-44. Sec. 11. 7415. R23E %	
#11-44, Sec. 11, T41S, R23E *c ** #12-22, Sec. 12, T41S, R23E ** #12-31, Sec. 12, T41S, R23E **	***************************************
#12-42, Sec. 12, T415, R23E · ]	
#13-24, Sec. 13, T415, R23E #13-42, Sec. 13, T415, R23E	
#17-12, Sec. 17, T41S, R24E	•••••••••••••••••••••••••••••••••••••••
617-23, Sec. 17, T415, R24E 617-34, Sec. 17, T415, R24E 18-23, Sec. 18, T415, R24E 618-32, Sec. 18, T415, R24E	
#18-32 Sec. 18, T415, R24E #3 #18-34, Sec. 18, T415, R24E	••••••
injection interval: Desert	
3 Meximum Estimated Sures: 1	
Maximum Estimated Wa-	
ter injection Rate: 500	was published in said newspaper on
Approval of this Application will be granted unless objec-	•
flons are filed with the division of Oil. Gas and Mining within file	July 2, 1986
teen days after publication of this Notice. Objections, If any, should be mailed to the Division	July 2, 1986
should be mailed to the Division	Shann Paulal
of Oil, Gos and Mining, Atten- tion: UIC Program Manager,	
2SS West North/Temple, 3 Trics Center, Suite 350, Soit Loke City, Utah 84180-1281	Legal Advertising Clerk
DATED this 20th day of June,	
STATE OF LITAN	
DIVISION OF ON	
S. The swift to be	efore me this day of
Sabberised and sworn to be	of the time time time the time that the time time time time time time time tim
Julv	A.D. 19.86
	A.D. 10
·	$\rho = 0$
	B.J. Wais
	10.0.1/11/20
	Notary Public

My Commission Expires

March ol,1988



### AFFIDAVIT OF PUBLICATION

### Public notice

BEFORE THE DIVISION OF OIL, GAS AND MINING DEPARTMENT OF NATURAL RESOURCES STATE OF UTAH

IN THE MATTER OF THE APPLICA TION OF PHILLIPS PETROLEUM COMPANY, FOR ADMINISTRATIVE APPROVAL TO INJECT FLUID INTO WELLS TO BE CONVERTED TO ENHANCED RECOVERY INJEC-TION WELLS LOCATED IN SEC-TIONS 11, 12 AND 13, TOWNSHIP 41 SOUTH, RANGE 23 EAST: AND SECTIONS 17, AND 18, TOWNSHIP 41 SOUTH, RANGE 24 EAST, S.L.M. SAN JUAN COUNTY, UTAH

CAUSE NO. UIC-083

THE STATE OF UTAH TO ALL INTERESTED PARTIES IN THE ABOVE ENTITLED MATTER.

Notice is hereby given that Phillips Petroleum Company, P.O. Box 2920, Casper, Wyoming 82602, has requested administrative approval from the Division to convert the following listed wells to enhanced recovery water injection wells:

RATHERFORD UNIT SAN JUAN COUNTY, UTAH

#11-44, Sec. 11, T41S, R23E #12-22, Sec. 12, T41S, R23E

#12-31, Sec. 12, T41S, R23E

#12-42, Sec. 12, T41S, R23E

#13-24, Sec. 13, T41S, R23E

#13-42, Sec. 13, T41S, R23E

#17-12, Sec. 17, T41S, R24E

#17-23, Sec. 17, T41S, R24E

#17-34, Sec. 17, T41S, R24E

#18-23, Sec. 18, T41S, R24E

#18-32, Sec. 18, T41S, R24E #18-34, Sec. 18, T41S, R24E

INJECTION INTERVAL: Desert Creek 5317 to 5712

MAXIMUM ESTIMATED SURFACE PRESSURE: 3000 psig


INJECTION RATE: 500 BWPD

Approval of this Application will be granted unless objections are filed with the Division of Oil, Gas and Mining withing fifteen days after publication of this Notice. Objections, if any, should be mailed to the Division of Oil, Gas and Mining, Attention: UIC Program Manager, 355 West North Temple, 3 Triad Center, Suite 350, Salt Lake City, Utah 84180-1203.

DATED this 20th day of June, 1986. STATE OF UTAH DIVISION OF OIL, GAS AND MINING Marjorie L. Anderson Administrative Assistant

Published in The San Juan Record July 2, 1986. -

Juan Record, a weekly newspaper of g Utah every Wednesday; that notice	•	nticello
a copy of which is hereunto attatched, v	vas published in the regular and ent	ire issu
of each number of said newspaper for	,	
first publication having been made on_	July 2, 1986,	and the
last publication having been made on		
	Joyce a. Mari Publisher	in
Subscribed and sworn to before me this_	7-4 7-1	
A.D		
	Ingua Kalan	m
	Notary Public residing at Montice	lo, Utal
My commission exp	ires December 2, 1987	





355 W. North Temple • 3 Triad Center • Sulte 350 • Salt Lake City, UT 84180-1203 • 801-538-5340

July 18, 1986

072104

Phillips Petroleum Company P.O. Box 2920 Casper, Wyoming 82602

Gentlemen:

RE: Injection Well Approval - Cause No. UIC-083

Insofar as this Division is concerned, administrative approval is hereby granted to convert the following wells to Class II enhanced recovery injection wells:

## RATHERFORD UNIT - San Juan County, Utah

#17-12, Sec. 17, T41S, R24E #17-23, Sec. 17, T41S, R24E #17-34, Sec. 17, T41S, R24E #18-23, Sec. 18, T41S, R24E #18-32, Sec. 18, T41S, R24E #18-34, Sec. 18, T41S, R24E

This approval is conditional upon full compliance with the UIC rules and regulations adopted by the Board of Oil, Gas and Mining, and construction and operation of the wells as outlined in the application submitted.

If you have any questions concerning this matter, please do not hesitate to call or write.

Best regards,

Dianne R. Nielson

Director

mfp 7627U

	BUREAU A LAND MANA		(a)	14-20-603-3	12/1/86 mg
	NOTICE AND REP		S	Navajo	2243°
•	APPLICATION FOR PEREIT—	ner some blobster()		1. OHIS ACCOUNTY IS	
our E sour [	<b>61233</b>			SW-I-4192	
Phillips Petroleu	. Company			& PARK OR LEAGO HA	KB
THETTERS SECTORED	im company			Ratherford U	Init
P. O. Box 2920, C	Casper, WY 82602			17-34	
LOCATION OF WELL (Report See also space 17 below.) At ourface	location clearly and in accordance	with any State requirem	en ta. •	10. PIRLO Alto POOL, 4	e withers
				Greater Anet	
560' FSL, 1880' F	TEL (SW SE)			11. 300, 2, 3, 1, 40 (CONT) OF AREA	M.E. AND
	•			Sec. 17-T41S	-R24E
43-037-15730		whether st, St, Ch, ctc.)		11. COUPET OR PARISH	18. (825)
43-037-13730	4736' RKB			San Juan	Utah
a	heck Appropriate Box To In	idicate Nature of Not	ice, Report, or O	ther Date	
	OF INTENTION TO:	1	SCHOOLS		
TROT WATER BEDT-GOT	PULL OR ALTER CARING	m		1	
PRACTURE TREAT	MULTIPLE COMPLETE		B TREATMENT	REPAIRING T	I
SHOOT OR ACIDIES	ABANDON*		O OR ACEDIEUM	Alename C	
BEPAIR WELL	CHANGE PLANS	(Other)		ADARDON MEI	<b>™</b>
(Other) Convert t	o Water Injection	¥ /W	orn : Report results	d multiple completion dies Report and Leg for	to Well
Meti fo a Youe I M	convert Ratherford Nater injection well coximately 6800 gallo	. Upon conversi	on the woll	11 L.	
A 10' x 8' x 6' fe Jpon completion of -BLM, Farmington, -Utah O&G CC, Salt -P. J. Adamson -M. Williams, 302 -J. R. Reno	Lake CIOF UTAH	BY THE STAT DIVISION OF AND MINING	ENFC	reviously districted.	urbed area.
B. J. Murphy File RC	Approved letten	7/18/86		8 & MINING	
	egoing je true and correct			<del></del>	
SIGNED /	111	Area Manager		DATE Novembe	er 17, 1986
(This space for Poteral or S	Cill tate effect ten)				
APPROVED BY					
CONDITIONS OF APPROVA	L, IP ANT:	<u> </u>		DATE	<del>~</del>

### \*See Instructions on Reverse Side

NATURAL RESOURCES
OIL, GAS AND MINING

Ph. (801)538-534

# Commencement

### MONTHLY REPORT OF ENHANCED RECOVERY PROJECT - PART 2

Page 3

### MONTHLY MONITORING OF INJECTION WELLS

<u>~</u>	ell Name	Inj. Press.	Ini. Rate	Annulus Press.	Monthly Int. Vol.
_	VAWA3 43-037-16410	SI			
_	V15W2143-037-16411		7/_		2202
_	15W23 45-037-16412	2400	7/_		2202
_	V15W4343-037-16413	2125	27		836
_1	V16W12-43-037-15720	2350	255		7903
_	V 16W14 43-127-1572/	23.25			588
_	16W21 43-D37-16414	275	3/3		9699
_	V16W2343-037-15722	1200	168		3190
	16W4343-037-16415	2150	144		4463
_	17W1243-037-15724	2080	83_		2574
√	17W1443-037-15727		424		_11,444
_	17W21-43-037-16416	2/20			3
-	17W2343-037-15729	2140	60		
۸ V	17W3243-037-15729		_21/_		1055
41×	17 7W34 43-037-15730	750	509	• •	6616
	√17W4143-037-1575!	2150	_58		1796
	17W4343-037-16417	2400	68		2105
-	18W1243-037-31155	3 _ 2125	_22/		6851
	V18W1443-037-1573	5 _ 2150			495
	V18W2143-037-11-419	2050	38		
	18W2343-037-30344	2100	102		3162
	√18W32+5+037-1575L	2100	58		1794
					•

SUNDRY NOTICES AND REPORTS ON WELLS    Closed use this logs for Principles of Water Injector	Form 3160-5 (November 1983) (Formerly 9-331)	DEPARTA	_	HE INTERIOR	SUBMIT IN TRIPLICATES (Other Instructions on re- verse aids)	Expir	Pt Bureau No. 1004-013! Se August 31, 1985 MINATION AND SERIAL DO.
Check Appropriate Box To Alter Castro   Security and in secretary with any State requirements.	•						
The state of operation of the state of the s							
### OF PARTY		Um "APPLICA	tion for Perm	IT—" for such propos	ala.)		
Phillips Petroleum Company  - Assessed of Ordanese P.O. Box 2920, Casper, WY 82602  - Correction for size (Support bendles clearly said to secretaince with any State requirements.)  - At serial secretain se		O 47888 1	laton Inioci	tan		1	
P.O. Box 2920, Casper, WY 82602  1. Third As 2920, Casper, WY 8260	2. HAME OF OPERATOR			LOIC		I. PARM CO	LAAGO HAMB
P.O. Box 2920, Casper, WY 82602  17/W34  1			ompany		<del></del>		
Greater Aneth  Sec. 17-T41S-R24E  API# 43-037- 15730  16. Paratrons (Bow whithis as, as, as, as, as)  Check Appropriate Box To Indicate Nature of Notice, Report, or Other Date  Submitted and Juan Utah  Check Appropriate Box To Indicate Nature of Notice, Report, or Other Date  Submitted and Juan Utah  Check Appropriate Box To Indicate Nature of Notice, Report, or Other Date  Submitted and Juan Utah  Check Appropriate Box To Indicate Nature of Notice, Report, or Other Date  Submitted and Juan Utah  Check Appropriate Box To Indicate Nature of Notice, Report, or Other Date  Submitted and Juan Utah  Check Appropriate Wall  Submitted and Utah  Check Appropriate Wall  Submitted and Wall  Submitted and Wall  Submitted and Wall  Submitted and Wall  College)  File Convert to water submitted wall  (Other) Convert to water injection wall  (Other) Convert to			er, WY 82602	2			•
Sec. 17-T41S-R24E  API# 43-037- 15730  14. FIRST PARTIES  API# 43-037- 15730  15. Check Appropriets Box To Indicate Nature of Notice, Report, or Other Date  Sec. 17-T41S-R24E  16. Check Appropriets Box To Indicate Nature of Notice, Report, or Other Date  Sec. 17-T41S-R24E  16. Check Appropriets Box To Indicate Nature of Notice, Report, or Other Date  Sec. 17-T41S-R24E  Sec. 17-T41S-R24E  San Juan Utah  Check Appropriets Box To Indicate Nature of Notice, Report, or Other Date  Sec. 17-T41S-R24E  Sec. 17	See also space 17 belo	eport location el	early and in accor	deace with any State	requirements.*		
Sec. 17-7415-R24E  API # 43-037- 15730  14. PRIMITY BO.  15. GAPPOPRIOTE BOX TO Indicate Notice of Notice, Report, or Other Date    Notice or Interaction to:   Stamparing March   San Juan   Utah	At surface						
Check Appropriate Box To Indicate Nature of Notice, Report, or Other Date    Check Appropriate Box To Indicate Nature of Notice, Report, or Other Date   Substitute of Indicate Nature of Notice, Report, or Other Date   Substitute of Indicate Nature of Notice, Report, or Other Date   Substitute of Indicate Nature of Notice, Report, or Other Date   Substitute of Indicate Nature of Notice, Report, or Other Date   Substitute of Indicate Nature of Indicate Nature of Notice, Report, or Other Date   Substitute of Indicate Nature	560' FSL,	1880' FE	L SW S	E		all and	PE OR ARMA
Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data    Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data   PORTION TREET WATER SECTIONS TO INTENTION TO:   SUBMINISTING WILL   SUBMI	API# 43-037	- 15730					
Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data    POSICE OF INTERTION TO :	IN. PREMIT BU.		18. MESTATIONS (		m, en.)		
POTICE OF INTERTED TO:  THOT WATER SECTION THEAT THAT SECTION THAT THE SECTION THAT	16.	Charl As			o of Notice Parest or C	· · · · · · · · · · · · · · · · · · ·	dan jocan
THE WATER SECTION PRACTURE TREAT  SECURE TO THE SECURE TO THE SECURE TO THE SECURE TO THE SECURE TO THE SECURE TREATMENT OF THE SECURE TREATMENT O	1	<u>.</u>	•	l morcure i toro	•	_	<b>•:</b>
PRACTURE TREAT ANABODY OR ACIDEE BEFAIR WELL CHAPS PLANS CHAPS PLANS CHAPS PLANS CHAPS PLANS CHAPS PLANS CHAPS PLANS CHAPS PLANS CHAPS PLANS CHAPS PLANS CHAPS PLANS CHAPS PLANS CHAPS PLANS CORPET CONTROL TO Water injection Morris Repeat results of melityle completion on Water injection Morris Repeat results of melityle completion on Water injection Morris Repeat results of melityle completion on Water injection Morris Repeat results of melityle completion on Water injection Morris Repeat results of melityle completion on Water injection Morris Repeat results of melityle completion on Water injection Morris Repeat results of melityle completion on Water injection Morris Repeat results of melityle completion on Water injection Morris Repeat results of melityle completion on Water injection Mar. 12, 1987 through Mar. 18, 1987  RU 3/12/87. Pull rods and tbg. Tagged PBTD at 5614'. Acidized Zone I perfs 5512-5600' w/4800 gal 28% HCL. Ran 2-7/8" Duoline tbg and wtr inj pkr. Set pkr at 5441'. RR 3/18/87. HU to injection 3/19/87.  Production Before 31 BOPD 0 BWPD Injection After 509 BWPD @ 750 psi  4-BLM, Farmington, NM 1-Chieftain 1-M. Williams, B'Ville 1-Mobil 0il 1-M. Williams, B'Ville 1-I-exaco, Inc. 1-J. Landrum, Denver 1-Chevron USA 1-J. Reno, Cortez  1-File RC  7/27/87				, , , , , , , , , , , , , , , , , , ,		ר ר	
CONSETS OF CONTROL OF		<del> </del>		<u>  </u>	PRACTURE TREATMENT	7	
(Other)  (Note: Expect results of matitible completions on Well Completions of Recompletion and Expect and Lag form.)  (December of Recompletion Expect and Lag form.)  (December of Rec					SHOOTING OR ACTORING	water in	ANDONMENTO
Mar. 12, 1987 through Mar. 18, 1987		(	HANGE PLANS	.			
FIGURED  Solution of Oil Gas & Mining  Figure 1. Bereky certify that the foregoing is true and correct segment. Set pkr at 5441'. RR 3/18/87. HU to injection 3/19/87.  Production Before 31 BOPD 0 BWPD 1 BWPD 1 BWPD 1 BWPD 0 750 psi  AUG 4 1987  DIVISION OF OIL 2-Utah 0&G CC, SLC, UT 1-Mobil 0il 1-M. Williams, B'Ville 1-Texaco, Inc. 1-J. Landrum, Denver 1-Chevron USA 1-J. Reno, Cortez 1-File RC	proposed work. If nent to this work.)					l depths for s	Il markers and sones perti-
Injection After 509 BWPD @ 750 psi  FECEIVED  AUG 4 1987  DIVISION OF OIL 2-Utah 0&G CC, SLC, UT 1-Mobil 0il 1-M. Williams, B'Ville 1-Texaco, Inc. 1-J. Landrum, Denver 1-Chevron USA 1-J. Reno, Cortez 1-File RC  1. 1 bereky certify that the foregoing is true and certed 1-TILE Area Manager 7/27/87	5512-5600	' w/4800 g	al 28% HCL.	Ran 2-7/8"	Duoline tbg and w		
AUG 4 1987  DIVISION OF OIL GAS & MINING  DIVISION OF OIL 1-M. Williams, B'Ville 1-Texaco, Inc. 1-J. Landrum, Denver 1-Chevron USA 1-J. Reno, Cortez 1-File RC  TITLE Area Manager  DATE 7/27/87					·		
AUG 4 1987  DIVISION OF OIL GAS & MINING  DIVISION OF OIL 1-M. Williams, B'Ville 1-Texaco, Inc. 1-J. Landrum, Denver 1-Chevron USA 1-J. Reno, Cortez 1-File RC  TITLE Area Manager  7/27/87				•			
AUG 4 1987  DIVISION OF OIL  GAS & MINING  DIVISION OF OIL  1-M. Williams, B'Ville 1-Texaco, Inc. 1-J. Landrum, Denver 1-Chevron USA 1-J. Reno, Cortez 1-File RC  D. C. Gill  Area Manager  D. C. Gill  A-BLM, Farmington, NM 1-Chieftain 1-Mobil Oil 1-Mobil Oil 1-Mobil Oil 1-Texaco, Inc. 1-J. Reno, Cortez 1-File RC			•				
AUG 4 1987  DIVISION OF OIL  GAS & MINING  DIVISION OF OIL  1-M. Williams, B'Ville 1-Texaco, Inc. 1-J. Landrum, Denver 1-Chevron USA 1-J. Reno, Cortez 1-File RC  D. C. Gill  Area Manager  D. C. Gill  A-BLM, Farmington, NM 1-Chieftain 1-Mobil Oil 1-Mobil Oil 1-Mobil Oil 1-Texaco, Inc. 1-J. Reno, Cortez 1-File RC			•			••	* <u>.</u>
DIVISION OF OIL GAS & MINING  4-BLM, Farmington, NM 2-Utah 0&G CC, SLC, UT 1-Mobil 0il 1-M. Williams, B'Ville 1-Texaco, Inc. 1-J. Landrum, Denver 1-Chevron USA 1-J. Reno, Cortez 1-File RC  SIGNED D. C. Gill  4-BLM, Farmington, NM 1-Chieftain 1-Mobil 0il 1-Texaco, Inc. 1-J. Reno, Cortez 7/27/87		RECEIV	ED				
DIVISION OF OIL GAS & MINING  4-BLM, Farmington, NM 2-Utah 0&G CC, SLC, UT 1-Mobil 0il 1-M. Williams, B'Ville 1-Texaco, Inc. 1-J. Landrum, Denver 1-Chevron USA 1-J. Reno, Cortez 1-File RC  SIGNED D. C. Gill  4-BLM, Farmington, NM 1-Chieftain 1-Mobil 0il 1-Texaco, Inc. 1-J. Reno, Cortez 7/27/87	ı	AUG A1	987	· ,			
DIVISION OF OIL GAS & MINING  2-Utah O&G CC, SLC, UT 1-Mobil Oil 1-M. Williams, B'Ville 1-Texaco, Inc. 1-J. Landrum, Denver 1-Chevron USA 1-J. Reno, Cortez 1-File RC  3. I bereby certify that the foregoing is true and correct  SIGNED D. C. Gill TITLE Area Manager  D. C. Gill TITLE Area Manager					4-BLM, Farmingt	on, NM	1-Chieftain
SIGNED D. C. Gill TITLE Area Manager DATE 7/27/87		GAS & MINI	NG		2-Utah O&G CC, 1-M. Williams, 1-J. Landrum, D	SLC, UT B'Ville enver	1-Mobil Oil 1-Texaco, Inc. 1-Chevron USA
D. C. Gill		He O D		Ana a	lanagon		7/17/07
(This space for Foderal or State office use)		Gill		TITLE Area M	anayer	_ DATE _	<u> </u>
	(This space for Federa	d or State office	100)			-	

### \*See Instructions on Reverse Side

Date: 8/6/87

RATHER FORD UNIT # 17W34 4736 ' RKB Elev. 4724 GL ELEU. 12' RKB About GL'

LOCATION SW SE Sec. 17 T415- P24E WEIL DRID 3/7/59 Well Converted 3/18/87 to injector 3/18/87

CONDUCTOR CSC 133/8 @ 174'

Surface CSG. 25/8 @ 1,530

TOC \_ 4247 ' CALC. Tubing 278@ 5,441 ' Lucline HTZ PACKER Otis Inter-lock PKR Nicker COAted @5441 PERFS 5,512 - 22 5,538 - 50 5594 - 5600 PBTD 5614 1

51/205747 J-55, 14# PRODUCTION Csg.

All Perfs Zone I unless NoteD

Form 3160-5 (November 1983) (Formerly 9-331)	DEPARTME 'O	) STATES OF THE INTER IND MANAGEMEN	i i	Ex	pidget Bureau No. 1004-0135 pires August 31, 1985 B DESIGNATION AND SERIAL NO.
	ORY NOTICES AI		ON WELLS hack to a different reservoir. proposals.)		PIAM, ALLOTTER OR TRIBE NAME
		<u> </u>		7. UNIT	AGREMENT NAME
WELL GAR	OTER WATER	INJECTION & W	ATER SUPPLY WELLS	RATHE	RFORD UNIT #796004192
PHILLIPS PETRO	OLEUM COMPANY			8. PARM	OR LEASE WAME
. ADDRESS OF OPERATOR	722011 00111111			9. WBLL	<b>#0.</b>
	, 2ND FLOOR, CAS			NA VA	RIOUS (see attached)
LOCATION OF WELL (Re See also space 17 below At surface	port location clearly and i	n accordance with any		id	D AND POOL, OR WILDCAT EATER ANETH
SEE A	ATTACHED		MAR 20 1989	_ #	Ctions 1 thru 30
4. PERMIT NO.	I IF PIOUS	TIONS (Show whether D	AND CARROLL SEE	T4	1S - R23E & 24E
4. PERMIT RO.	15. 5124X	TIONS (Show whether be	oil, Gas & memo		n Juan Utah
6.		Box To Indicate N	lature of Notice, Report,	or Other Da	la
×o	TICE OF INTENTION TO:		80	Besquent EEPO	
TEST WATER SHUT-OFF	PULL OR ALT	ER CASING	WATER SHUT-OFF		REPAIRING WELL
PRACTURE TREAT	MULTIPLE CO	MPI.ETE	PRACTURE TREATMENT		ALTERING CABING
SHOOT OR ACIDIZE	ABANDON*		Other) CHANGE C		ABANDONMENTO
REPAIR WELL (Other)	CHANGE PLAS	· [—]			le completion on Well ort and Log form.)
the to P	Ratherford Unit	, listed on the company, e	ction and Water Su he attached sheet, ffective August 1, Company)	were sol	
(101	mer operator	THILLIPO OIL	оомрану,		
<b>7</b>					
			2	L_Utah 0	armington, NM SG CC, SLC, UT
	<b>V</b> 2 · 4	na dia kacamatan di kacamatan di kacamatan di kacamatan di kacamatan di kacamatan di kacamatan di kacamatan di Manasaran di kacamatan di kacama	1	- File	
. I hereby certify that th	e foregoing is true and or	orrect			
S. H. Od	4. Oden		strict Superintend	ent DA	March 17, 1989
(This space for Federal	or State office use)		-		
APPROVED BY		TITLE		Th. 4.1	Web
CONDITIONS OF APPI	ROVAL IF ANY:		A	DA'	•=

# \*See Instructions on Reverse Side

Form 3160-5 (November 1983) (Formerly 9-331)  DEPAREN. OF THE INTERIOR verse side)  BUREAU OF LAND MANAGEMENT	Form approved. Budget Bureau No. 1004-0135 Expires August 31, 1985  5. LEASE DESIGNATION AND SERIAL NO.  14-20-603-353
SUNDRY NOTICES AND REPORTS ON WELLS  (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  Use "APPLICATION FOR PERMIT—" for such proposals.)	Navajo  7. Unit agreement name
OIL GAS WELL OTHER Water Injection  2. NAME OF OPERATOR	7. UNIT AGREEMENT NAME SW-I-4192 8. FARM OR LEASE NAME
Phillips Petroleum Company  3. ADDRESS OF OPERATOR  P. O. Box 1150, Cortez, CO 81321	Ratherford Unit 9. WBLL NO. #17W34
4. LOCATION OF WELL (Report location clearly and in accordance with an state requirements.) See also space 17 below.) At surface  MAY 0 1 1989	10. FIELD AND POOL, OR WILDCAT  Greater Aneth  11. SEC., T., E., M., OR BLK. AND SURVEY OR AREA
560 FSL & 1880 FEL (SW SE)  UNUSION OF  14. PERMIT NO.  15. ELEVATIONS (Show whether DF. RUME, BAS & MAING	Sec. 17-T41S-R24E  12. COUNTY OR PARISH 13. STATE
43-037-15730 4736 RKB	San Juan Utah
Check Appropriate box to indicate Nature of Notice, Report, or O	ther Data INT REPORT OF:
TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other)  17. DESCRIBE PROPOSED OR COMPLETE OPERATIONS (Clearly state all pertinent details, and give pertinent dates, proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical ment to this work.)*  March 14, 1989 thru March 18, 1989	of multiple completion on Well tion Report and Log form.)
MI, RU Well Service unit 3/14/89. Released packer, well with bit & scraper to 5615' (PBTD). Run casing RIH w/packer and lined tubing to 5453', set packer. 1200 psi, held for 15 min. Return well to injection.	integrity log. Run UIC test to
Injection Before: Injection After: 5-BLM, Farmington, NM	219 BWPD @ 2450 psi 236 BWPD @ 2535 psi
2-Utah O&G, CC 1-M. Williams, Bartlesville 1-S. H. Oden, Casper 1-Chieftain 1-Mobil Oil 1-Texaco, Inc. 1-Chevron, USA 1-Cortez Office - RC	,
18. I hereby certify that the foregoing is true and correct  SIGNED M. L. Merghin TITLE DIST. SUPT.	DATE 9/27/89
(This space for Federal or State office use)  APPROVED BY	DATE

Form 3160-5 (June 1990)

### UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**



FORM APPROVED Budget Bureau No. 1004-0135 Expires: March 31, 1993

	- MAINTENT MAINTENT 1771	5. Lease Designation and Serial No.
SUNDRY NOTICE  Do not use this form for proposals to  Use "APPLICATION F	drill or to deepen or reentry to a different reservoir OR PERMIT—" for such proposed AS & MINING	14-20-603-353 6. If Indian, Allottee or Tribe Name
		Navajo Tribal
SUBM	IIT IN TRIPLICATE	7. If Unit or CA, Agreement Designation SW-I-4192
1 Type of Well Oil Gas X Other Water In	liestor	Ratherford Unit
Well Well X Other Water In  2. Name of Operator	ijector	8. Well Name and No.
Phillips Petroleum Company		Ratherford Unit #17W3
3. Address and Telephone No.	Fa	9. API Well No. 43-037-15730
4. Location of Well (Footage, Sec., T., R., M., or Survey	Farmington, NM 87401 (505) 599-3412	10. Field and Pool, or Exploratory Area
560' FSL & 880' FEL		Greater Aneth
Sec. 17, T41S, R24E		11. County or Parish, State
		San Juan County
2. CHECK APPROPRIATE BOX	(s) TO INDICATE NATURE OF NOTICE, REPOI	RT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	
Notice of Intent	Abandonment	
	Recompletion	Change of Plans New Construction
Subsequent Report	Plugging Back	Non-Routine Fracturing
	Casing Repair	Water Shut-Off
L. Final Abandonment Notice	Altering Casing	Conversion to Injection
	XX Other Acid Clean-Up	Dispose Water
Describe Proposed or Completed Operations (Clearly state al	l pertinent details, and give pertinent dates, including estimated date of starting al depths for all markers and zones pertinent to this work 10	(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)
	To all work.)	any proposed work. If well is directionally drilled,
February 26, 1991 thru March	4, 1991	
173 its 2-7/8" the LD ini.	91. ND wellhead, NU BOP. Rel pkr & COC pkr and PU 4-3/4" bit and casing scrap	OH w/total of
and cleaned out well to 5615	. COOH with bit and scraper and TIH w	er workstring
set @ 5445'. Pressure test 1	ine to 5000 psi. Opened pkr by-pass &	spotted 1000 colo
28% D.G.A. acid, pressured ba	ackside to 700 psi & pumped 4000 gal a	cid 28% HCl w/additives
and RCN balls 125 1.1 S.G. //	'8", I ball per .5 bbl acid, over disp	laced w/70 bbls
water. Ave. 3150 psi.3 BPM.I.	S.I.P 3150 5 min. 2780 10 min 2700	15 min 2580 mod
SI 3 hours. COOH & LD 2-7/8"	work string and pkr. PU ini. packer.	ran ini the and
set pkr @ 5425 . Tested csg.	annulus to 1000 psi - okav. Pressured	the to 3000 per -
okay. Circ. 120 bbis water w/2	2/ gal WA-840 for pkr fluid. No BOP N	III WH procented
annulus to 1080 psi for 45 mir	n. for UIC test - okay. NU inj. line.	RD & MO well service
3/4/91, and returned well to i	injection.	
Inje	ection Rate Prior to Work - 137 BWPD @	2625 psi
inje	ection Rate After Work - 377 BWPD @	2425 psi .
I onicitain, I - nobii, I	- EPA, 1 - N. Anstine, 1 - S. H. Oden - Texaco, 1 - PPCO, Houston, 1 - PPCO	, 1 - P. J. Konkel, O, Farmington
hereby certify that the foregoing is true and correct		
Signed C. C. Uphuns RODINSON	Title Sr. Drilling & Production Engr	3-14-91
(This space for Federal or State office use)		
Approved by Conditions of approval, if say:	Tide	Date
TORRESON OF EMPIONER, II CONT.		

# UNITED STATES DEPARTMENT OF THE INTERIOR

	FORM APPROVED
RE	Budget Bureau No. 1004-0135 LE VE Expires: March 31, 1993
	Be Mase Designation and Serial No.
	14-20-603-353
73	6. It Indian Alleme or Tribe Name

	BUREAU O	F LAND MANA	GEMENT	RE	Expires: March 31, 1993
1 0 2 YL	991 SUNDRY NOTICE	S AND REPOR	TC AN WELL		B. Mase Designation and Serial No.
10.0.	o not use this form for proposals to Use "APPLICATION F	drill or to deene	n or reentage to a diff.	Riomess men	8. Itadian Althor or Tribe Name
AS & M	ININ(	IT IN TRIPLICA		019 FAR	, Navado, Tribal  7. If Unit or CA, Agreement Designation
	ype of Well				SW-I-4192 Ratherford Unit
2. N	Oil Gas X Other Water Ir ame of Operator	ljector			8. Well Name and No. #17-14
	hillips Petroleum Company ddress and Telephone No.				Ratherford Unit #17\vi
3	000 W. Arrington, Suite 200,		, NM 87401 (505)	599-3412	43-037-15730  10. Field and Pool, or Exploratory Area
	exation of Well (Footage, Sec., T., R., M., or Survey)	Description)			Greater Aneth
	Sec. 17, T41S, R24E				11. County or Parish, State
12.	CHECK APPROPRIATE BOX	(s) TO INDICAT	E NATURE OF NO	TICE PERON	San Juan County, UTa
<del></del>	TYPE OF SUBMISSION			E OF ACTION	, OR OTHER DATA
	Notice of Intent		Abandonment		Change of Plans
	Subsequent Report		Recompletion Plugging Back		New Construction
	П	֓֞֞֝֟֞֓֓֓֓֓֓֓֓֓֓֓֓֓֡֡	Casing Repair		Non-Routine Fracturing Water Shut-Off
	LJ Final Abandonment Notice	100	Altering Casing Other Acid Clean-	lin	Conversion to Injection
					Dispose Water (Note: Report results of multiple completion on Well
13. De	cribe Proposed or Completed Operations (Clearly state at give subsurface locations and measured and true vertice	pertinent details, and giral depths for all markers	re pertinent dates, including estim	ated date of starting any	Completion or Recompletion Report and Log form.)  y proposed work. If well is directionally drille
F	ebruary 26, 1991 thru March	4. 1991		,	
M	IRU well service unit 2-26-9	91. ND wellh	ead, NU BOP. Rel	pkr & COOH	w/total of
1.	/3 ]ts 2-//o tog. LV inj. ;	okr and PU 4	-3/4" bit and ca	eine ecrano	r
aı	nd cleaned out well to 5615	COOH with	bit and scraper	and TIH w/	R-3 pkr and
28	et @ 5445'. Pressure test li	chetdo to 7	psi. Opened pkr	by-pass & s	potted 1000 gals
ar ar	3% D.G.A. acid, pressured band RCN balls 125 1.1 S.G. 7/	/8". 1 %=11 :	ov psi & pumped o	4000 gal ac	id 28% HCl w/additives
Wa	iter. Ave. 3130 bsi.3 brm.i.	S.I.P 3150	5 min. 2780 10 m	in 2700 1	E _ d 0000 .
21	. 3 nours. Coon & LD 2-1/0	WORK String	and pkr. Pil ini	nacker r	on ind also and
85	et par e 3423 . lesteu csg.	annulus to	IUUU DS1 - okav.	Proceurad	tha to 2000
UK	sy. Circ. 120 DD18 Water W/2	:/ gal wa-84	U for okr fluid	MIN BUD MILE	LIU
anı	nulus to $1080$ psi for $45$ min $1/91$ , and returned well to i	i. for the to	est - okay. NU i	nj. line, R	D & MO well service
	ıııje	ction wate w	Prior to Work - 1 After Work - 3	377 BWPD @ 2	2425 psi
cc:	5 - BLM, 2 - Utah O&GCC, 1 1 - Chieftain, 1 - Mobil, 1	- FPA 1 - x	1 Amoud 1 o		_
14. I here Signo	toy certify that the toregoing is true and correct				CEPTED FOR RECORD
	space for Federal or State office use)				<b>Д</b>
Appro Condi	ved by cions of approval, if any:	Title		•	APR 17 1991
					KIMINUTUH NESOUNUE AKEA
Tide 18 U	.S.C. Section 1001, makes it a crime for any person kno stations as to any matter within its jurisdiction.	wingly and willfully to a	nake to any department or agenc	y of the United States a	ov file. Sciticus or franklest stresses

### STATE OF UTAH DIVISION OF OIL, GAS AND MINING

Page 1 of 10

# MONTHLY OIL AND GAS PRODUCTION REPORT

OPERATOR NAME AND ADDRESS:

P J KONKEL PHILLIPS PETROLEUM COMPANY 5525 HWY 64 NBU 3004 FARMINGTON NM 87401

AUG 1 6 1993 REPORT PERIOD (MONTH/YEAR)

DIVISION OF

OIL, GAS & MININGMENDED REPORT [ (Highlight Changes)

Well Name	Producing	Well	Days		Production Volumes	
API Number Entity Location	Zone	Status	Oper	OIL(BBL)	GAS(MCF)	WATER(BBL)
#21-23 4303713754 06280 415 24E 21	DSCR	POW	29	1374	883	58
#3-44 4303715031 06280 415 24E 3	DSCR	POW	30	111	94	2905
#3-14 4303715124 06280 415 24E 3	DSCR	POW	30	67	23	302
#9-12 4303715126 06280 415 24E 9	DSCR	POW	30	112	654	17363
#9-14 4303715127 06280 415 24E 9	DSCR	Pow	30	201	315	423
#28-12 4303715336 06280 415 24E 28	PRDX	POW	29	112	<del>4</del> 7	2428
#29-12 4303715337 06280 415 24E 29	PRDX	POW	29	56	0	672
#29-32 4303715339 06280 415 24E 29	DSCR	POW	29	1402	287	2224
#29-34 4303715340 06280 415 24E 29	DSCR	Pow	29	75 7	48	0
#30-32 4303715342 06280 415 24E 30	DSCR	POW	29	588	1049	3744
#3-12 4303715620 06280 415 24E 3	DSCR	POW	30	268	11	363
#9-34 4303715711 06280 415 24E 9	DSCR	POW	30	45	46	9800
#10-12 4303715712 06280 415 24E 10	DSCR	POW	30	45	23	1088
154A			TOTALS	5138	3480	41370

Effective July 1, 1993, Phillips Petroleum Company has sold its interest in the COMMENTS:

Ratherford Unit to Mobil Exploration and Producing U.S., Incorporated, P. O. Box

633, Midland, Texas 79702. Mobil assumed operations on July 1, 1993.

I hereby certify that this report is true and complete to the best of my knowledge. Date: 8/11/93

PAT KONKEL Name and Signature:\_

\_\_\_\_\_\_ Telephone Number: 505 599-3452

# STATE OF UTAH DIVISION OF OIL, GAS AND MINING

	·		1. LEASE DESIGNAT	TION & SERIAL NO.
(Do not use this form for	OTICES AND REPORTS	t back to a different reservoir.	6. IF INDIAN. ALLO	
Use "A	PPLICATION FOR PERMIT—" for s	ruch proposals.)	1. UNIT ACREEMEN	
OIL GAS OTH	ER	- Julian	RATHERFORD	
AME OF OPERATOR		MIN STATE OF THE PARTY OF THE P	S. FARM OR LEASE	
MOBIL OIL CORE	PORATION -			
P. O. BOX 633	MIDLAND, TX 79702	SEP 1 5 1993	S. WELL NO.	
LOCATION OF WELL (Report location See also space 17 below.)	in clearly and in accordance with any State		10. FIELD AND POO	
At surface		DIVISION OF	GREATER A	
At proposed prod. 20ne		OIL, GAS & MINING	SURVEY O	
API NO.	15. ELEVATIONS (Show whether	r DF, RT, GR, etc.)	12. COUNTY	13. STATE
			SAN JUAN	UTAH
Chi	eck Appropriate Box To Indicate	Nature of Notice Report of O	ther Data	
	ECK Appropriate box 10 indicate	•	QUENT REPORT OF:	
TEST WATER SHUT-OFF	PULL OR ALTER CASING	WATER SHUT-OFF		ING WELL
FRACTURE TREAT	MULTIPLE COMPLETE	FRACTURE TREATMENT	<del> </del>	NG CASING
SHOOT OR ACIDIZE	ABANDON	SHOOTING OR ACIDIZING	<del> </del>	*TRINK
REPAIR WELL	CHANGE PLANS	(Other) CHANGE O		
(Other)			s of multiple completie empletion Report and	
APPROX. DATE WORK WILL S	TART	DATE OF COMPLETION _		
	3, MOBIL OIL CORPORATI INDIVIDUAL WELLS.		rpanied by a cement	
			~	
I. I hereby certify that the forest	ning is true and correct	THE A DESCRIPTION OF A	n7 ^	0.02
SIGNED WHILEY JOG	d TITLE _	ENV. & REG TECHNICIA	N DATE	-8 <b>-</b> 93
(This space for Federal or State	te office use)			
APPROVED BY	करकर ज		DATE	
CONDITIONS OF APPROVA				

L	20	1
⊬	PA	٠,

12W-44				
	43-037-16405	14-20-603-246A	SEC. 12, T41S, R23E	SE/SE 660 FSL; 660 FEL
12W-44A	43-037-31543	14-20-603-246A	SEC. 12, T41S, R23E	SE/SE 807 FEL; 772 FSL
	43-037-31152	14-20-603-247A	SEC. 13, T41S, R23E	NW/NW 500 FNL; 660 FWL
				SW/NW 1705 FNL; 640 FWL
	43-037-31127	14-20-603-247A	SEC. 13, T41S, R23E	
13W-13	43-037-15851	14-20-603-247A	SEC. 13, T41S, R23E	NW/SW 1980 FSL; 4620 FEL
13-14	43-037-31589	14-20-603-247A	SEC. 13, T41S, R23E	660 FSL; 660 FWL
	43-037-31128	14-20-603-247A	SEC. 13, T41S, R23E	NE/NW 660 FNL; 1920 FWL
	43-037-15852	14-20-603-247A	SEC. 13, T41S, R23E	SE/NW 1988 FNL; 3300 FEL
13-23	43-037-31129	14-20-603-247A	SEC. 13, T41S, R23E	NE/SW 1980 FSL; 1930 FWL
	43-037-15853	14-20-603-247	-SEC. 13, T415, R23E	600 FSL: 3300 FEL
	43-037-16406	14-20-603-247A	SEC. 13, T41S, R23E	1881 FNL; 1979 FEL
	43-037-15855	14-20-603-247A	SEC. 13, T41S, R23E	NW/SE 1970 FSL; 1979 FEL
13W-34	43-037-31130	14-20-603-247A	SEC. 13, T41S, R23E	SW/SE 660 FSL; 1980 FEL
13-41	43-037-15856	14-20-603-247A	SEC. 13, T41S, R23E	NE/NE 660 FNL; 660 FEL
	43-037-,15857	14-20-603-247A	SEC. 13, T41S, R23E	SE/NE 2139; 585 FEL
	43-037-31131	14-20-603-247A	SEC. 13, T41S, R23E	NE/SE 1700 FSI.; 960 FEL
13W-44	43-037-16407	14-20-603-247A	SEC. 13, T41S, R23E	SE/SE 635 FSL; 659 FEL
14-03	NA.	14 20 603 4037	SEC 11 T415 B23F	SW/SW-660 FSL; 660 FEL
				2130 FNL; 1830 FEL
		14-20-603-247A	SEC. 14, T41S, R23E	
	43-037-31623	14-20-603-247A	SEC. 14, T41S, R23E	NE/NE 521 FEL; 810 FNL
14W-42	43-037-15860	14-20-603-247A	SEC. 14, T41S, R23E	SE/NE 1976 FNL; 653 FEL
	43-037-16410	14-20-603-247A	SEC. 14, T41S, R23E	3300 FSL; 4770 FEL
				2130 FSL; 1830 FEL
	43-037-15859	14-20-603-247	SEC. 14, T41S, R23E	
	43-037-1571 <i>5</i>	14-20-603-355	SEC. 15, T41S, R24E	1820 FNL; 500 FWL
15W-21	43-037-16411	14-20-603-355	SEC. 15, T41S, R24E	660 FNL; 1820 FWL
	43-037-30449	14-20-603-355	SEC. 15, T41S, R24E	SE/NW, 1980 FNL; 2050 FWL
	43-037-15717	14-20-603-355A	SEC. 15, T41S, R24E	1980 FNL; 1980 FEL
15-33	43-037-15718	14-20-603-355	SEC. 15, T41S, R24E	NW/SE 1650 FSL; 1980 FEL
15-41	43-037-15719	14-20-603-355	SEC. 15, T41S, R24E	660 FNL; 660' FEL
		14-20-603-355	SEC. 15, T41S, R24E	SE/NE 2020 FNL; 820 FEL
				SW/NW 1880 FNL; 660 FWL
	43-037-15720	14-20-603-355	SEC. 16, T41S, R24E	
16-13	43-037-31168	14-20-603-355	SEC. 16, T41S, R24E	1980 FSL; 660 FWL
16W-14	43-037-15721	14-20-603-355	SEC. 16, T41S, R24E	SW/SW 660 FSL; 660 FWL
	43-037-16414	14-20-603-355	SEC. 16, T41S, R24E	NE/NW 660 FNL; 1880 FWL
16W-23	43-037-15722	14-20-603-355	SEC. 16, T41S, R24E	NE/SW 1980 FSL; 1980 FWL
16-32	43-037-15723	14-20-603-355	SEC. 16, T41S, R24E	1980 FNL; 1980' FEL
<del></del>	43-037-15724	14-20-603-355	SEC. 16, T41S, R24E	660 FNL; 1980 FEL
				660 FNL; 660 FEL
	43-037-15725	14-20-603-355	SEC. 16, T41S, R24E	
16W-43	43-037-16415	14-20-603-355	SEC. 16, T41S, R24E	NE/SE 2140 FSL; 820 FEL
17-11	43-037-31169	14-20-603-353	SEC. 17, T41S, R24E	NW/NW 1075' FNL; 800' FWL
	43-037-15726	14-20-603-353	SEC. 17, T41S, R24E	SW/NW 1980' FNL; 510' FWL
			SEC. 17, T41S, R24E	NW/SW 2100' FSL; 660' FWL
17-13	43-037-31133	14-20-603-353		4
	43-037-15727	14-20-603-353	SEC. 17, T41S, R24E	SW/SW 660' FSL; 660' FWL
77W-21	43-037-16416	14-20-603-353	SEC. 17, T41S, R24E_	510' FNL; 1830' FWL
17-22	43-037-31170	14-20-603-353	SEC. 17, T41S, R24E	1980' FNL; 1980' FWL
4714 00			SEC. 17, T41S, R24E	NE/SW 1980' FWL; 1880' FSL
	43-037-15728	14-20-603-353		
17-31	43-037-31178	14-20-603-353	SEC. 17, T41S, R24E	NW/NE 500' FNL; 1980' FEL
17-32 W	43-037-15729	14-20-603-353	SEC. 17, T41S, R24E	SW/NE 1830' FNL; 2030' FEL
17-32 1	43-037-31134	14-20-603-353	SEC. 17, T41S, R24E	NW/SE 1980' FSL; 1845' FEL
17-33				SW/SE 560' FSL; 1880' FEL
17-34W	43-037-15730	14-20-603-353	SEC. 17, T41S, R24E	
17W-41	43-037-15731	14-20-603-353	SEC. 17, T41S, R24E	SETO: END: ETO: EED
1/44-41	45 057 10701			610' FNL; 510' FEL
		14-20-603-353	SEC. 17, T41S, R24E	SE/NE 1980; FNL, 660' FEL
17-42	43-037-31177	14-20-603-353	SEC. 17, T41S, R24E	SE/NE 1980; FNL, 660' FEL
17-42 17-44	43-037-31177 43-037-/ <i>5732</i>	14-20-603-353 14-20-603-353	SEC. 17, T41S, R24E SEC. 17, T41S, R24E	SE/NE 1980; FNL, 660' FEL 660 FSL; 660' FEL
17-42 17-44 17W-43	43-037-31177 43-037-/ <i>573</i> 2 43-037-16417	14-20-603-353 14-20-603-353 14-20-603-353	SEC. 17, T41S, R24E SEC. 17, T41S, R24E SEC. 17, T41S, R24E	SE/NE 1980; FNL, 660' FEL 660 FSL; 660' FEL NE/SE 1980' FSL; 660' FEL
17-42 17-44 17W-43	43-037-31177 43-037-/ <i>5732</i>	14-20-603-353 14-20-603-353	SEC. 17, T41S, R24E SEC. 17, T41S, R24E SEC. 17, T41S, R24E SEC. 18, T41S, R24E	SE/NE 1980; FNL, 660' FEL 660 FSL; 660' FEL NE/SE 1980' FSL; 660' FEL NW/NW 720' FNL; 730' FWL
17-42 17-44 17W-43 18-11	43-037-31177 43-037-/5732 43-037-16417 43-037-15733	14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353	SEC. 17, T41S, R24E SEC. 17, T41S, R24E SEC. 17, T41S, R24E	SE/NE 1980; FNL, 660' FEL 660 FSL; 660' FEL NE/SE 1980' FSL; 660' FEL
17-42 17-44 17W-43 18-11 18-12W	43-037-31177 43-037-75732 43-037-16417 43-037-15733 43-037-31153	14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353	SEC. 17, T41S, R24E SEC. 17, T41S, R24E SEC. 17, T41S, R24E SEC. 18, T41S, R24E SEC. 18, T41S, R24E	SE/NE 1980; FNL, 660' FEL 660 FSL; 660' FEL NE/SE 1980' FSL; 660' FEL NW/NW 720' FNL; 730' FWL SW/NW 1980' FNL; 560' FWL
17-42 17-44 17W-43 18-11 18-12W 18W-21	43-037-31177 43-037-/5732 43-037-16417 43-037-15733 43-037-31153 43-037-16418	14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353	SEC. 17, T41S, R24E SEC. 17, T41S, R24E SEC. 17, T41S, R24E SEC. 18, T41S, R24E SEC. 18, T41S, R24E SEC. 18, T41S, R24E SEC. 18, T41S, R24E	SE/NE 1980; FNL, 660' FEL 660 FSL; 660' FEL NE/SE 1980' FSL; 660' FEL NW/NW 720' FNL; 730' FWL SW/NW 1980' FNL; 560' FWL NE/NW 660' FNL; 1882' FWL
17-42 17-44 17W-43 18-11 18-12W 18W-21	43-037-31177 43-037-/5732 43-037-16417 43-037-15733 43-037-31153 43-037-16418 43-037-31236	14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353	SEC. 17, T41S, R24E SEC. 17, T41S, R24E SEC. 17, T41S, R24E SEC. 18, T41S, R24E	SE/NE 1980; FNL, 660' FEL 660 FSL; 660' FEL NE/SE 1980' FSL; 660' FEL NW/NW 720' FNL; 730' FWL SW/NW 1980' FNL; 560' FWL NE/NW 660' FNL; 1882' FWL SW/NW 2200' FNL; 2210' FWL
17-42 17-44	43-037-31177 43-037-/5732 43-037-16417 43-037-15733 43-037-31153 43-037-16418	14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353	SEC. 17, T41S, R24E SEC. 17, T41S, R24E SEC. 17, T41S, R24E SEC. 18, T41S, R24E SEC. 18, T41S, R24E SEC. 18, T41S, R24E SEC. 18, T41S, R24E	SE/NE 1980; FNL, 660' FEL 660 FSL; 660' FEL NE/SE 1980' FSL; 660' FEL NW/NW 720' FNL; 730' FWL SW/NW 1980' FNL; 560' FWL NE/NW 660' FNL; 1882' FWL SW/NW 2200' FNL; 2210' FWL NE/SW 2385' FSL; 2040' FWL
17-42 17-44 17W-43 18-11 18-12W 18W-21 18-22 18W-23	43-037-31177 43-037-/5732 43-037-16417 43-037-31153 43-037-31153 43-037-31236 43-037-30244	14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353	SEC. 17, T41S, R24E SEC. 17, T41S, R24E SEC. 17, T41S, R24E SEC. 18, T41S, R24E	SE/NE 1980; FNL, 660' FEL 660 FSL; 660' FEL NE/SE 1980' FSL; 660' FEL NW/NW 720' FNL; 730' FWL SW/NW 1980' FNL; 560' FWL NE/NW 660' FNL; 1882' FWL SW/NW 2200' FNL; 2210' FWL NE/SW 2385' FSL; 2040' FWL
17-42 17-44 17W-43 18-11 18-12W 18W-21 18-22 18W-23 18W-14	43-037-31177 43-037-/5732 43-037-16417 43-037-31153 43-037-31153 43-037-31236 43-037-30244 43-037-15735	14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353	SEC. 17, T41S, R24E SEC. 17, T41S, R24E SEC. 17, T41S, R24E SEC. 18, T41S, R24E	SE/NE 1980; FNL, 660' FEL 660 FSL; 660' FEL NE/SE 1980' FSL; 660' FEL NW/NW 720' FNL; 730' FWL SW/NW 1980' FNL; 560' FWL NE/NW 660' FNL; 1882' FWL SW/NW 2200' FNL; 2210' FWL NE/SW 2385' FSL; 2040' FWL SW/SW 810' FSL; 600' FWL
17-42 17-44 17W-43 18-11 18-12 W 18W-21 18-22 18W-23 18W-14	43-037-31177 43-037-/5732 43-037-16417 43-037-15733 43-037-31153 43-037-31236 43-037-30244 43-037-15735 43-037-31079	14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353	SEC. 17, T41S, R24E SEC. 17, T41S, R24E SEC. 17, T41S, R24E SEC. 18, T41S, R24E	SE/NE 1980; FNL, 660' FEL 660 FSL; 660' FEL NE/SE 1980' FSL; 660' FEL NW/NW 720' FNL; 730' FWL SW/NW 1980' FNL; 560' FWL NE/NW 660' FNL; 1882' FWL SW/NW 2200' FNL; 2210' FWL NE/SW 2385' FSL; 2040' FWL SW/SW 810' FSL; 600' FWL SE/SW 760' FSL; 1980' FWL
17-42 17-44 17W-43 18-11 18-12 W 18W-21 18-22 18W-23 18W-14	43-037-31177 43-037-/5732 43-037-16417 43-037-31153 43-037-31153 43-037-31236 43-037-30244 43-037-15735	14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353	SEC. 17, T41S, R24E SEC. 17, T41S, R24E SEC. 17, T41S, R24E SEC. 18, T41S, R24E	SE/NE 1980; FNL, 660' FEL 660 FSL; 660' FEL NE/SE 1980' FSL; 660' FEL NW/NW 720' FNL; 730' FWL SW/NW 1980' FNL; 560' FWL NE/NW 660' FNL; 1882' FWL SW/NW 2200' FNL; 2210' FWL NE/SW 2385' FSL; 2040' FWL SW/SW 810' FSL; 600' FWL SE/SW 760' FSL; 1980' FWL NW/NE 795' FNL; 2090; FEL
17-42 17-44 17W-43 18-11 18-12 W 18W-21 18-22 18W-23 18W-14 18-24 18-31	43-037-31177 43-037-/5732 43-037-16417 43-037-31153 43-037-31153 43-037-31236 43-037-30244 43-037-30244 43-037-31079 43-037-31181	14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353	SEC. 17, T41S, R24E SEC. 17, T41S, R24E SEC. 17, T41S, R24E SEC. 18, T41S, R24E	SE/NE 1980; FNL, 660' FEL 660 FSL; 660' FEL NE/SE 1980' FSL; 660' FEL NW/NW 720' FNL; 730' FWL SW/NW 1980' FNL; 560' FWL NE/NW 660' FNL; 1882' FWL SW/NW 2200' FNL; 2210' FWL NE/SW 2385' FSL; 2040' FWL SW/SW 810' FSL; 600' FWL SE/SW 760' FSL; 1980' FWL NW/NE 795' FNL; 2090; FEL
17-42 17-44 17W-43 18-11 18-12W 18W-21 18-22 18W-23 18W-14 18-24 18-31 18W-32	43-037-31177 43-037-/5732 43-037-16417 43-037-15733 43-037-31153 43-037-31236 43-037-30244 43-037-30244 43-037-31181 43-037-31181 43-037-15736	14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353	SEC. 17, T41S, R24E SEC. 17, T41S, R24E SEC. 17, T41S, R24E SEC. 18, T41S, R24E	SE/NE 1980; FNL, 660' FEL 660 FSL; 660' FEL NE/SE 1980' FSL; 660' FEL NW/NW 720' FNL; 730' FWL SW/NW 1980' FNL; 560' FWL NE/NW 660' FNL; 1882' FWL SW/NW 2200' FNL; 2210' FWL NE/SW 2385' FSL; 2040' FWL SW/SW 810' FSL; 600' FWL SE/SW 760' FSL; 1980' FWL NW/NE 795' FNL; 2090; FEL SW/NE 2140' FNL; 1830' FEL
17-42 17-44 17W-43 18-11 18-12W 18W-21 18-22 18W-23 18W-14 18-24 18-31 18W-32 18-33	43-037-31177 43-037-/5732 43-037-16417 43-037-15733 43-037-31153 43-037-31236 43-037-30244 43-037-30244 43-037-31157 43-037-31181 43-037-31181 43-037-31135	14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353	SEC. 17, T41S, R24E SEC. 17, T41S, R24E SEC. 17, T41S, R24E SEC. 18, T41S, R24E	SE/NE 1980; FNL, 660' FEL 660 FSL; 660' FEL NE/SE 1980' FSL; 660' FEL NW/NW 720' FNL; 730' FWL SW/NW 1980' FNL; 560' FWL NE/NW 660' FNL; 1882' FWL SW/NW 2200' FNL; 2210' FWL NE/SW 2385' FSL; 2040' FWL SW/SW 810' FSL; 600' FWL SE/SW 760' FSL; 1980' FWL NW/NE 795' FNL; 2090; FEL SW/NE 2140' FNL; 1830' FEL NW/SE 1870' FSL; 1980' FEL
17-42 17-44 17W-43 18-11 18-12 W 18W-21 18-22 18W-23 18W-14 18-24 18-31 18W-32 18-33 18-34 W	43-037-31177 43-037-/5732 43-037-16417 43-037-15733 43-037-31153 43-037-31236 43-037-30244 43-037-30244 43-037-31181 43-037-31181 43-037-31135 43-037-31135	14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353	SEC. 17, T41S, R24E SEC. 17, T41S, R24E SEC. 17, T41S, R24E SEC. 18, T41S, R24E	SE/NE 1980; FNL, 660' FEL 660 FSL; 660' FEL NE/SE 1980' FSL; 660' FEL NW/NW 720' FNL; 730' FWL SW/NW 1980' FNL; 560' FWL NE/NW 660' FNL; 1882' FWL SW/NW 2200' FNL; 2210' FWL NE/SW 2385' FSL; 2040' FWL SW/SW 810' FSL; 600' FWL SE/SW 760' FSL; 1980' FWL NW/NE 795' FNL; 2090; FEL SW/NE 2140' FNL; 1830' FEL NW/SE 1870' FSL; 1980' FEL SW/SE 780' FSL; 1860 FEL
17-42 17-44 17W-43 18-11 18-12W 18W-21 18-22 18W-23 18W-14 18-24 18-31 18W-32 18-33	43-037-31177 43-037-/5732 43-037-16417 43-037-15733 43-037-31153 43-037-31236 43-037-30244 43-037-30244 43-037-31157 43-037-31181 43-037-31181 43-037-31135	14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353	SEC. 17, T41S, R24E SEC. 17, T41S, R24E SEC. 17, T41S, R24E SEC. 18, T41S, R24E	SE/NE 1980; FNL, 660' FEL 660 FSL; 660' FEL NE/SE 1980' FSL; 660' FEL NW/NW 720' FNL; 730' FWL SW/NW 1980' FNL; 560' FWL NE/NW 660' FNL; 1882' FWL SW/NW 2200' FNL; 2210' FWL NE/SW 2385' FSL; 2040' FWL SW/SW 810' FSL; 600' FWL SE/SW 760' FSL; 1980' FWL NW/NE 795' FNL; 2090; FEL SW/NE 2140' FNL; 1830' FEL NW/SE 1870' FSL; 1980' FEL SW/SE 780' FSL; 1860 FEL NE/NE 660' FNL; 660' FEL
17-42 17-44 17W-43 18-11 18-12 W 18W-21 18W-23 18W-14 18-24 18-31 18W-32 18-33 18-34 W 18W-41	43-037-31177 43-037-/5732 43-037-16417 43-037-15733 43-037-31153 43-037-31236 43-037-30244 43-037-30244 43-037-31079 43-037-31181 43-037-31135 43-037-15737 43-037-15737	14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353	SEC. 17, T41S, R24E SEC. 17, T41S, R24E SEC. 17, T41S, R24E SEC. 18, T41S, R24E	SE/NE 1980; FNL, 660' FEL 660 FSL; 660' FEL NE/SE 1980' FSL; 660' FEL NW/NW 720' FNL; 730' FWL SW/NW 1980' FNL; 560' FWL NE/NW 660' FNL; 1882' FWL SW/NW 2200' FNL; 2210' FWL NE/SW 2385' FSL; 2040' FWL SW/SW 810' FSL; 600' FWL SE/SW 760' FSL; 1980' FWL NW/NE 795' FNL; 2090; FEL SW/NE 2140' FNL; 1830' FEL NW/SE 1870' FSL; 1980' FEL SW/SE 780' FSL; 1860 FEL
17-42 17-44 17W-43 18-11 18-12 W 18W-21 18-22 18W-23 18W-14 18-24 18-31 18W-32 18-34 W 18W-41 18-42	43-037-31177 43-037-/5732 43-037-16417 43-037-15733 43-037-31153 43-037-31236 43-037-30244 43-037-30244 43-037-31079 43-037-31181 43-037-31135 43-037-15737 43-037-15738 43-037-15738	14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353	SEC. 17, T41S, R24E SEC. 17, T41S, R24E SEC. 17, T41S, R24E SEC. 18, T41S, R24E	SE/NE 1980; FNL, 660' FEL 660 FSL; 660' FEL NE/SE 1980' FSL; 660' FEL NW/NW 720' FNL; 730' FWL SW/NW 1980' FNL; 560' FWL NE/NW 660' FNL; 1882' FWL SW/NW 2200' FNL; 2210' FWL NE/SW 2385' FSL; 2040' FWL SW/SW 810' FSL; 600' FWL SE/SW 760' FSL; 1980' FWL NW/NE 795' FNL; 2090; FEL SW/NE 2140' FNL; 1830' FEL NW/SE 1870' FSL; 1980' FEL SW/SE 780' FSL; 1860 FEL NE/NE 660' FNL; 660' FEL SE/NE 2120' FNL; 745' FEL
17-42 17-44 17W-43 18-11 18-12 W 18W-21 18W-23 18W-14 18-24 18-31 18W-32 18-34 W 18W-41 18-42 18W-43	43-037-31177 43-037-15732 43-037-16417 43-037-15733 43-037-31153 43-037-31236 43-037-30244 43-037-31236 43-037-31079 43-037-31181 43-037-15736 43-037-31135 43-037-15737 43-037-15738 43-037-31182 43-037-16419	14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353	SEC. 17, T41S, R24E SEC. 17, T41S, R24E SEC. 17, T41S, R24E SEC. 18, T41S, R24E	SE/NE 1980; FNL, 660' FEL 660 FSL; 660' FEL NE/SE 1980' FSL; 660' FEL NW/NW 720' FNL; 730' FWL SW/NW 1980' FNL; 560' FWL NE/NW 660' FNL; 1882' FWL SW/NW 2200' FNL; 2210' FWL NE/SW 2385' FSL; 2040' FWL SW/SW 810' FSL; 600' FWL SE/SW 760' FSL; 1980' FWL NW/NE 795' FNL; 2090; FEL SW/NE 2140' FNL; 1830' FEL NW/SE 1870' FSL; 1980' FEL SW/SE 780' FSL; 1860 FEL NE/NE 660' FNL; 660' FEL SE/NE 2120' FNL; 745' FEL NE/SE 1980' FSL; 660' FEL
17-42 17-44 17W-43 18-11 18-12 W 18W-21 18-22 18W-23 18W-14 18-24 18-31 18W-32 18-34 W 18W-41 18-42 18-43 18-44	43-037-31177 43-037-/5732 43-037-16417 43-037-15733 43-037-31153 43-037-31236 43-037-30244 43-037-30244 43-037-31079 43-037-31181 43-037-31135 43-037-15737 43-037-15738 43-037-15738	14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353	SEC. 17, T41S, R24E SEC. 17, T41S, R24E SEC. 17, T41S, R24E SEC. 18, T41S, R24E	SE/NE 1980; FNL, 660' FEL 660 FSL; 660' FEL NE/SE 1980' FSL; 660' FEL NW/NW 720' FNL; 730' FWL SW/NW 1980' FNL; 560' FWL NE/NW 660' FNL; 1882' FWL SW/NW 2200' FNL; 2210' FWL NE/SW 2385' FSL; 2040' FWL SW/SW 810' FSL; 600' FWL SE/SW 760' FSL; 1980' FWL NW/NE 795' FNL; 2090; FEL SW/NE 2140' FNL; 1830' FEL NW/SE 1870' FSL; 1980' FEL SW/SE 780' FSL; 1860 FEL NE/NE 660' FNL; 660' FEL SE/NE 2120' FNL; 745' FEL NE/SE 1980' FSL; 660' FEL SE/SE 660' FSL; 660' FEL
17-42 17-44 17W-43 18-11 18-12 W 18W-21 18W-23 18W-14 18-24 18-31 18W-32 18-34 W 18W-41 18-42 18W-43	43-037-31177 43-037-15732 43-037-16417 43-037-15733 43-037-31153 43-037-31236 43-037-30244 43-037-31236 43-037-31079 43-037-31181 43-037-15736 43-037-31135 43-037-15737 43-037-15738 43-037-31182 43-037-16419	14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353	SEC. 17, T41S, R24E SEC. 17, T41S, R24E SEC. 17, T41S, R24E SEC. 18, T41S, R24E	SE/NE 1980; FNL, 660' FEL 660 FSL; 660' FEL NE/SE 1980' FSL; 660' FEL NW/NW 720' FNL; 730' FWL SW/NW 1980' FNL; 560' FWL NE/NW 660' FNL; 1882' FWL SW/NW 2200' FNL; 2210' FWL NE/SW 2385' FSL; 2040' FWL SW/SW 810' FSL; 600' FWL SE/SW 760' FSL; 1980' FWL NW/NE 795' FNL; 2090; FEL SW/NE 2140' FNL; 1830' FEL NW/SE 1870' FSL; 1980' FEL SW/SE 780' FSL; 1860 FEL NE/NE 660' FNL; 660' FEL SE/NE 2120' FNL; 745' FEL NE/SE 1980' FSL; 660' FEL SE/SE 660' FSL; 660' FEL SE/SE 660' FSL; 660' FEL NW/NW 660' FNL; 660' FWL
17-42 17-44 17W-43 18-11 18-12 W 18W-21 18-22 18W-23 18W-14 18-24 18-31 18W-32 18-34 W 18W-41 18-42 18-43 18-44	43-037-31177 43-037-15732 43-037-16417 43-037-15733 43-037-31153 43-037-31236 43-037-30244 43-037-31236 43-037-31079 43-037-31181 43-037-15736 43-037-31135 43-037-15737 43-037-15738 43-037-15738 43-037-16419 43-037-31045	14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353 14-20-603-353	SEC. 17, T41S, R24E SEC. 17, T41S, R24E SEC. 17, T41S, R24E SEC. 18, T41S, R24E	SE/NE 1980; FNL, 660' FEL 660 FSL; 660' FEL NE/SE 1980' FSL; 660' FEL NW/NW 720' FNL; 730' FWL SW/NW 1980' FNL; 560' FWL NE/NW 660' FNL; 1882' FWL SW/NW 2200' FNL; 2210' FWL NE/SW 2385' FSL; 2040' FWL SW/SW 810' FSL; 600' FWL SE/SW 760' FSL; 1980' FWL NW/NE 795' FNL; 2090; FEL SW/NE 2140' FNL; 1830' FEL NW/SE 1870' FSL; 1980' FEL SW/SE 780' FSL; 1860 FEL NE/NE 660' FNL; 660' FEL SE/NE 2120' FNL; 745' FEL NE/SE 1980' FSL; 660' FEL SE/SE 660' FSL; 660' FEL

PAId

FORM 11		-
	-M #/	

# STATE OF UTAH

Dago	1	o.f	1
Page	•	of	

4		/ISION OF OIL, GAS AND WIINING							Page of
		MON	THLY O	OIL AND	GAS DI	SPOSITIO	N REPOR	Γ	
		NAME AND				UTAH	ACCOUNT NUMBE	R:N	7370
	BR-I AN	Sheff 1-BERRY 1-19031-18	1.011	. 7.o. Dra	WER G :, Co. 813		at period (monti	1/YEAR):	7 / 93
	DALLA	IS TX 75				B <b>ス</b> / AMEN	DED REPORT		
			*	93100le uj	odated. Jee			,	·
ENTITY	PRODUCT	GRAVITY	BEGINNING	VOLUME		DISPOSIT	IONS		ENDING
NUMBER		вти	INVENTORY	PRODUCED	TRANSPORTED	USED ON SITE	FLARED/VENTED	OTHER	INVENTORY
	OIL			177609	177609	0			
05980	GAS				66216	ļ.			

ENTITY	PRODUCT	GRAVITY	BEGINNING	VOLUME	DISPOSITIONS			ENDING	
NUMBER		вти	INVENTORY	PRODUCED	TRANSPORTED	USED ON SITE	FLARED/VENTED	OTHER	INVENTORY
	OIL			177609	177609	0			
05980	GAS			72101	]	5885			
	OIL							•	
11174	GAS								
	OIL								
	GAS								
	OIL								
	GAS						4121	SEIV	IEIL
	OIL						137	EP 1 3 19	. 9
	GAS								
	OIL						DI OIL	IVISION GAS & M	OF NUNC
	GAS						OIL,	0710 W	
	OIL								
	GAS								
	<u> </u>	TOTALS		2//0-7:4	243825	5885			

I hereby certify that this report is true and complete to the best of my knowledge.

Telephone Number 244 658 2538

Sept 29, 1993

To: Lisha Cordova-Utah Mining Oil & Gasley BLM Farmington, NM 505 599-6355

Here is copy of Ratherford Unit Successor aprator.

4 pages including this one.

file rathinged Unit (GC)

PISEIVED BLM

Navajo Area Office P. O. Box 1060 Gallup, New Mexico 87305-1060 070 FALMINGTON, NM

all Supy.

**ARES/543** 

لاور د م النال

Mr. G. D. Cox Mobil Exploration and Producing North America, Inc. P. O. Box 633 Midland, Texas 79702

Dear Mr. Cox:

Enclosed for your information and use is the approved Designation of Operator between the Phillips Petroleum Company and Mobil Exploration and Producing North America, Inc. for the Ratherford Unit.

Please note that all other concerned parties will be furnished their copy of the approved document.

Sincerely,

Align acomore

ACTING Area Director

Enclosure

cc: Bureau of Land Management, Farmington District Office w/enc. TNN, Director, Minerals Department w/enc.

# UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF INDIAN AFFAIRS



#### **DESIGNATION OF OPERATOR**

Phillips Petroleum Company is, on the records of the Bureau of Indian Affairs, operator of the Ratherford Unit,

AREA OFFICE: Window Rock, Arizona LEASE NO: Attached hereto as Exhibit "A" 070 FARWINGTON, NM

and, pursuant to the terms of the Ratherford Unit Agreement, is resigning as Unit Operator effective July 1, 1993, and hereby designates

NAME: Mobil Exploration and Producing North America Inc., duly elected pursuant to the terms of the Ratherford Unit Agreement,

ADDRESS: P. O. Box 633, Midland, Texas 79702

Attn: G. D. Cox

as Operator and local agent, with full authority to act on behalf of the Ratherford Unit lessess in complying with the terms of all leases and regulations applicable thereto and on whom the authorized officer may serve written or oral instructions in securing compliance with the Operating Regulations (43 CFR 3160 and 25 CFR 211 and 212) with respect to (described acreage to which this designation is applicable):

Attached hereto as Exhibit "A"

Bond coverage under 25 CFR 211, 212 or 225 for lease activities conducted by the above named designated operator is under Bond Number 05202782 (attach copy). Evidence of bonding is required prior to the commencement of operations.

It is understood that this designation of operator does not relieve any lessee of responsibility for compliance with the terms of the leases and the Operating Regulations. It is also understood that this designation of operator does not constitute an assignment of any interest in the leases.

In case of default on the part of the designated operator, the lessees will make full and prompt compliance with all regulations, lease terms, stipulations, or orders of the Secretary of the Interior or his representative.

Attached is the appropriate documentation relevant to this document.

The designated operator agrees to promptly notify the authorized officer of any change in the operatorship of said Ratherford Unit.

June /7, 1993

June //\_, 1993

Mobil Exploration and Producing

Mobil Exploration and Producing

Phillips Petroleum Company

AREA DIRECTOR

North America Inc.

By: S. J. Marrier B. D. MARTINY

Attorney-in-Fact

Attorney-in-Fact B.D. MARIA

APPROVED BY

APPROVED PURSUANT, TO SECRETARIAL REDELEGATION ORDER 209 DM 8 AND 230 DM 3.

This form does not constitute an information collection as defined by 44 U.S.C. 3502 and therefore does not require OMB approval.

# EXHIBIT "A"

ATTACHED TO AND MADE A PART OF DESIGNATION OF SUCCESSOR OPERATOR, RATHERFORD UNIT

BLM FARMINGTON \_

#### EXHIBIT "C"

# Revised as of September 29, 1992) SCHEDULE OF TRACT PERCENTAGE PARTICIPATION

Tract <u>Number</u>	Description of Land	Serial Number and Effective Date of Lease	Tract Percentage Participation
1	S/2 Sec. 1, E/2 SE/4 Sec. 2, E/4 Sec. 11, and all of Sec. 12, T-41-S, R-23-E, S.L.H. San Juan County, Utah	14-20-603-246-A Oct. 5, 1953	11.0652565
. 2	SE/4 and W/2 SW/4 Sec. 5, the irregular SW/4 Sec. 6, and all of Sec. 7 and 8, T-41-S, R-24-E, San Juan County, Utah	14-20-603-368 Oct. 26, 1953	14.4159942
3	SW/4 of Sec. 4, T-41-S, R-24-E, San Juan County, Utah	14-20-603-5446 Sept. 1, 1959	.5763826
4	SE/4 Sec. 4, and NE/4 Sec. 9, T-41-S, R-24-E, San Juan County, Utah	14-20-603-4035 Harch 3, 1958	1.2587779
5	SW/4 of Sec. 3, T-41-S, R-24-E, S.L.M., San Juan County, Utah	14-20-603-5445 Sept. 3, 1959	. 4667669
6	NW/4 of Sec. 9, T-41-5, R-24-E, S.L.H., San Juan County, Utah	14-20-603-5045 Feb. 4, 1959	1.0187043
7	NW/4, W/2 NE/4, and SW/4 Sec. 10, SE/4 Sec. 9, T-41-5, R-24-E, San Juan County, Utah	14-20-603-4043 Feb. 18, 1958	3.5097575
8	SW/4 Sec. 9, T-41-S, R-24-E, S.L.H. San Juan County, Utah	14-20-603-5046 Feb. 4, 1959	1.1141679
9	SE/4 Sec. 10 and S/2 SW/4 Sec. 11 T-41-S, R-24-E, San Juan County, Utah	14-20-603-4037 Feb. 14, 1958	2.6186804
10	All of Sec. 13, E/2 Sec. 14, and E/2 SE/4 and N/2 Sec. 24, T-41-5, R-23-E, S.L.H., San Juan County, Utah	14-20-603-247-A Oct. 5, 1953	10.3108861
11	Sections 17, 18, 19 and 20, T-41-5, R-24-E, San Juan County Utah	14-20-603-353 Oct. 27, 1953	27.3389265
12	Sections 15, 16, 21, and NW/4, and W/2 SW/4 Sec. 22, T-41-5, R-24-E, San Juan County, Utah	14-20-603-355 Oct. 27, 1953	14.2819339
13 -	W/2 Section 14, T-41-S, R-24-E, San Juan County, Utah	14-20-603-370 Oct. 26,1953	1.8500847
14	N/2 and SE/4, and E/2 SW/4 Sec. 29, NE/4 and E/2 SE/4 and E/2 W/2 irregular Sec. 30, and E/2 NE/4 Sec. 32, T-41-S, R-24-E, San Juan County, Utah	14-20-603-407 Dec. 10, 1953	6.9924969
:5	NW/4 Sec. 28, T-41-S, R24-E San Juan County, Utah	14-20-603-409 Dec. 10, 1953	.9416393
16	SE/4 Sec. 3, T-41-S, R-24-E San Juan County, Utah	14-20-0603-6504 July 11, 1961	. 5750254
17	NE/4 Sec. 3, T-41-5, R-24-E San Juan County, Utah	14-20-0603-6505 July 11, 1961	.5449292
18	NW/4 Sec. 3, T-41-5, R-24-E San Juan County, Utah	14-20-0603-6506 July 11, 1961	.5482788
19	NE/4 Sec. 4, T-41-S, R24-E San Juan County, Utah	14-20-0603-7171 June 11, 1962	.4720628
20	E/2 NW/4 Sec. 4, T-41-S, R-24-E San Juan County, Utah	14-20-0603-7172 June 11, 1962	.0992482

# Division of Oil, Gas and Mining PHONE CONVERSATION DOCUMENTATION FORM

Rot	Well FileRngRNG(API No.)	_         (Return Date) _         (To - Initials)	Other OPERATOR CHANGE
1.	Date of Phone Call:10-6-93	Time:9::	30
2.	DOGM Employee (name)L Talked to:  NameGLEN COX  of (Company/Organization)	(Initiated Call []) - Ph	
3.	Topic of Conversation: OPERATOR (NEED TO CONFIRM HOW OPERATOR OR MOBIL OIL CORPORATION AS PER	WANTS THE WELLS SET UP - 1	MEPNA AS PEREBIA APPROVAL
4.	Highlights of Conversation:  MR. COX CONFIRMED THAT THE WELL  PER BIA APPROVAL, ALSO CONFIRM  BE HANDLED OUT OF THEIR CORTEZ  MEPNA-  PO DRAWER G  CORTEZ, CO 81321  (303)565-2212  *ADDRESS CHANGE AFFECTS ALL WEI  REPORTED OUT OF DALLAS (MCELMO	LS SHOULD BE SET UNDER ACCED THAT PRODUCTION & DISPO	COUNT N7370/MEPNA AS DSITION REPORTS WILL NOW S.

# TRANSFER OF AUTHORITY TO INJECT - UIC FORM 5

	Operation of the Control of the Cont
Well name and number:	
Field or Unit name: RATHERFORD UNIT	
Well location: QQ section townsh	
Effective Date of Transfer:	
CURRENT OPERATOR	
Transfer approved by:	
Name Ed Hasely	
Signature & Hasely	Address 5525 HWY. 64
Title Environmental Engineer	Farmington, NM 87401
Date _October 22, 1993	Phone ( 505 ) 599-3460
Comments:	
NEW OPERATOR	(
Transfer approved by:	
Name Shirley Todd	Mobil Exploration & Producing North America  Company
Signature Shuley Sodd	Address P 0 Box 633
Title Env. & Reg. Technician	Midland, TX 79702
DateOctober 7, 1993	Phone ( 915 ) 688-2585
Comments:	
(State use only) Transfer approved by	Titleltec Mannaer_
Approval Date 10-27-93	U

Lisha Cordova (801) 538-5340

BEFORE THE OIL AND GAS COMPENVATION COMMESSION OF THE STATE OF UTAH

APPLICATION OF PHILLIPS FETROLIUM COMPANY FOR THE APPROVAL OF THE UNIT OPERATIONS AND PRESSURE MAIN- TENANCE PROGRAM FOR THE RATHERFORD UNIT IN THE GREATER AMETH AREA,	) ) )	CAUSE NO. 63
SAN JUAN COUNTY, UTAH	)	

#### ORDER

This Cause came on for hearing before the Oil and Gas Conservation
Commission of the State of Otan at 10 o'clock a. m. on Wednesday, September 13,
1961, in the Crystal Room, Motel Newhouse, Fourth South at Main Street, Salt
Lake City, Utah, pursuant to notice duly and regularly given. The entire Commission, except Walter G. Mann, was present, Edward W. Clyde presiding. Appearances were made as follows: Cecil C. Manilton, attorney, on behalf of Phillips
Petroleum Company; Clair M. Senior, attorney, on behalf of Texaco, Inc.; Gordon
Mayberry, attorney, on behalf of Continental Oil Company; R. R. Robison on behalf of Shell Oil Company. Others present included Carl Trawick, on behalf of
United States Ceological Survey; and J. R. White, on behalf of Texaco, Inc.

Evidence in support of the application was introduced by Phillips

Petroleum Company, the applicant and Unit Operator of the Ratherford Unit,

which embraces as the unit area the following described land in San Juan County,

State of Utah, to wit:

T	O NSHIP 41 SOUTH, RANG	3 23 EAST, SLIM	
Section 1: Section 2: Section 11:	All 3/2 3/2	Sections 12 and 13: Section 14: Section 24:	All 3/2 All
<u>T</u>	OWNERIS 41 SOUTH, RAND	E 24 RAST, SLAM	
Section:3: Section 4: Sections 5 throug Section 10:	5W/4 5/2 h 9: All 5/2 and 3W/4	Sections 15 through 21: Section 22:	All MW/4 and M/2 of the
Section 11:	and 3/2 of NE/4 S/2 of SW/4	Section 23:	SW/4 ME/4 and M/2 of ME/4 and W/2 of SW/
Section 14:	· ·/2	Section 29 and 30: Section 31: Section 32:	All 1/2 1/2

by paragraph No. 5 of the Commission's order of Pebruary 24, 1959, in Cause No. 17 authorizing the drilling of certain test wells) Shell would submit to the Commission, as arbiter, the question as between Shell and Superior Oil Company

of the monetary value, if any, to be attributed to three test wells drilled within the Ratherford Unit area pursuant to said order of February 24, 1959.

No objection to the granting of the application was filed or expressed. The Shell Oil Company, Texaco, Inc. and Continental Oil Company expressed their support of the application of Phillips Petroleum Company.

#### FINDINGS OF FACT

The Commission finds that:

- 1. The unitized operation of the Ratherford Unit Area will enable pressure maintenance operations to be initiated and permit such Area to be operated in a manner which will prevent waste, protect correlative rights and result in greater ultimate recovery of oil and gas.
- 2. The Ratherford Unit Agreement has been approved by the various signatory parties as fair, reasonable and acceptable.
- 3. The water injection pressure maintenance program proposed by the applicant appears to be proper and designed to result in the greatest economic recovery of oil and gas to the end that all concerned, including the general public, may realize and enjoy the greatest good from the oil and gas resources of the unitized lands.

#### ORDBR

THEREFORE, IT IS OFDERED BY THE COMMISSION, and subject to its continuing jurisdiction, that:

- 1. Unit operation of the Ratherford Unit trea under the Batherford Unit Agreement is approved.
- 2. The plan and program of water injection pressure maintenance operations proposed by applicant in its application filed herein should be and the same is hereby approved and the unit operator is authorized to proceed with and under such plan and program as soon as the Ratherford Unit Agreement becomes effective and operative.
- 3. If, at any time or from time to time, it appears necessary or desirable to the unit operator to alter or modify the hereby approved plan of pressure maintenance, any such alteration or modification shall be submitted for

and shall be subject to approval by the Commission or its delegated representative, which approval may be given without notice or hearing, unless otherwise ordered or directed by the Commission.

Dated this 13th day of September, 1961.

THE OIL AND GAS CONSCRIVATION COMMISSION OF THE STATE OF UTAH

Edward W. Clyde, Commissioner presiding

C. R. Henderson, Chairman

M. V. Hatch, Commissioner

C. S. Thomson, Commissioner

Walter G. Mann, Commissioner

# Division of Oil, Gas and Mining Routing: OPERATOR CHANGE HORKSHEET Attach all documentation received by the division regarding this change. 3-VLC Initial each listed item when completed. Write N/A if item is not applicable. 4-RJEV 5\_LECE □ Designation of Agent XXX Change of Operator (well sold) ☐ Operator Name Change Only □ Designation of Operator The operator of the well(s) listed below has changed (EFFECTIVE DATE: \_\_\_ FROM (former operator) PHILLIPS PETROLEUM COMPANY TO (new operator) M E P N A (address) 5525 HWY 64 NBU 3004 (address) PO DRAWER G FARMINGTON, NM 87401 CORTEZ, CO 81321 PAT KONKEL GLEN COX (915)688-2114 phone (505) 599-3452 phone (303)565-2212 account no. NO772(A) account no. N7370 Hell(s) (attach additional page if needed): \*RATHERFORD UNIT (NAVAJO) Name: \*\*SEE ATTACHED\*\* API: Entity: Sec Twp Rng Lease Type: Lease Type: Name: API: Entity: Sec Twp Rng Lease Type: Lease Type: Name: API: Entity: Sec Twp Rng Lease Type: Lease Type: Name: \_\_\_\_\_ API: \_\_\_\_ Entity: \_\_\_\_ Sec\_\_ Twp\_\_ Rng\_\_ Lease Type: \_\_\_\_\_ Name: \_\_\_\_ API: \_\_\_\_ Entity: \_\_\_\_ Sec\_\_ Twp\_\_ Rng\_\_ Lease Type: \_\_\_\_ Name: \_\_\_\_\_ API: \_\_\_\_ Entity: \_\_\_\_ Sec\_\_ Twp\_\_ Rng\_\_ Lease Type: \_\_\_\_ Name: \_\_\_\_ API: \_\_\_\_ Entity: \_\_\_ Sec\_\_ Twp\_\_ Rng\_\_ Lease Type: \_\_\_\_ OPERATOR CHANGE DOCUMENTATION 1. (Rule R615-8-10) Sundry or other <u>legal</u> documentation has been received from <u>former</u> operator (Attach to this form). (Feg. 8-20-93) (6/93 food. Ept. 8-16-93) Lec 2. (Rule R615-8-10) Sundry or other <u>legal</u> documentation has been received from <u>new</u> operator (Attach to this form). (Ry. 8-3143) (Red 9-14-93) N/A 3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is company registered with the state? (yes/no) \_\_\_\_\_ If yes, show company file number: \_\_\_\_\_. Lec 4. (For Indian and Federal Hells ONLY) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status in comments section of this form. Management review of Federal and Indian well operator changes should take place prior to completion of steps 5 through 9 below. Lee 5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) for each well listed above. (026 wells 10-6-93) ( wiw's 10-26-93) ec 6. Cardex file has been updated for each well listed above. (of wells lo-6-93) (www. 10-26-93) 1. Well file labels have been updated for each well listed above. (066 wells 10-6-93) (w/w/s 10-26-93) $rac{g_{\mu c}}{2}$ 8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to State Lands and the Tax Commission. (10-6-43) $\cancel{\underline{\mu e}}$ 9. A folder has been set up for the Operator Change file, and a copy of this page has been

placed there for reference during routing and processing of the original documents.

PERATOR	CHANGE WORKSHEET (CONTINUED) Initial each item when completed. Write N/A if item is not applicable.
ИТІТУ	REVIEH
	(Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) (If entity assignments were changed, attach <u>copies</u> of Form 6, Entity Action Form).
	State Lands and the Tax Commission have been notified through normal procedures of entity changes.
	RIFICATION (Fee wells only)
101/1.	(Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
2.	A copy of this form has been placed in the new and former operators' bond files.
_ 3.	The former operator has requested a release of liability from their bond (yes/no) Today's date 19 If yes, division response was made by letter dated 19
LEASE I	INTEREST OHNER NOTIFICATION RESPONSIBILITY
W/2-1.	(Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated 19, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
<u>₩</u> 2.	Copies of documents have been sent to State Lands for changes involving State leases.
FILMING	
1.	All attachments to this form have been microfilmed. Date:
FILING	
$\frac{\mathcal{L}}{\mathcal{L}c}$ 1.	Copies of all attachments to this form have been filed in each well file.
Lec 2.	The <u>original</u> of this form and the <u>original</u> attachments have been filed in the Operator Change file.
COMMENT	TS
931	cole BIA/B/m Approved 7-9-93.

E71/34-35

# Division of Oil, Gas and Mining PHONE CONVERSATION DOCUMENTATION FORM

Rou []	Well FileRng(API No.)	(Return Date) (To - Initials)	XXIX] Other OPER NM CHG
1.	Date of Phone Call: 8-3-95	Time:	
2.	DOGM Employee (name) L. Control Talked to:  Name R. J. FIRTH  of (Company/Organization)	_ (Initiated Call XX) - Pl	none No. ( )
3.	•		
4.	Highlights of Conversation:  OPERATOR NAME IS BEING CHANGED IN NORTH AMERICA INC) TO MOBIL EXPIRATION THIS TIME TO ALLEVIATE CONFUSION *SUPERIOR OIL COMPANY MERGED IN THE SUPERIOR OIL COMPANY	FROM M E P N A (MOBIL EX LOR & PROD. THE NAME CE N, BOTH IN HOUSE AND AMO	APLORATION AND PRODUCING HANGE IS BEING DONE AT ONGST THE GENERAL PUBLIC.

# **Mobil Oil Corporation**

P.O. BOX 5444 DENVER, COLORADO 80217-5444

May 14, 1986

Utah Board of Oil, Gas and Mining 355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203

Attn: R. J. Firth

Associate Director



DIVISION OF OIL, GAS & MINING

# SUPERIOR OIL COMPANY MERGER

Dear Mr. Firth:

On September 20, 1984, The Superior Oil Company (Superior) became a wholly owned subsidiary of Mobil Corporation. Since January 1, 1985, Mobil Oil Corporation (MOC), another wholly owned subsidiary of Mobil Corporation, has acted as agent for Superior and has operated the Superior-owned properties.

On April 24, 1986, Superior was merged with Mobil Exploration and Producing North America Inc. (MEPNA), which is also a wholly owned subsidiary of Mobil Corporation. MEPNA is the surviving company of the merger.

This letter is to advise you that all properties held in the name of Superior will now be held in the name of MEPNA; and that these properties will continue to be operated by MOC as agent for MEPNA.

Attached is a listing of all wells and a separate listing of injection-disposal wells, Designation of Agent and an organization chart illustrating the relationships of the various companies. If you have any questions or require additional documentation of this merger, please feel free to contact me at the above address or (303) 298-2577.

Very truly yours,

R. D. Baker

Environmental Regulatory Manager

CNE/rd CNE8661 Page No. 08/03/95

# STATE OF UTAH INVENTORY OF INJECTION WELLS

OPER	ATOR	API NO.	WELL	TNS	RGE	SE	WELLTYPE	INDIAN COUNT
	****	*****	*****	***	***	**	*****	*******
MEPNA	`	43-037-15722	16W23	41S	24E	16	INJW	Y 
MEPNA		43-037-16414	16W21	41S	24E	16	INJW	Y
MEPNA	(MOBIL	43-037-16416	17W21	41S	24E	17	INJW	Y 
MEPNA	(MOBIL	43-037-15726	17W12	41S	24E	17	INJW	Y
MEPNA	(MOBIL	43-037-15731	17W41	41S	24E	17	INJW	Y
MEPNA	(MOBIL	43-037-16417	17W43	41S	24E	17	INJW	Y
MEPNA	(MOBIL	43-037-15728	17W23	41S	24E	17	INJW	Y
<b>MEPNA</b>	(MOBIL	43-037-15730	17W34	41S	24E	17	INJW	Y
MEPNA	(MOBIL	43-037-15729	17W32	41S	24E	17	INJW	Y
MEPNA	(MOBIL	43-037-15727	17W14	41S	24E	17	INJW	Y
✓MEPNA	(MOBIL	43-037-31153	18W12	41S	24E	18	INJW	Y
MEPNA	(MOBIL	43-037-15737	18W34	41S	24E	18	INJW	Y
MEPNA	(MOBIL	43-037-15736	18W32	41S	24E	18	INJW	Y
MEPNA	(MOBIL	43-037-30244	18W23	41S	24E	18	INJW	Y
MEPNA	(MOBIL	43-037-15735	18W14	41S	24E	18	INJW	Y
MEPNA	(MOBIL	43-037-16418	18W21	41S	24E	18	INJW	Y
MEPNA	(MOBIL	43-037-15738	18W41	41S	24E	18	INJW ;	Y
MEPNA	(MOBIL	43-037-15741	19W21	41S	24E	19	INJW	Y
MEPNA	(MOBIL	43-037-15742	19W23	41S	24E	19	INJW	Y
MEPNA	(MOBIL	43-037-15745	19W41	41S	24E	19	INJW	Y
MEPNA	(MOBIL	43-037-16420	19W43	41S	24E	19	INJW	Y
MEPNA	(MOBIL	43-037-15748	20W23	41S	24E	20	INJW	Y
MEPNA	MOBIL	43-037-15751	20W41	41S	24E	20	INJW	Y
<b>✓</b> MEPNA	(MOBIL	43-037-16423	20W21	41S	24E	20	INJW	Y
MEPNA	MOBIL	43-037-16424	20W43	41S	24E	20	INJW	Y
<b>✓</b> MEPNA	(MOBIL	43-037-16427	21W43	41S	24E	21	INJW	Y
MEPNA	(MOBIL	43-037-16425	21W21	41S	24E	21	INJW	Y
MEPNA	MOBIL	43-037-16431	28W21	41S	24E	28	INJI	Y
MEPNA	(MOBIL	43-037-16433	29W41	41S	24E	29	INJW	Y
MEPNA	MOBIL	43-037-16432	29W21	41S	24E	29	INJW	Y
MEPNA	(MOBIL	43-037-15338	29W23	41S	24E	29	INJI	Y
MEPNA	MOBIL	43-037-16434	29W43	41S	24E	29	INJW	Y
MEPNA	(MOBIL	43-037-15343	30-41	41S	24E	30	INJW	Y
MEPNA	(MOBIL	43-037-16435	30W21	41S	24E	30	INJI	<del>v-</del>
			•					

	on of Oil, Gas and Mining TOR CHANGE HORKSHEET				Routing
	all documentation received by the division regar each listed item when completed. Write N/A if	-			1-LPC 7-PL 2-LWP 8-SJ ( 3-PTS 9-FILE 4-VLC
	nge of Operator (well sold)  ignation of Operator   XXX	Designation of Operator Name	of Agent Change Only		5- RJF V 6- LWP
The or	perator of the well(s) listed below has			8-2-95	)
TO (ne	ew operator) MOBIL EXPLOR & PROD (address) C/O MOBIL OIL CORP PO DRAWER G CORTEZ CO 81321 phone (303 ) 564-5212 account no. N7370	- -	<u>С</u> р		81321 )564–5212
Hell(s	) (attach additional page if needed):				
Name: Name: Name: Name: Name:	** SEE ATTACHED **  API:	Entity: _Entity: _Entity: _Entity: _Entity:	SecTwpSecTwpSecTwpSecTwpSecTwp	Rng Lo Rng Lo Rng Lo Rng Lo Rng Lo	ease Type: ease Type: ease Type: ease Type: ease Type:
<b>N</b> A 1.	OR CHANGE DOCUMENTATION  (Rule R615-8-10) Sundry or other <u>legal</u> operator (Attach to this form).  (Rule R615-8-10) Sundry or other <u>legal</u> (Attach to this form).				
,	The Department of Commerce has been coperating any wells in Utah. Is comyes, show company file number:	npany register 	ed with the s	tate? (yes	:/no) If
	(For Indian and Federal Hells ONLY) (attach Telephone Documentation Form comments section of this form. Mana changes should take place prior to comments.)	m to this re agement review	port). Make of <b>Federal</b> a	note of and Indian	BLM status in well operator
Le 5.	Changes have been entered in the Oil listed above. $(8-3-95)$	and Gas Infor	mation System	(Wang/IBM)	for each well
W 6.	Cardex file has been updated for each	well listed a	bove. 8_31_95		
	Well file labels have been updated for				
1	Changes have been included on the mor for distribution to State Lands and th	ne Tax Commiss	ion. (83.95)		
Lico.	A folder has been set up for the Oper placed there for reference during rout	rator Change f ting and proce	ile, and a cor ssing of the c	py of this original do	page has been ocuments.

OPERATOR CHANGE WORKSHEET (CONTINUED) Initial each item when completed. Write N/A if item is not applicable.
ENTITY REVIEH
1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/ho) (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
NA 2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.
BOND VERIFICATION (Fee wells only) * No Fee Leese Wells at this time!
NA/1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
2. A copy of this form has been placed in the new and former operators' bond files.
3. The former operator has requested a release of liability from their bond (yes/no)  Today's date 19 If yes, division response was made by letter dated 19
LEASE INTEREST OHNER NOTIFICATION RESPONSIBILITY
1. (Rule R615-2-10) The former operator/lessee of any <b>fee lease</b> well listed above has been notified by letter dated
2. Copies of documents have been sent to State Lands for changes involving State leases.
FILMING
1. All attachments to this form have been microfilmed. Date: October 4 1995.
FILING
1. Copies of all attachments to this form have been filed in each well file.
2. The <u>original</u> of this form and the <u>original</u> attachments have been filed in the Operator Change file.
COMMENTS
950803 UIC F5/Not necessary!
· · · · · · · · · · · · · · · · · · ·

WE71/34-35

Form 5160-5 (June 1990)

# **UNITED STATES** DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

SUNDRY NOTICES AND REPORTS ON WELLS

FORM APPROVED Budget Bureau No. 1004-0135 Expires: March 31, 1993

5. Lease Designation and Serial No

### 14-20-603-353

Dispose Water


te: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

Do not use this form for proposals to drill Use "APPLICATION FOR	6. If Indian, Allottee or Tribe Name  NAVAJO TRIBAL		
SUBMIT	7. If Unit or CA, Agreement Designation RATHERFORD UNIT		
1. Type of Well   Oil   Gas   X   Other   2. Name of Operator   MOBIL   PRODUCING TX & NN	1 INC.* RODUCING US INC. AS AGENT FOR MPTM	8. Well Name and No.  RATHERFORD 17W-34	
3. Address and Telephone No. P.O. Box 633, Midland TX 79702	(915) 688-2585	9. API Well No.  43-037-15730  10. Field and Pool, or exploratory Area	
4. Location of Well (Footage, Sec., T., R., M., or Survey De SEC. 17, T41S, R24E (SW/SE) 560° FSL & 1880° FEL	scription)	GREATER ANETH  11. County or Parish, State  SAN JUAN UT	
12. CHECK APPROPRIATE BOX(s	) TO INDICATE NATURE OF NOTICE, REPORT	F, OR OTHER DATA	
TYPE OF SUBMISSION	TYPE OF ACTION	1	
Notice of Intent	Abandonment	Change of Plans	
Subsequent Report	Recompletion Plugging Back	New Construction Non-Routine Fracturing	
Final Abandonment Notice	Casing Repair Altering Casing	Water Shut-Off Conversion to Injection	

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

MIT TESTS

SEE ATTACHED MIT AND CHART.



4. I hereby certify that the foregoing is true and corn Signed The Massel	Title SHIRLEY HOUCHINS/ENV & REG TECH	Date 5-13-98
(This space for Federal or State office use)  Approved by  Conditions of approval, if any:	Title	Date
Title 18 U.S.C. Section 1001, makes it a crime for an or representations as to any matter within its jurisdictions.	ny person knowingly and willfully to make to any department or agency of the United Station.	ates any false, fictitious or fraudulent statements

# ANNULAR PRESSURE TEST

(Mechanical Integrity Test)

Operator Mobil E. & P., Inc.	Date o	f Test			
Well Name Work RU# 17W	-34 EPA F	EPA Permit No.			
Location Sec. /7, T41S-R24E		Lease No. 14-20-603:353			
State and County San Juan Cou	nty, Utah				
Continuous Recorder? YES		YES P NO D			
Bradenhead Opened? YES N	O  Fluid Flow? Y	S D NO D			
	ANNULUS PRESSURE, ps	1			
1.40	1090	+3000			
1:45	1085	13000			
1:50	1085	13000			
2:00	1090	+ 3000			
2:10	1090	+3000			
MAX. INJECTION PRESSURE:	PSI	PSI (TEST PRESSURE X 0.05)			
MAX. ALLOWABLE PRESSURE REMARKS: Passed? Failed? If		ell passes MIT (40CFR§144.21(c)(6)).			
PASSED M.I.T.					
	i de la companya de l				
Fritz Johnson	hit art	2.71.97			
COMPANY REPRESENTATIVE:	(Print and Sign)	DATE			
Melvin Capitan Jr.	M. G	Z-21-97			
INSPECTOR: (Print and Sign	)	DATE			

# U.S. ENVIRONMENTAL PROTECTION AGENCY

# NOTICE OF INSPECTION

Address (EPA Regional Office)

Region 9

Environmental Inspection Agency 215 Fremont Street (W-6-2) San Francisco, CA 94105 Inspection Contractor

THEXCLERALES SERVICES

Firm To Be Inspected Mobil E.&P., Inc. P.O Box Dawer G Cortez, Co

81321

Date

3-21-97

Hour /2:30 pm

Notice of inspection is hereby given according to Section 1445(b) of the Safe Drinking Water Act (42 U.S.C. §300 f et seg.).

Reason For Inspection

For the purpose of inspecting records, files, papers, processes, controls and facilities, and obtaining samples to determine whether the person subject to an applicable underground injection control program has acted or is acting in compliance with the Safe Drinking Water Act and any applicable permit or rule.

RU# 17W-23, WATER INJECTION WELL, M.J.T. - PASSED

RU# 17W-34, WATER INJECTION WELL, M.J.T. - PASSED

RU#17W-32, WATER INJECTION WELL, M.I.T. - PASSED

RU#17W-41, WATER INJECTION WELL, M.I.T. - PASSED

RU#18W-14, WATER INJECTION WELL, M.I.T. - PASSED

RU#18W-32, WATER INJECTION WELL, M.I.T. - FALLED

RU#18W-34, WATER INJECTION WELL, M.I.T. - PASSED

RU#18W-34, WATER INJECTION WELL, M.I.T. - PASSED

RU#19W-21, WATER INJECTION WELL, M.I.T. - PASSED

Section 1445(b) of the SDWA (42 U.S.C. §300 j-4 (b) is quoted on the reverse of this form.

Receipt of this Notice of Inspection is hereby acknowledged.

Firm Representative


Date

3-21-97

Inspector

1. Gt Ja.

Frit Il



Form 3160-5 (November 1994)

### **TED STATES** DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

		E	хрігез	Nov	١
_	-		01 -1	ht.	

FORM APPROVED Budget Bureau No. 1004-0135 ember 30, 2000

7. If Unit or CA/Agreement, Name and/or No.

6. If Indian, Allottee or Tribe Name

#### 14-20-603-353

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUNDRY NOTICES AND REPORTS ON WELLS

NAVAJO TRIBAL


SUBMIT IN TRIPLICATE -	7. If Unit or CA/Agreement, Name and/or No.  RATHERFORD UNIT		
1. Type of Well Oil Gas X Other INJECTOR  2. Name of Operator MOBIL PRODUCING TX &		8. Well Name and No.  RATHERFORD 17-W-34	
*MOBIL EXPLORATION &  3a. Address P.O. Box 633, Midland TX 79702  4. Location of Well (Footage, Sec., T., R., M., or Survey Descript SEC. 17, T41S, R24E (SW/SE) 560° FSL & 1880° FEL	PRODUCING US INC. AS AGENT FOR MPTM  3b. Phone No. (include area code)  (915) 688-2585  ption)	9. API Well No. 43-037-15730 10. Field and Pool, or Exploratory Area GREATER ANETH  11. County or Parish, State SAN JUAN UT	
12. CHECK APPROPRI	ATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT		
TYPE OF SUBMISSION	TYPE OF ACTION		
Notice of Intent  X Subsequent Report  Final Abandonment Notice	Alter Casing Fracture Treat Reclamat Casing Repair New Construction Recomple	ete X Other MIT CHART rily Abandon	
If the proposal is to deepen directionally or recomp Attach the Bond under which the work will be per following completion of the involved operations. If	ly state all pertinent details, including estimated starting date of any plete horizontally, give subsurface locations and measured and true ver formed or provide the Bond No. on file with BLM/BIA. Required st the operation results in a multiple completion or recompletion in a notices shall be filed only after all requirements, including reclamatio 1.)	tical depths of all pertinent markers and zones.  subsequent reports shall be filed within 30 days ew interval, a Form 3160-4 shall be filed once	

PASSED MIT / CHART ATTACHED

DIV. OF OIL, GAS & MI

14. I hereby certify that the foregoing is true and correct Name (Printed/Typed)  Note On American April 1997  Note On American Apri	Title SHIRLEY HOU	CHINS/ENV & REG TECH		
<u> </u>	Date 6-15-99			
THIS SPACE FOR FEDERAL OR STATE OFFICE USE				
Approved by	Title	Date		
Conditions of approval, if any, are attached. Approval of this notice does not warrant certify that the applicant holds legal or equitable title to those rights in the subject lewhich would entitle the applicant to conduct operations thereon.	or Office			

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



Form 3160-5 (November 1994)

### **UNITED STATES** DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

FORM APPROVED OMB No. 1004-0135

Expires: July 31,1996 5. Lease Serial No.

_			ON ME1 1		14-20-6	U3-333	333	
SUNDRY NOTICES AND REPORTS ON WELLS  Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.				6. If India	6. If Indian, Allottee or Tribe Name			
				NAVAJ	NAVAJO TRIBAL			
					7. If Unit	or CA/Agreement, Na	me and/or No.	
-	TRIPLICATE - Other	Instructions	on reverse	side 	RATHI	ERFORD UNIT	•	
1. Type of Well					8 Well No	me and No.		
Well Well 🔼	Other INJECTION W	ELL					1533224	
2. Name of Operator	N.M. Tue				9. API We	FORD UNIT	17W34	
Mobil Producing TX. &	Z N.M. Inc.	21 Dh N	lo. (include area d	- del	43-037-			
3a. Address P.O. Box 4358			(713) 43	•		nd Pool, or Explorate	TV Area	
Houston  4. Location of Well (Footage, Sec	TX 77210		(713) 43	1-11//		TER ANETH	.,	
Sec. 17, T41S, R24E						or Parish, State		
Sec. 17, 1415, R24E	SW/SE) SOU FSL &	1000 FEL			SAN JU	·	UT	
12. CHECK APPI	ROPRIATE BOX(es)	TO INDICAT	E NATURE	OF NOTICE,	REPORT, (	OR OTHER DA	ATA	
TYPE OF SUBMISSION				TYPE OF A	CTION	·		
Notice of Intent	Acidize	Deepen		Production (Start/Res	ume)	Water Shut-Off		
23 110000 or mosts	Alter Casing	Fracture Tre	at 🗍	Reclamation	Ī	Well Integrity		
Subsequent Report	Casing Repair	☐ New Constru	action 🖂	Recomplete	r	Other		
□ == 1.41 1	l —	Plug and Ab	_	Temporarily Abandor				
Final Abandonment Notice	Change Plans			•	•			
	Convert to Injection	Plug Back		Water Disposal		<u> </u>		
Attached is a procedure across the injection zone	to squeeze off the lowe using coiled tubing, a	er perforation nd re-perfora	s (5554'-557 te the inject	4' and 5594'-56 ion zone (5512'-	00'), set a c 5522' and 5	ement plug in ( 5538'-5550').	the casing	
						RECE JUN 2 6		
		L	COPY SENT TO CORTE: 06-0 nitials:	OPERATOR 27-00 HD		DIVISIO OIL, GAS AN	N OF	
14. I hereby certify that the foregoing Name (Printed/Typed)  Ellen M.			Title Sr.	Staff Office As	sistant A	ExxonMobil Production of Exxon		
Signature Solon	M Canall		Date <b>06</b> /	23/2000		acting for Mo Texas & Nev	bil Producing	
	THIS SF	ACE FOR FED	ERAL OR ST	TATE OFFICE US	SE			
Approved by			Ti			Date		
Conditions of approval, if any, are a certify that the applicant holds legal which would entitle the applicant to a	or equitable title to those rights in conduct operations thereon.	the subject lease		ffice	Ittah	oted by the	•	
Title 18 U.S.C. Section 1001, makes	it a crime for any person knowir	ngly and willfully to	make to any depa	rtment or agency of the	United States an		udulent statements of	
representations as to any matter within	n its jurisdiction.		Federal Appr		UII, Gas	s and Mini	ng	

### ATTACHMENT - FORM 3160-5 RATHERFORD UNIT #17-W-34 API #43-037-15730 SEC. 17, T41S, R24E SAN JUAN COUNTY, UTAH

#### A) GENERAL WELL IDENTIFICATION INFORMATION

FIELD LEASE : Greater Aneth Area : Ratherford Unit

COUNTY

: San Juan County

STATE

: Utah

API#

: 43-037-15730

#### **B. GENERAL WELL INFORMATION:**

Zone(s): Desert Creek

Perfs: 5512'-5522', 5538'-5550', 5554'-5574', 5594'-5600'

Initial Completion Date: 3/17/59

Est. BHP: 2866psi Est. SITP: 475psi Total Depth: 5747' PBTD: 5615'

Open Hole Depth: na Top of Fish: none Top of Cmt: 4710'

Method: Log\_ or Calc\_x\_

Surface Casing: 13 3/8", 27.1#, 174' w/ 175sx of cmt Production Casing: 8 5/8", 24#, 1530' w/ 455sx of cmt

**RKB: 12'** 

Well Tests: na

Fluid Levels: na

**Injection Support:** 

#### C. Materials Needed:

- a. Schlumberger 1.25" Coiled tbg unit w/a wall thickness of .109" and a length of 12,000ft
- b. Schlumberger through tbg perforating guns

### D. Troubleshooting:

There were four options considered to reach the objective of squeezing off the lower zone and they are listed below:

Option 1 – Bull head cmt down the existing tbg and attempt to squeeze cmt into formation.

Advantage (s) - Job cost less than \$5000

Disadvantage (s) - Surface pressure limitations

- Potential clabbering effect

RECEIVED

JUN 26 2000

DIVISION OF OIL, GAS AND MINING

# ATTACHMENT - FORM 3160-5 RATHERFORD UNIT #17-W-34 API #43-037-15730 SEC. 17, T41S, R24E SAN JUAN COUNTY, UTAH

- No ability to reverse out
- Potential sticking of pkr

Final Analysis - Chance of financial success < 50%

- Chance of technical success < 25%
- Option 1 Rejected

Option 2 - Kill well, pull equipment, and squeeze lower zone under a treating pkr and workstring.

Advantage (s) - Reduce potential for clabbering

- Ability to Reverse out
- Reduce the possibility of sticking the inj pkr or tbg
- Improved control over placement and injection

Disadvantage (s) - Pulling injection string and pkr

- Introducing increased contaminants because of necessary KWM
- Job cost is greater than \$45,000

Final Analysis - Chance of financial success > 80%

- Chance of technical success > 80%
- Option 2 Rejected

Option 3 - RIH w/ expandable through tbg plug and pump cmt on top of plug through existing tbg string

Advantage (s) - Job cost less than \$15.000

Disadvantage (s) - Surface pressure limitations

- Potential clabbering effect
- No ability to reverse out
- Potential sticking of pkr
- Potential malfunction of expandable through tbg plug

Final Analysis – Chance of financial success < 50%

- Chance of technical success < 25%
- Option 3 Rejected

### Option 4 - RIH w/ coiled tbg and squeeze cmt into lower zone

Advantage (s) - Reduce potential for clabbering

- Ability to Reverse out
- Reduce the possibility of sticking the inj pkr or tbg
- Improved control over placement and injection
- Job cost less than \$20,000

Disadvantage (s) - Potential clearance problems through pkr or on/off profiles

Final Analysis - Chance of financial success > 80%

- Chance of technical success > 80%
- Option 4 Accepted

#### **EHS Instructions**

- A. All potential loss of well control and/or spills of formation fluids must be reported to the necessary governing agency immediately.
- necessary governing agency immediately.

  B. Material Safety Data Sheets (MSDS) must be maintained on location for all materials and fluids except standard lubricants.

JUN 26 2000

#### ATTACHMENT - FORM 3160-5 RATHERFORD UNIT #17-W-34 API #43-037-15730 SEC. 17, T41S, R24E SAN JUAN COUNTY, UTAH

- C. SPCC plans for both the operator and the rig contractor should be available on location, preferably posted for convenience.
- D. Location hazard diagram provided should be distributed to the appropriate contractors.
- E. H2S exposure radius sheet attached should also be posted for workers to see.
- F. All discolored soil should be picked up and taken to the remediation area. Replace with remediated soil.

When closing pits, cut the pit liner at the mud line & then backfill according to field specs. For more information contact Davis Benallie of the Navajo EPA.

#### **Pre-Coiled Tbg Work**

- 1. Prior to MIRU Schlumberger coiled tbg, workover tech needs to have slickline unit (Teftellers) make a sinker bar run to PBTD using a 1 3/8" sinker bar.
- 2. If any depth problems arise, the workover tech needs to notify the subsurface engineer as soon as possible because the coiled tbg job specific to that well could be canceled.
- 3. Note The sinker bar run should be done in conjunction with Ratherford 2821, and Ratherford 1211.

#### GENERAL PROCEDURES.

#### Caution!

All BOPE equipment must at a minimum, meet the dimensional and material specifications of API Spec. 6A, satisfy the requirements of NACE when used on a sour well, and meet the working pressure test requirements below:

- The side outlet on the stack, working valve and wing tee must be double valved with full opening plug or gate vale rated for the same working pressure as BOPE.
- All connections below the stripper head must be flanged with RX or BX ring gaskets.
- Spacer spools are acceptable for spacing the injector head and BOP's.
- The side outlet on the stack should not be used for return flow.
- Choke and kill line requirements are the same for coiled tubing as for conventional Work.
- (1) Hold safety meeting to discuss job objective, and tools required.
- (2) Check gauges and record any wellhead or casing pressure.
- (3) RU CTU, fluid pump and return system. Fill reel with fluid and pressure test CT and BOP's as required by Schlumberger/Exxon standards. See caution note above
- (4) RIH circulating and/or pull testing as needed down to PBTD.

Note to Schlumberger Rep - Run EOT locator on bottom of coiled tbg to double check depth.

(5) Batch mix 10bbls of slurry in batch mixer (min batch mixer volume).

Note - Fluids

RECEIVED

JUN 26 2000

#### ATTACHMENT - FORM 3160-5 RATHERFORD UNIT #17-W-34 API #43-037-15730 SEC. 17, T41S, R24E SAN JUAN COUNTY, UTAH

Spacer: 8.34ppg fresh water

Cement: Class B + 0.3%D153 + 0.2%D800 + 1.5gpsD600

+ 0.25gps D604am + 0.2gps M45

Fluid Detail: Density 15.6ppg, Water 3.423gps, Yield 1.20cfs, Liquid 5.373gps

Thickening Time: 6 to 8hrs

- (6) Circulate 2bbl fresh water ahead, 2bbls of slurry, and 2bbls of fresh water behind until cement is at the end of the tubing.
- (7) Lay cement plug from 5615' (PBTD) to 5425'. Pump cement plug out end of CT as tbg is pulled up to 5425' at the corresponding rate.
- (8) Use hesitation squeeze method to squeeze slurry into injection perfs.
- (9) If squeeze is successful, then wash/contaminate slurry down to a depth of 5551ft, while maintaining final squeeze pressure on well.
- (10) If first squeeze is unsuccessful, then use remaining slurry and perform same process again.
- (11) POOH and RD CTU, while maintaining final squeeze pressure
- (12) Wait 24hrs, verify new PBTD using wireline perforating truck.
- (13) MIRU Schlumberger perforating company & run a CCL/GR in tbg to correlate guns on Depth

Note – Mobil should have a Gamma Ray log on file to correlate depths.

- (14) POOH w/ wireline
- (15) Make a second correlation run if the correct pkr depth is in question.
- (16) PU Scallop guns (4spft) or Enerjet guns(6spft) and RIH to target area Re-perf- 5512'-5522', 5538'-5550'
- (17) Fire guns, open well and flow to pit until it cleans up.
- (18) POOH w/ perf guns checking for perf holes using collar locator.
- (19) RDMO Schlumberger perf company and clean location.
- (20) Clean location.

RECEIVED

JUN 2 6 2000


#### ATTACHMENT - FORM 3160-5 RATHERFORD UNIT #17-W-34 API #43-037-15730 SEC. 17, T41S, R24E SAN JUAN COUNTY, UTAH

(21) Notify James Madison (970-565-1351) to perform pre-start up safety review and approve location before releasing roustabouts.

RECEIVED

JUN 26 2000

#### ATTACHMENT - FORM 3160-5 RATHERFORD UNIT #17-W-34 API #43-037-15730 SEC. 17, T41S, R24E SAN JUAN COUNTY, UTAH



**ExxonMobil Production Compa** 

U.S. West P.O. Box 4358 Houston, Texas 77210-4358

June 27, 2001



Mr. Jim Thompson State of Utah, Division of Oil, Gas and Mining 1549 West North Temple Suite 1210 Salt Lake City, UT 84114-5801

Change of Name – Mobil Oil Corporation to ExxonMobil Oil Corporation

Dear Mr. Thompson

Effective June 1, 2001, Mobil Oil Corporation (MOC) changed its name to ExxonMobil Oil Corporation (EMOC). This was a name change only; EMOC is the same corporation as Mobil Oil Corporation, but with a new name. No facility or other asset was transferred from one corporation to another by virtue of the name change. Specifically, EMOC will remain the owner and operator of its existing exploration and production oil and gas properties and facilities, as well as relevant permits.

There is no change to the name of Exxon Mobil Corporation, the ultimate shareholder of EMOC.

Please note the change of name of MOC to ExxonMobil Oil Corporation in your records pertaining to any MOC permits.

The Federal Identification Number for MOC (13-5401570) will remain the same for EMOC.

A copy of the Certification, Bond Rider and a list of wells are attached.

If you have any questions please feel free to call Joel Talavera at 713-431-1010

Charlotte H. Darper

Charlotte H. Harper Permitting Supervisor

ExxonMobil Production Company a division of Exxon Mobil Corporation, acting for ExxonMobil Oil Corporation

01L, 638 38.21...1113



### United States Department of the Interior

#### BUPEAU OF INDIANAFEAURS NAVATOR ECTON

P.O. Box 1060 Gallup, New Mexico 87305-1060

AUG 3 0 2001

**RRES/543** 

#### CERTIFIED MAIL - RETURN RECEIPT REQUESTED

Charlotte H. Harper, Permitting Supervisor Exxon Mobil Production Company U. S. West P. O. Box 4358 Houston, TX 77210-4358

Dear Ms. Harper:

This is to acknowledge receipt of your company's name change from Mobil Oil Corporation to ExxonMobil Oil Corporation effective June 1, 2001. The receipt of documents includes the Name Change Certification, current listing of Officers and Directors, Listing of Leases, Financial Statement, filing fees of \$75.00 and a copy of the Rider for Bond Number 8027 31 97. There are no other changes.

Please note that we will provide copies of these documents to other concerned parties. If you need further assistance, you may contact Ms. Bertha Spencer, Realty Specialist, at (928) 871-5938.

Sincerely,

CEMNI DENETSONE

Regional Realty Officer

cc: BLM, Farmington Field Office w/enclosures 
Navajo Nation Minerals Office, Attn: Mr. Akhtar Zaman, Director/w enclosures

r	B. Sandparture. Asking a to, and as material adultumental as property of the property of the second
Ì	MENERAL RESOURCES
l	ADM 1 45/11C
į	NATV AM MEN COORD
:	SOLID ADMITEAM
•	PETRO MENT ISAM Z
	O&GENERAL YEAM
	- potanti in must the day is beened as the special and the second desired
	ALL TEAM LEADERS
	LAND RESOURCES
١	ENVIRONMENT
l	FILES
L	

**ExxonMobil Production Company** 

U.S. West P.O. Box 4358 Houston, Texas 77210-4358


June 27, 2001

Certified Mail Return Receipt Requested

Ms. Genni Denetsone
United States Department of the Interior
Bureau of Indian Affairs, Navajo Region
Real Estate Services
P. O. Box 1060
Gallup, New Mexico 87305-1060
Mail Code 543

10bil 1/2/2011 Sp

ExonMobil Production



Change of Name –
Mobil Oil Corporation to
ExxonMobil Oil Corporation

Dear Ms. Denetsone:

Effective June 1, 2001, Mobil Oil Corporation (MOC) changed its name to ExxonMobil Oil Corporation (EMOC). This was a name change only; EMOC is the same corporation as Mobil Oil Corporation, but with a new name. No facility or other asset was transferred from one corporation to another by virtue of the name change. Specifically, EMOC will remain the owner and operator of its existing exploration and production oil and gas properties and facilities, as well as relevant permits.

There is no change to the name of Exxon Mobil Corporation, the ultimate shareholder of EMOC.

Please note the change of name of MOC to ExxonMobil Oil Corporation in your records pertaining to any MOC permits.

The Federal Identification Number for MOC (13-5401570) will remain the same for EMOC.

Attached is the Name Change Certification, Current listing of Officers and Directors, Filing Fee of \$75/-, Listing of Leases, Financial Statement and a copy of the Rider for Bond number 8027 31 97. The original Bond Rider has been sent to Ms. Barbar Davis at your Washington Office.

If you have any questions, please contact Alex Correa at (713) 431-1012.

Charlotte U. Harper

Charlotte H. Harper Permitting Supervisor

Attachments

JUL 0 5 2001

NAVAJO REGION OFFICE BRANCH OF REAL ESTATE SERVICES

ExxonMobil Production Company a division of Exxon Mobil Corporation, acting for ExxonMobil Oil Corporation

NOTE: Check forwarded to Ella Isasi

Bureau of Indian Affairs Navajo Region Office Attn: RRES - Mineral and Mining Section P.O. Box 1060 Gallup, New Mexico 87305-1060

Ge	nti	e	m	۵	n	•
uo				$\mathbf{c}$	11	

The current listing of officers and director	Of ExxonMobil Oil Corporation (Name of
Corporation), of New York	(State) is as follows:
	OFFICERS
President F.A. Risch	Address 5959 Las Colinas Blvd. Irving, TX 75039
Vice President K.T. Koonce	Address 800 Bell Street Houston, TX 77002
Secretary <u>F.L. Reid</u>	Address 5959 Las Colinas Blvd, Irving, TX 75039
Treasure B.A. Maher	·
	DIRECTORS ,
Name D.D. Humphreys	Address 5959 Las Colinas Blvd, Irving, TX 75039
	Address5959 Las Colinas Blvd. Irving, TX 75039
Name T.P. Townsend	Address 5959 Las Colinas Blvd. Irving, TX 75039
	Address 5959 Las Colinas Blvd. Irving, TX 75039
Name <u>F.A. Risch</u>	Address 5959 Las Colinas Blvd. Irving, TX 75039
	Singerely,  Whatea  Alex Correa
and in the custody ofand in the custody of	pertaining toExxonMobil_Oil_Corporation(Corporation) ords and accounts covering business for the State ofUtah ervice_Company(Agent), Phone: _1 (800 )927-9800
vhose business address is <u>One Utah Center</u>	201 South Main Street, Salt Lake City. Utah 84111-2218
1000000 A 100000  A 100000 A 100000 A 100000 A 100000 A 100000 A 100000 A 1000000 A 100000 A 100000 A 100000 A 100000 A 100000 A 100000 A 1000000 A 100000 A	Signature
(CORPORATE SEAL)	AGENT AND ATTHENEY IN FACT
	Title
March & March Comment	•

#### **CERTIFICATION**

I, the undersigned Assistant Secretary of ExxonMobil Oil Corporation. (formerly Mobil Oil Corporation), a corporation organized and existing under the laws of the State of New York, United States of America, DO HEREBY CERTIFY, That, the following is a true and exact copy of the resolutions adopted by the Board of Directors on May 22, 2001:

#### **CHANGE OF COMPANY NAME**

WHEREAS, the undersigned Directors of the Corporation deem it to be in the best interest of the Corporation to amend the Certificate of Incorporation of the Corporation to change the name and principal office of the Corporation:

NOW THEREFORE BE IT RESOLVED, That Article 1st relating to the corporate name is hereby amended to read as follows:

"1st The corporate name of said Company shall be,

ExxonMobil Oil Corporation",

FURTHER RESOLVED, That the amendment of the Corporation's Certificate of Incorporation referred to in the preceding resolutions be submitted to the sole shareholder of the Corporation entitled to vote thereon for its approval and, if such shareholder gives its written consent, pursuant to Section 803 of the Business Corporation Law of the State of New York, approving such amendment, the proper officers of the Corporation be, and they hereby are, authorized to execute in the name of the Corporation the Certificate of Amendment of Certificate of Incorporation, in the form attached hereto;

FURTHER RESOLVED, That the proper officers of the Corporation be and they hereby are authorized and directed to deliver, file and record in its behalf, the Certificate of Amendment of Certificate of Incorporation, and to take such action as may be deemed necessary or advisable to confirm and make effective in all respects the change of this Company's name to EXXONMOBIL OIL CORPORATION.

WITNESS, my hand and the seal of the Corporation at Irving, Texas, this 8th day of June, 2001.

S. a. Milliam
Assistant Secretary

COUNTY OF DALLAS
STATE OF TEXAS
UNITED STATES OF AMERICA

Sworn to and subscribed before me at Irving, Texas, U. S. A. on this the 8th day of June, 2001.

Panice M. Phillip Notary Public

### LISTING OF LEASES OF MOBIL OIL CORPORATION

#### Lease Number

- 1) 14-20-0603-6504
- 2) 14-20-0603-6505
- 3) 14-20-0603-6506
- 4) 14-20-0603-6508
- 5) 14-20-0603-6509
- 6) 14-20-0603-6510
- 7) 14-20-0603-7171
- 8) 14-20-0603-7172A
- 9) 14-20-600-3530
- 10) 14-20-603-359
- 11) 14-20-603-368
- 12) 14-20-603-370
- 13) 14-20-603-370A
- 14) 14-20-603-372
- 15) 14-20-603-372A
- 16) 14-20-603-4495
- 17) 14-20-603-5447
- 18) 14-20-603-5448
- 19) 14-20-603-5449
- 20) 14-20-603-5450
- 21) 14-20-603-5451

## CHUBB GROUP OF INSURANCE COMPANIES

Herbert in the Shuth, Suite 1906, Flouston Texas, 77027-3301 Herbert J. 0.31,237-4600 r. Febsimson (713),237-4750 NW Bond

FEDERAL INSURANCE COMPANY RIDER to be attached to and form a part of

BOND NO 8027 31 97
wherein
Mobil Oil Corporation and Mobil Exploration and Producing U.S., Inc. is
named as Principal and

FEDERAL INSURANCE COMPANY AS SURETY,

in favor of United States of America, Department of the Interior Bureau of Indian Affairs

in the amount of \$150,000.00 bond date: 11/01/65

IT IS HEREBY UNDERSTOOD AND AGREED THAT effective June 1, 2001 the name of the Principal is changed

FROM: Mobil Oil Corporation and Mobil Exploration and Producing U.S., Inc.

TO : ExxonMobil Oil Corporation

All other terms and conditions of this Bond are unchanged.

Signed, sealed and dated this 12th of June, 2001.

ExxonMobil Oil Corporation

FEDERAL INSURANCE COMPANY

Mary Pierson, Attorney-in-fact



POWER OF ATTORNEY Federal insurance Company Vigilant Insurance Company **Pacific Indemnity Company** 

Attn.: Surety Department 15 Mountain View Road Warren, NJ 07059

Know All by These Presents, That FEDERAL INSURANCE COMPANY, an Indiana corporation, VIGILANT INSURANCE COMPANY, a New York corporation, and PACIFIC INDEMNITY COMPANY, a Wisconsin corporation, do each hereby constitute and appoint R.F. Bobo,

Mary Pierson, Philana Berros, and Jody E. Specht of Houston, Texas-----

each as their true and lawful Attorney-in-Fact to execute under such designation in their names and to affix their corporate seals to and deliver for and on their behalf as surely thereon or otherwise, bonds and undertakings and other writings obligatory in the nature thereof (other than bail bonds) given or executed in the course of business, and any instruments amending or attering the same, and consents to the modification or atteration of any instrument referred to in said bonds or obligations.

In Witness Whereof, said FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY have each executed and attested these presents and affixed their corporate seals on this 10th day of May, 2001.

Kenneth C. Wendel, Assistant Secretar

STATE OF NEW JERSEY County of Somersel

On this 10th day of May, 2001

on this 10th day of May, 2001

one known to be Assistant Secretary of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY, the companies which executed the foregoing Power of Attorney, and the said Kenneth C. Wendel being by me duly sworn, did depose and say that he is Assistant Secretary of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY and knows the corporate seals that the seals affixed to the foregoing Power of Attorney are such corporate seals and were thereto affixed by authority of the By-Laws of said Companies; and that he signature of Frank E. Robertson, subscribed to said Power of Attorney is in the genuine handwriting of Frank E. Robertson, subscribed to said Power of Attorney is in the genuine handwriting of Frank E. Robertson, subscribed to said Power of Attorney is in the genuine handwriting of Frank E. Robertson, subscribed to said Power of Attorney is in the genuine handwriting of Frank E.

Notary Public State of New Jersey

No. 2231647

Commission Expires Oct 28 2004 ON

Extract from the By-Laws of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY:

"All powers of attorney for and on behalf of the Company may and shall be executed in the name and on behalf of the Company, either by the Chairman or the President or a Vice President or an Assistant Vice President, jointly with the Secretary or an Assistant Secretary, under their respective designations. The signature of such officers may be engraved, printed or lithographed. The signature of each of the following officers: Chairman, President, any Vice President, any Assistant Vice President, any Secretary, any Assistant Secretary and the seal of the Company may be affixed by facsimile to any power of attorney or to any certificate relating thereto appointing Assistant Secretaries or Attorneys-in-Fact for purposes only of executing and attesting bonds and undertakings and other writings obligatory in the nature thereof, and any such power of attorney or certificate bearing such facsimile signature or facsimile seal shall be valid and binding upon the Company and any such power so executed and certified by such facsimile signature and facsimile seal shall be valid and binding upon the Company with respect to any bond or undertaking to which it is attached."

I, Kenneth C. Wendel, Assistant Secretary of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY (the "Companies") do hereby certify that

(i) the foregoing extract of the By-Laws of the Companies is true and correct,

(ii) the Companies are duly licensed and authorized to transact surely business in all 50 of the United States of America and the District of Columbia and are authorized by the U. S. Treasury Department; further, Federal and Vigilant are licensed in Puerlo Rico and the U. S. Virgin Islands, and Federal is licensed in American Samoa, Guam, and each of the Provinces of Canada except Prince Edward Island; and

(iii) the foregoing Power of Attorney is true, correct and in full force and effect.

Given under my hand and seals of said Companies at Warren, NJ this  $\underline{12th}$ \_\_\_ day of <u>June</u>, 2001







IN THE EVENT YOU WISH TO NOTIFY US OF A CLAIM, VERIFY THE AUTHENTICITY OF THIS BOND OR NOTIFY US OF ANY OTHER MATTER, PLEASE CONTACT US AT ADDRESS LISTED ABOVE, OR BY Telephone (908) 903-3485 Fax (908) 903-3656 e-mail: surety@chubb.com

CSC

CSC.

5184334741

06/01 '01 08:46 NO.410 03/05

06/01 '01 09:06 NO.135 02/04

F010601000 187

#### CERTIFICATE OF AMENDMENT

OF

#### CERTIFICATE OF INCORPORATION

OF

CSC 45

#### MOBIL OIL CORPORATION

(Under Section 805 of the Business Corporation Law)

Pursuant to the provisions of Section 805 of the Business Corporation Law, the undersigned President and Secretary, respectively, of Mobil Oil Corporation hereby cartify:

FIRST: That the name of the corporation is MOBIL OIL CORPORATION and that said corporation was incorporated under the name of Standard Oil Company of New York.

SECOND: That the Certificate of Incorporation of the corporation was filed by the Department of State, Albany, New York, on the 10th day of August, 1882.

THIRD: That the smendments to the Certificate of Incorporation effected by this Certificate are as follows:

- (a) Article 1st of the Certificate of Incorporation, relating to the corporate name, is hereby amended to read as follows:
  - "1st The corporate name of said Company shall be,
    ExxonMobil Oil Corporation",
- (b) Article 7th of the Cartificate of Incorporation, relating to the office of the corporation is hereby smended to read as follows:

The office of the corporation within the State of New York is to be located in the County of Albany. The Company shall have offices at such other places as the Board of Directors may from time to time determine.

CSC CSC

5184334741

06/01 01 08:47 NO.410 04/05

FOURTH: That the amendments to the Certificate of Incorporation were authorized by the Board of Directors followed by the holder of all outstanding shares entitled to wote on amendments to the Certificate of Incorporation by written consent of the sole shareholder dated May 22, 2001.

IN WITNESS WHEREOF, this Certificate has been signed this 22nd Day of May, 2001.

F. A. Risch, President

STATE OF TEXAS
COUNTY OF DALLAS


F. L. REID, being duly sworm, deposes and says that he is the Secretary of MOBIL OIL CORPORATION, the corporation mentioned and described in the foregoing instrument; that he has read and signed the same and that the statements contained therein are true.

F. L. REID, Secretary

SUBSCRIBED AND SWORN TO before me, the undersigned authority, on this the 224 day of May, 2001.

[SEAL]

NOTARY PUBLIC, STATE OF TEXAS



CSC CSC

---;

5184334741

010601000187

CSC 45

CERTIFICATE OF AMENDMENT

OF

MOBIL OIL CORPORATION

Under Section 805 of the Business Corporation Law

100 STATE OF NEW YORK

Filed by: EXXONMOBIL CORPORATION

(Name)

EILED JUN 0 1 2001

TAX\$

5959 Las Colinas Blvd.

(Mailing address)

Irving, TX 75039-2298

(City, State and Zip code)

JUL 6 5 2001 CANALAT NATIL ESTATE SERVICES

010601000

,TEL=5184334741

06/01'01 08:19

≃> CSC

State of New York | State | Ss:

I hereby certify that the annexed copy has been compared with the original document in the custody of the Secretary of State and that the same is a true copy of said original.

Witness my hand and seal of the Department of State on JUN 01 2001



Special Deputy Secretary of State

DOS-1266 (7/00)

#### **OPERATOR CHANGE WORKSHEET**

ROUTING

1. GLH

2. CDW

3. FILE

Change of Operator (Well Sold)

Designation of Agent

### X Operator Name Change

Merger

The operator of the well(s) listed below has changed,	effective:	06-01-2001			· · · · · · · · · · · · · · · · · · ·		
FROM: (Old Operator):		TO: ( New Op	erator):				
MOBIL EXPLORATION & PRODUCTION	1	EXXONMOBIL OIL CORPORATION					
Address: P O BOX DRAWER "G"	†	Address: U S V					
Tradition To post plant Bre	1	1100000					
CORTEZ, CO 81321	1	HOUSTON, T	X 77210-43	58			
Phone: 1-(970)-564-5212	1	Phone: 1-(713)	-431-1010				
Account No. N7370	1	Account No.	N1855				
CA No.		Unit:	RATHER	FORD			
WELL(S)							
	SEC TWN	API NO	ENTITY		WELL		
NAME	RNG	_	NO	TYPE	TYPE	STATUS	
NAVAJO A-9 (RATHERFORD 16W23)		43-037-15722		INDIAN	WI	A	
NAVAJO A-12 (RATHERFORD 16W21)	16-41S-24E	43-037-16414	99990	INDIAN	WI	A	
RATHERFORD 16W43		43-037-16415		INDIAN	WI	A	
RATHERFORD 17-W-12	17-41S-24E	43-037-15726	6280	INDIAN	WI	A	
17-14	17-41S-24E	43-037-15727	6280	INDIAN	WI	Α	
RATHERFORD 17-W-23	17-41S-24E	43-037-15728	6280	INDIAN	WI	Α	
17-32	17-41S-24E	43-037-15729	6280	INDIAN	WI	A	
17-34	17-41S-24E	43-037-15730	6280	INDIAN	WI	A	
17-41	17-41S-24E	43-037-15731	6280	INDIAN	WI	I	
RATHERFORD 17-W-21	17-41S-24E	43-037-16416	99990	INDIAN	WI	A	
RATHERFORD 17W43		43-037-16417		INDIAN	WI	A	
RATHERFORD 18-W-14	18-41S-24E	43-037-15735	6280	INDIAN	WI	A	
18-W-32		43-037-15736		INDIAN	WI	A	
RATHERFORD 18-W-34	18-41S-24E	43-037-15737	6280	INDIAN	WI	A	
DESERT A-4 (RATHERFORD 18W41)		43-037-15738		INDIAN	WI	A	
DESERT A-3 (RATHERFORD 18-W-21)	18-41S-24E	43-037-16418	99990	INDIAN	WI	A	
18-23	18-41S-24E	43-037-30244	6280	INDIAN	WI	A	
RATHERFORD U 18-W-12 (SDTRK)		43-037-31153		INDIAN	WI	A	
RATHERFORD UNIT 18-W-43B	18-41S-24E	43-037-31718	6280	INDIAN	WI	Α	
RATHERFORD U 19-W-12	19-41S-24E	43-037-15739	6280	INDIAN	WI	A	
OPERATOR CHANGES DOCUMENTATION Enter date after each listed item is completed 1. (R649-8-10) Sundry or legal documentation was received				06/29/2001	<u>L</u>		
2. (R649-8-10) Sundry or legal documentation was received			06/29/200	_			
3. The new company has been checked through the <b>Departm</b>	ent of Comm	erce, Division	of Corpora	tions Datab	ase on:	04/09/2002	
4. Is the new operator registered in the State of Utah:	YES	Business Numl	oer:	579865-014	13		
5. If <b>NO</b> , the operator was contacted contacted on:	N/A	_					

6.	Federal and Indian Lease Wells: The BLM and or the BIA has approve or operator change for all wells listed on Federal or Indian leases on:  BIA-06/01/0	
7.	Federal and Indian Units:  The BLM or BIA has approved the successor of unit operator for wells listed on:	06/01/2001
8.	Federal and Indian Communization Agreements ("CA"): The BLM or BIA has approved the operator for all wells listed within a CA on:	N/A
9.	Underground Injection Control ("UIC") The Division has approve for the enhanced/secondary recovery unit/project for the water disposal well(s) listed	d UIC Form 5, Transfer of Authority to Inject, on: N/A NOTE: EPA ISSUES UIC PERMIT
$\overline{\mathbf{D}}$	ATA ENTRY:	
1.	Changes entered in the Oil and Gas Database on: 04/11/2002	
2.	Changes have been entered on the Monthly Operator Change Spread Sheet on:	04/11/2002
3.	Bond information entered in RBDMS on:  N/A	
4.	Fee wells attached to bond in RBDMS on:  N/A	
ST	ATE WELL(S) BOND VERIFICATION:	
1.	State well(s) covered by Bond Number:  N/A	
<b>FI</b>	EDERAL WELL(S) BOND VERIFICATION: Federal well(s) covered by Bond Number:  N/A	
IN 1.	DIAN WELL(S) BOND VERIFICATION: Indian well(s) covered by Bond Number:  80273197	
FI	E WELL(S) BOND VERIFICATION:	
1.	(R649-3-1) The NEW operator of any fee well(s) listed covered by Bond Number	N/A
	The <b>FORMER</b> operator has requested a release of liability from their bond on: The Division sent response by letter on:  N/A	N/A
	CASE INTEREST OWNER NOTIFICATION:  (R649-2-10) The FORMER operator of the fee wells has been contacted and informed of their responsibility to notify all interest owners of this change on:  N/A	d by a letter from the Division
CC	DMMENTS:	
_		

### Division of Oil, Gas and Mining

#### **OPERATOR CHANGE WORKSHEET**

ROUTING	
1. DJJ	
2. CDW	

#### X Change of Operator (Well Sold)

### Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:	6/1/2006
FROM: (Old Operator):	TO: ( New Operator):
N1855-ExxonMobil Oil Corporation	N2700-Resolute Natural Resources Company
PO Box 4358	1675 Broadway, Suite 1950
Houston, TX 77210-4358	Denver, CO 80202
Phone: 1 (281) 654-1936	Phone: 1 (303) 534-4600
CA No.	Unit: RATHERFORD (UIC)
OPERATOR CHANGES DOCUMENTATION  Enter date after each listed item is completed  1. (R649-8-10) Sundry or legal documentation was received from the  2. (R649-8-10) Sundry or legal documentation was received from the  3. The new company was checked on the Department of Commerce  4. Is the new operator registered in the State of Utah:  5. If NO, the operator was contacted contacted on:  6a. (R649-9-2)Waste Management Plan has been received on:  6b. Inspections of LA PA state/fee well sites complete on:  6c. Reports current for Production/Disposition & Sundries on:  7. Federal and Indian Lease Wells: The BLM and or the or operator change for all wells listed on Federal or Indian leases  8. Federal and Indian Units:  The BLM or BIA has approved the successor of unit operator for the BLM or BIA has approved the operator for all wells listed	e FORMER operator on:    4/21/2006     NEW operator on:   4/24/2006     New operator on:   4/24/2006     New operator on:   6/7/2006     New operator on:   6/7/2006     New operator on:   6/7/2006     New operator on:   6/7/2006     Stable on:   6/7/20
DATA ENTRY:	
<ol> <li>Changes entered in the Oil and Gas Database on:</li> <li>Changes have been entered on the Monthly Operator Change S</li> <li>Bond information entered in RBDMS on:</li> <li>Fee/State wells attached to bond in RBDMS on:</li> <li>Injection Projects to new operator in RBDMS on:</li> </ol>	n/a n/a 6/22/2006
6. Receipt of Acceptance of Drilling Procedures for APD/New on:	n/a
BOND VERIFICATION:	
Federal well(s) covered by Bond Number:  Output  Description:	n/a PA002769
2. Indian well(s) covered by Bond Number:	
3. (R649-3-1) The <b>NEW</b> operator of any fee well(s) listed covered by	9 <del>7 - 1185 - 1285 - 1</del>
a. The FORMER operator has requested a release of liability from the Division sent response by letter on:	heir bond on: <u>n/a</u> n/a
<ul> <li>LEASE INTEREST OWNER NOTIFICATION:</li> <li>(R649-2-10) The FORMER operator of the fee wells has been conformed of their responsibility to notify all interest owners of this change of their responsibility to notify all interest owners of this change of their responsibility.</li> </ul>	ntacted and informed by a letter from the Division on: n/a
COMMENTS:	

# STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

TRANSFER OF AUTHORITY TO INJECT						
Well Name and Number See attached list		API Number Attached				
Location of Well  Footage: See attached list.	County : San Juan	Field or Unit Name Ratherford Unit				
QQ, Section, Township, Range:	State: UTAH	Lease Designation and Number See attached list				

EFFECTIVE DATE OF TRANSFER: 6/1/2006

PERATOR	
Exxon Mobil Oil Corporation	Name:
PO Box 4358	Signature:
city Houston state TX zip 77210-4358	Title:
(281) 654-1936	Date:
Exxon Mobil has submitted a separate, signed copy	
	Exxon Mobil Oil Corporation  PO Box 4358  city Houston state TX zip 77210-4358  (281) 654-1936

#### **NEW OPERATOR** Resolute Natural Resources Company Company: Name: 1675 Broadway, Suite 1950 Address: Signature: city Denver state CO zip 80202 Regulatory Coordinator Title: (303) 534-4600 4/20/2006 Phone: Date: Comments: A list of affected UIC wells is attached. New bond numbers for these wells are: BIA Bond # PA002769 and US EPA Bond # B001252

(This space for State use only)

Transfer approved by:

Approval Date:

Comments:

RECEIVED APR 2 4 2006

#### STATE OF UTAH

	DEPARTMENT OF NATURAL RESOU	IRCES	TOKING
	DIVISION OF OIL, GAS AND M	INING	5. LEASE DESIGNATION AND SERIAL NUMBER:
			See attached list
SUNDRY	/ NOTICES AND REPORT	S ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for a second to diff.			Navajo Tribe 7. UNIT or CA AGREEMENT NAME:
drill horizontal is	new wells, significantly deepen existing wells below curaterals. Use APPLICATION FOR PERMIT TO DRILL	rrent bottom-hole depth, reenter plugged wells, or to form for such proposals.	Ratherford Unit
1. TYPE OF WELL			8. WELL NAME and NUMBER:
2. NAME OF OPERATOR:	OIL WELL GAS WELL OTHER Unit Agreement  OIL WELL GAS WELL OTHER Unit Agreement  OIL WELL GAS WELL OTHER Unit Agreement  OIL WELL GAS WELL OTHER UNIT AGREEMENT  OIL WALL GAS AT SURFACE: See attached list  OTHER WALL GAS AT SURFACE: See attached list  OTHER WALL GAS AT SURFACE: See attached list  OTHER WALL GAS AT SURFACE: See attached list  OTHER WALL GAS AT SURFACE: See attached list  OTHER WALL GAS AT SURFACE: See attached list  OTHER WALL GAS AT SURFACE: See attached list  OTHER WALL GAS AT SURFACE: See attached list  OTHER WALL GAS AT SURFACE: See attached list  OTHER WALL GAS AT SURFACE: See attached list  OTHER WALL GAS AT SURFACE: See attached list  OTHER WALL GAS AT SURFACE: See attached list  OTHER WALL GAS AT SURFACE: See attached list  OTHER WALL GAS AT SURFACE: See attached list  OTHER WALL GAS AT SURFACE: See attached list  OTHER WALL GAS AT SURFACE: See attached list  OTHER WALL GAS AT SURFACE: See attached list  OTHER WALL GAS AT SURFACE: SEE ATTACHED GAS ATTACHED		See attached list
	es Company N2700		9. API NUMBER: Attached
3. ADDRESS OF OPERATOR:		PHONE NUMBER:	10. FIELD AND POOL, OR WILDCAT:
4. LOCATION OF WELL	y Denver STATE CO ZIE	80202 (303) 534-4600	Greater Aneth
100,000 (100,000,000,000,000,000,000,000,000,000		・ (17.00×80人) 第世代教史教授教授教授 (2.1元)	with book which at an interconnection and
FOUTAGES AT SURFACE: 388 21	Addred list		COUNTY: San Juan
QTR/QTR, SECTION, TOWNSHIP, RAN	IGE, MERIDIAN:	10 14 15 TA	STATE:
	AMPRICA SERVICE CONTROL OF THE		UTAH
11. CHECK APPR	ROPRIATE BOXES TO INDICAT	TE NATURE OF NOTICE REPORT	RT OR OTHER DATA
TYPE OF SUBMISSION	-	TYPE OF ACTION	AT, OR OTHER DATA
NOTICE OF INTENT	ACIDIZE		REPERFORATE CURRENT FORMATION
	ALTER CASING	☐ FRACTURE TREAT	SIDETRACK TO REPAIR WELL
Approximate date work will start:	CASING REPAIR	_	TEMPORARILY ABANDON
	CHANGE TO PREVIOUS PLANS		TUBING REPAIR
	All services	=	VENT OR FLARE
SUBSEQUENT REPORT	=		=
(Submit Original Form Only)		_	WATER DISPOSAL
Date of work completion:		=	WATER SHUT-OFF
=	I=	=	OTHER:
12 0500005 00000000 00 00			
Effective June 1, 2006 Ex	con Mobil Oil Corporation resigns	s as operator of the Ratherford Un	it. Also effective June 1, 2006
Resolute Natural Resource	es Company is designated as su	ccessor operator of the Ratherford	d Unit.
A list of affected producing	and water source wells is attach	ned. A separate of affected injection	on wells is being submitted with
UIC Form 5, Transfer of A	uthority to Inject.	ios. A coparato or anected injectio	on wells is being submitted with
As of the effective date, bo	and coverage for the affected wel	lls will transfer to BIA Bond # PA0	02769.
			£3
			25
/ huish F.	Alama		
NAME (PLEASE PRINT) DWIGHT E IN	railury	TITLE Regulatory Coordi	nator
SIGNATURE WITE &	1/1	DATE 4/20/2006	
		UAIE WEST	
This space for State use only			DEOE
			UL / 10 m

APPROVED 6 137 106

Carlene Russell

Division of Oil, Gas and Mining actions on Reverse Side)

England Russell Engineering Tacketolan

RECEIVED APR 2 4 2006

Earlene Russell, Engineering Technician

DIV. OF OIL, GAS & MINING

## STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

DIVISION OF OIL, GAS AND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER:
SUNDRY NOTICES AND REPORTS ON V	VELLS  6. IF INDIAN, ALLOTTEE OR TRIBE NAME: Ship Rock
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-h drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such j	ole depth, reenter plugged wells, or to proposals.  7. UNIT or CA AGREEMENT NAME: UTU68931A
1. TYPE OF WELL OIL WELL GAS WELL OTHER Injection	8. WELL NAME and NUMBER: Ratherford
2. NAME OF OPERATOR:  ExxonMobil Oil Corporation  N/855	9. API NUMBER:
3. ADDRESS OF OPERATOR:	PHONE NUMBER: 10. FIELD AND POOL, OR WILDCAT:
P.O. Box 4358 CITY Houston STATE TX ZIP 77210-4	358 (281) 654-1936 Aneth
FOOTAGES AT SURFACE:	county: San Juan
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:	STATE: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATU	RE OF NOTICE, REPORT, OR OTHER DATA  TYPE OF ACTION
Approximate date work will start:  6/1/2006  CHANGE TO PREVIOUS PLANS  CHANGE TUBING  CHANGE TUBING  CHANGE WELL NAME  PLUG  CHANGE WELL STATUS  PROT  COMMINGLE PRODUCING FORMATIONS  RECL	SIDETRACK TO REPAIR WELL CONSTRUCTION TEMPORARILY ABANDON TUBING REPAIR TUBING REPAIR TUBING REPAIR TUBING REPAIR TUBING REPAIR TUBING REPAIR TUBING REPAIR TUBING REPAIR TUBING REPAIR TUBING REPAIR TUBING REPAIR TUBING REPAIR TUBING REPAIR TUBING REPAIR TUBING REPAIR TO THERE TO TH
NAME (PLEASE PRINT) Laurie Kilbride	Permitting Supervisor
SIGNATURE JAMES D. KUBUCH	DATE 4/19/2006
This apace for State use only) APPROVED 6 27 06	

(5/2000)

Carleve Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician
(See Instructions on Reverse Side)

RECEIVED APR 2 1 2006

## GREATER ANETH FIELD UIC WELL LIST Ratherford lease, San Juan County, Utah

			T					Surfa	ce Loc	ration	
Reg Lease Name	Well ID	API Num	Status	Reg Lease #	Qtr 1	Qtr 2	_	_		NS Foot	EW Foot
Reg Lease Name	Well ID	AFTNUIII	Status	Neg Lease #	GZLI I	QuZ	360		INIVO	140 7 001	EVV 1 001
RATHERFORD UNIT	11/1/2/	430371583900S1	Shut-in	14-20-603-246A	NE	SE	1	415	23F	0651FSL	3300FEL
RATHERFORD UNIT		430371638600S1	Active	14-20-603-246A	SE	SE	2	418			0510FEL
RATHERFORD UNIT		430371584100S1	Active	14-20-603-246A	SE	NE	11	418		3290FSL	4617FWL
RATHERFORD UNIT		430371584200S1	Shut-in	14-20-603-246A	SE	SE	11	418	23E	0660FSL	0558FEL
RATHERFORD UNIT		430371584300S1	Active	14-20-603-246A	NW	NW	12		23E	0678FNL	4620FEL
			Active	14-20-603-246A	NW	SW	12	418		1980FSL	4620FEL
RATHERFORD UNIT	12W13 12W22	430371640400S1 430371584501S1	Active	14-20-603-246A	SE	NW	12	415		1920FNL	2080FWL
RATHERFORD UNIT		43037311510181	Active	14-20-603-246A	SE	SW	12	418		0775FSL	1980FWL
RATHERFORD UNIT			Active	14-20-603-246A	NW	NE	12	418		0661FNL	1981FEL
		430371584700S1			NW	SE	12		23E	1958FSL	3300FEL
RATHERFORD UNIT	12W33	430371584800S1	Active	14-20-603-246A	SE	NE	12	418		3275FSL	0662FEL
RATHERFORD UNIT	12W42	430371585000S1	Active	14-20-603-246A 14-20-603-246A	SE	SE	12	415	23E	0772FSL	0807FEL
RATHERFORD UNIT	12W44A	430373154300S1	Shut-in	14-20-003-240A	ISE.	SL.	12	410	232	OTTZI SL	DOOT! LL
DATUEDEODD UNIT	40)4/44	40007044500404	A -40	44.00.000.0474	NISA/	NIVA/	12	440	225	OFOOTNI	0660FWL
RATHERFORD UNIT		430373115201S1	Active	14-20-603-247A	NW	NW	13	415		0500FNL	
RATHERFORD UNIT	13W13	430371585100S1	Active	14-20-603-247A	NW	SW	13	418	23E	1980FSL	4620FEL
RATHERFORD UNIT		430371585200S1	Active	14-20-603-247A	SE	NW	13	41S			3300FEL
RATHERFORD UNIT		430371585300S1	Active	14-20-603-247A	SE	SW	13	415	4.00	0660FSL	3300FEL
RATHERFORD UNIT		430371585501S1	Active	14-20-603-247A	NW	SE	13		23E	1970FSL	1979FEL
RATHERFORD UNIT		430371585700S1	Shut-in	14-20-603-247A	SE	NE	13	418		2139FNL	0585FEL
RATHERFORD UNIT	13W44	430371640700S1	Active	14-20-603-247A	SE	SE	13	415	23E	0653FSL	0659FEL
RATHERFORD UNIT	14-31	430373171700S1	Active	14-20-603-247A	NW	NE	14		23E	0754FNL	1604FEL
RATHERFORD UNIT	14W42	430371586001S1	Active	14-20-603-247A	SE	NE	14	41S			653FEL
	24W31	430371586200S1	Shut-in	14-20-603-247A	NW	NE	24		24E	0560FNL	1830FEL
RATHERFORD UNIT	24W42	430371586300S1	Shut-in	14-20-603-247A	SE	NE	24	41S	24E	1980FNL	0660FEL
RATHERFORD UNIT		430371572601S1	Active	14-20-603-353	sw	NW	17	41S		1980FNL	510FWL
RATHERFORD UNIT	17W14	430371572700S1	Active	14-20-603-353	SW	SW	17	41S		0610FSL	0510FWL
RATHERFORD UNIT	17W21	430371641601S1	Active	14-20-603-353	NE	NW	17	418		0510FNL	1830FWL
RATHERFORD UNIT		430371572801S1	Active	14-20-603-353	NE	SW	17	418		1880FSL	1980FWL
RATHERFORD UNIT	17W32	430371572900S1	TA'd	14-20-603-353	SW	NE	17	41S	24E	1830FNL	2030FEL
RATHERFORD UNIT	17W34	430371573000S1	Active	14-20-603-353	SW	SE	17		24E	0560FSL	1880FEL
RATHERFORD UNIT	17W41	430371573100S1	Shut-in	14-20-603-353	NE	NE	17	41S	24E	0610FNL	0510FEL
RATHERFORD UNIT	17W43	430371641701S1	Active	14-20-603-353	NE	SE	17	41S	24E	1980FSL	0660FEL
RATHERFORD UNIT	18-43B	430373171801S1	Active	14-20-603-353	NE	SE	18	41S	24E	2023FSL	0651FEL
RATHERFORD UNIT	18W12	430373115301S1	Active	14-20-603-353	sw	NW	18	41S	24E	1980FNL	560FWL
RATHERFORD UNIT	18W14	430371573501S1	Active	14-20-603-353	sw	SW	18	41S	24E	0810FSL	0600FWL
RATHERFORD UNIT	18W21	430371641801S1	Active	14-20-603-353	NE	NW	18	41S	24E	660FNL	1882FWL
RATHERFORD UNIT	18W23	430373024400S1	Shut-in	14-20-603-353	NE	SW	18	418	24E	2385FSL	2040FWL
RATHERFORD UNIT		430371573601S1	Active	14-20-603-353		NE					1830FEL
RATHERFORD UNIT		430371573701S1	Active	14-20-603-353	sw	SE	18			780FSL	1860FEL
RATHERFORD UNIT		430371573800S1	TA'd	14-20-603-353	NE	NE	18				0660FEL
RATHERFORD UNIT		430371573901S1	Active	14-20-603-353	sw	NW	19				0600FWL
RATHERFORD UNIT		430371574301S1	Active	14-20-603-353	sw	NE	19				2802FEL
RATHERFORD UNIT		430371574401S1	Active	14-20-603-353	SW	SE	19				1980FEL
RATHERFORD UNIT		430371574100S1	Shut-in	14-20-603-353	NE.	NW	19			0660FNL	1860FWL
RATHERFORD UNIT		430371574200S1	Shut-in	14-20-603-353	NE	sw	19			2080FSL	1860FWL
RATHERFORD UNIT		430371642000S1	Shut-in	14-20-603-353	NE	SE	19			1980FSL	0760FEL
RATHERFORD UNIT		430371574601S1	Active	14-20-603-353	sw	NW	20				0748FEL
RATHERFORD UNIT		430371574701S1	Active	14-20-603-353	sw	sw	20			0660FSL	0660FWL
RATHERFORD UNIT		430371574701S1	Active	14-20-603-353	sw	NE	20			0037FNL	0035FWL
RATHERFORD UNIT		430371575001S1	Active	14-20-603-353	sw	SE	20			0774FNL	0617FWL
		430373159000S1	Active	14-20-603-353	NE	SW	20			2629FSL	1412FWL
RATHERFORD UNIT			-	14-20-603-353	NE	NW	20			0660FNL	1880FWL
RATHERFORD UNIT		430371642300S1	Active	14-20-603-353	NW	SW	20			2080FSL	2120FWL
RATHERFORD UNIT		430371574800S1	Active		NE	NE	20				0660FEL
RATHERFORD UNIT		430371575100S1	Active	14-20-603-353	NE	SE	20			2070FSL	0810FEL
RATHERFORD UNIT	200043	430371642400S1	TA'd	14-20-603-353	1110	10E	120	7713	Z4C	20101 3L	00 101 LL
DATHEDSOSS	40)1/40	40007457000001	Antine	14 20 602 255	C/V/	NIA/	16	110	24E	1880FNL	0660FWL
RATHERFORD UNIT	116W12	430371572000S1	Active	14-20-603-355	SW	NW	16	1+19	144C	TOOUT NL	DOOOL AAL

## **GREATER ANETH FIELD UIC WELL LIST**Ratherford lease, San Juan County, Utah

	Well ID	API Num	Status	Reg Lease #	Surface Location						
Reg Lease Name					Qtr 1	Qtr 2	Sec	TN	RNG	NS Foot	EW Foot
RATHERFORD UNIT	16W14	430371572100S1	Shut-in	14-20-603-355	sw	sw	16	41S		0660FSL	0660FWL
RATHERFORD UNIT	16W21	430371641400S1	Active	14-20-603-355	NE	NW	16	41S		0660FNL	1880FWL
RATHERFORD UNIT	16W23	430371572201S1	Active	14-20-603-355	NE	SW	16	41S	24E	1980FSL	1980FWL
RATHERFORD UNIT	16W43	430371641501S1	Active	14-20-603-355	NE	SE	16	41S	24E	2140FSL	0820FEL
RATHERFORD UNIT	21-14	430371575301S1	Active	14-20-603-355	sw	SW	21	41S	24E	0660FSL	0460FWL
RATHERFORD UNIT	21-67	430373175301S1	Active	14-20-603-355	NE	sw	21	41S	24E	2560FSL	1325FWL
RATHERFORD UNIT		430371642501S1	Active	14-20-603-355	NE	NW	21	41S	24E	0660FNL	2030FWL
RATHERFORD UNIT	6W14	430371598400S1	Active	14-20-603-368	NE	SE	6	41S	_	0660FSL	0660FWL
RATHERFORD UNIT	7W12	430371598500S1	Active	14-20-603-368	NE	SE	7	41S		2140FNL	0585FWL
RATHERFORD UNIT	7W14	430371598600S1	Active	14-20-603-368	NE	SE	7	41S	24E	1065FSL	0660FWL
RATHERFORD UNIT	7W21	430371639400S1	Active	14-20-603-368	NE	NW	7	418		0710FNL	1820FWL
RATHERFORD UNIT	7W34	430371598900S1	Active	14-20-603-368	SW	SE	7			0710FSL	2003FEL
RATHERFORD UNIT	7W43	430371639500S1	Active	14-20-603-368	NE	SE	7		24E	2110FSL	0660FEL
RATHERFORD UNIT	8W14	430371599200S1	Active	14-20-603-368	SW	NE	8	418	24E	0745FSL	0575FWL
							10	110	0.45	1000501	OCCOCE!
RATHERFORD UNIT	10W43	430371640300S1	TA'd	14-20-603-4037	NE	SE	10	41S	24E	1980FSL	0550FEL
DATUEDEODD UNIT	00.40	430371533701S1	Active	14-20-603-407	sw	NW	29	41S	24F	2870FNL	1422FWL
RATHERFORD UNIT		43037153370151	Active	14-20-603-407	sw	NE	29	41S		0694FNL	0685FWL
RATHERFORD UNIT	29-32	43037164320081	Active	14-20-603-407	NE	NW	29	-		0667FNL	2122FWL
RATHERFORD UNIT	29W21	43037164320051	Active	14-20-603-407	NE	NE	29	418		0557FNL	0591FEL
RATHERFORD UNIT		430371643300S1	Shut-in	14-20-603-407	NE	SE	29	418	24E	1980FSL	0660FEL
RATHERFORD UNIT			Shut-in	14-20-603-407	NE	NE	30	418	24E	0660FNL	0660FEL
RATHERFORD UNIT	30W41	430371534300S1	Jonus-III	14-20-003-407	INC	111	130	7.10		55001 IVE	55001 EE
RATHERFORD UNIT	28-12	430371533601S1	Active	14-20-603-409	sw	SE	28	418	24E	2121FNL	0623FWL
RATHERFORD UNIT	28W21	430371643100S1	Shut-in	14-20-603-409	NE	NW	28	41S	24E	0660FNL	2022FWL
TO THE TOTAL ONLY	<del></del>	1	-								
RATHERFORD UNIT	9W23	430371639800S1	Active	14-20-603-5046	NW	SE	9	41S	24E	1980FSL	1980FWL